```
Set      Items    Description
S1           0    AU=(PRAKKEN R? OR PRAKKEN, R?)
S2     8195030    SIGNAT? OR SEAL OR STAMP? OR CERTIFICATE? OR  MARK? ? OR M-
                  ARKING? OR CODE? ? OR RIGHT? ? OR LICENS? OR ENCOD?
S3     9872574    EXECUT? OR RUN? ? OR RUNNING OR PRINT?
S4     4087382    NODE? OR TERMINAL? OR PC OR COMPUTER? OR CPU OR WORKSTATIO-
                  N? OR SERVER OR CLIENT OR RECIPIENT OR RECEIVER
S5    14080460    DESTINATION OR SOURCE OR FIRST OR SECOND OR 2ND OR 1ST
S6     9035771    TRANSFER? OR TRANSMI? OR FORWARD OR SEND? OR SENT OR DOWNL-
                  OAD? OR RECEIV?
S7     2815187    FILE? ? OR DATAFILE? OR FOLDER? OR DIRECTORY OR DIRECTORIES
                  OR DOCUMENT? ?
S8       87808    S2(5N)S7
S9        4022    S8(15N)S4
S10        522    S9(10N)S6
S11        132    S10(S)(S3 OR S5)
S12         63    S11 NOT PY>2000
S13         48    RD (unique items)
? show file
File  20:Dialog Global Reporter 1997-2003/Oct 30
         (c) 2003 The Dialog Corp.
File 476:Financial Times Fulltext 1982-2003/Oct 30
         (c) 2003 Financial Times Ltd
File 610:Business Wire 1999-2003/Oct 30
         (c) 2003 Business Wire.
File 613:PR Newswire 1999-2003/Oct 30
         (c) 2003 PR Newswire Association Inc
File 624:McGraw-Hill Publications 1985-2003/Oct 29
         (c) 2003 McGraw-Hill Co. Inc
File 634:San Jose Mercury  Jun 1985-2003/Oct 29
         (c) 2003 San Jose Mercury News
File 810:Business Wire 1986-1999/Feb 28
         (c) 1999 Business Wire
File 813:PR Newswire 1987-1999/Apr 30
         (c) 1999 PR Newswire Association Inc
```

13/3,K/1   (Item 1 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

13681398 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**Canon U.S.A. and eCopy, Inc. Announce New Distribution Agreement for
   MailRoom 2000 Software**
BUSINESS WIRE
November 08, 2000
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 724

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   includes many document markup and handling tools, providing the
ability to combine or separate scanned **documents** , attach **signature
 stamps** and create "eCopies" directly from **computer** files. The software
also allows recipients to **send** and **receive** eCopies directly from their
 desktops.
     About eCopy, Inc.
     eCopy, Inc., based in Nashua, New Hampshire...

 13/3,K/2   (Item 2 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

13604645 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Technology Industry Expands Its Political Capacity
Catalina Camia
KRTBN KNIGHT-RIDDER TRIBUNE BUSINESS NEWS   (DALLAS MORNING NEWS - TEXAS)
November 02, 2000
JOURNAL CODE: KDMN   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 885

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   extension of the research and development tax credit and a law
allowing for a digital **signature** on **documents**   **sent** electronically.
    House Majority Leader Dick Armey, R-Flower Mound, **recipient** of the
ITIC's "legislator of the year" award for outlining an "e-contract" of...

 13/3,K/3   (Item 3 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

13597542
CRN finds security flaw in Microsoft IIS
**Microsoft has insisted that a security flaw in its Internet Information
   Server (IIS) is a mere "pinhole", but an examination by Computer
   Reseller News Labssuggests that the problem is more like a gaping hole.**
NEWSWIRE (VNU)
July 11, 2000
JOURNAL CODE: WNEW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 419

     ...script requests the DLL to send the file. The DLL then decrypts the
filename and   lsends the file on to the **client** for display on-screen.An
attacker needs authorship **rights** , making the viewing of ASP **files** -

which authorscan do anyway - a non-issue. But the flaw can be exploited to crash...

...to buffer-overrun attacks. These corrupt the stack, thereby crashing the server or making it **run** code passed to it in the filename.Using Perl script, CRN Labs corrupted the program...

...bearing components reinstates the bad code. Another option is to elevate the rights needed to **execute** the DLL, thereby restricting its use to, say, server administrators. Microsoft is reportedly in talks...

... to launch its X-Box games console in 2001. In addition, Microsoft began shipping a **second** test version of its database software, SQL Server 2000, last week. The company expects 200...

13/3,K/4   (Item 4 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

13334833 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**eCopy Teams with UPS for Secure Web Document Delivery; Updates Software for
   Electronic Distribution of Paper Documents**
BUSINESS WIRE
October 17, 2000
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1218

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   includes many document markup and handling tools, providing the ability to combine or separate scanned **documents** , attach **signature stamps** and create "eCopies" directly from **computer** files. The software also allows recipients to **send** and **receive** eCopies directly from their desktops.
       The new version of MailRoom 2000 also adds support for...

13/3,K/5   (Item 5 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

12087202 (USE FORMAT 7 OR 9 FOR FULLTEXT)
DigMedia Announces Licensing Agreement With InterTrust
BUSINESS WIRE
July 25, 2000
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 624

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   services that enable record labels to transmit and sell music over the Internet. At the **receiving** end, DigMedia manufactures **PC** and non- **PC** appliances to playback DRM- **encoded** music and video **files** .
     "We are pleased to enter into a comprehensive licensing agreement with DigMedia," said Edmund Fish...

13/3,K/6   (Item 6 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter

11464614   (USE FORMAT 7 OR 9 FOR FULLTEXT)
GMV Network EdgeServer Enables New Radio Star To Revolutionize Internet Radio
BUSINESS WIRE
June 12, 2000
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 529

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   radio station could be a difficult and frustrating experience.
Internet radio listeners had to first **download** into their **computer** one
of three frameworks. The three frameworks have proprietary media
components, **encoders** , servers, players and **file** formats.
     Hamilton likened the situation to needing a Motorola radio to listen
to one radio...

 13/3,K/7   (Item 7 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

11364759   (USE FORMAT 7 OR 9 FOR FULLTEXT)
BRIEFING - ASIA INFORMATION TECHNOLOGY - JUNE 6, 2000
ASIA PULSE
June 06, 2000
JOURNAL CODE: WAPL   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 549

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   and can handle up to eight processors, including a master
controller, a reduced instruction-set **computer** , and a digital signal
processor.
     PHILIPPINES E-COMMERCE LAW TO FACILITATE GOVT **DOCUMENT** ISSUE
     MANILA - Government-issued permits, **licenses** and other official
documents may be **transmitted** as electronic documents through **computers**
once the e-commerce bill is passed into law.
     The e-commerce bill is reported...

 13/3,K/8   (Item 8 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

11153122   (USE FORMAT 7 OR 9 FOR FULLTEXT)
Still another computer virus on the prowl
BUSINESSWORLD (PHILIPPINES), p20
May 23, 2000
JOURNAL CODE: FBWP   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 269

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   constantly working to protect our clients from any Internet virus
threat and urge everyone to **download** the latest antivirus **signature**
file ."
     CA's inoculateIT, an antivirus solution for networked environments, is

certified by the International **Computer** Association (ICSA) to detect 100% of viruses "in the wild." For the latest information about...

13/3,K/9   (Item 9 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

11049792 (USE FORMAT 7 OR 9 FOR FULLTEXT)
ALL LAND OFFICES TO GO ON-LINE BY EARLY 2002
BERNAMA THE MALAYSIAN NATIONAL NEWS AGENCY
May 16, 2000
JOURNAL CODE: FBNM   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 244

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   seven states is expected to be gazetted by October 1 and this will make all **computer printed** land documents as valid **documents** under the National Land **Code** .
     He said with the CLRS, all land matters pertaining to **transfer** of ownership and leases can be expedited.
     More than two million land title registrations had...

13/3,K/10   (Item 10 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

10243013 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Techno news
Compiled Daniel Biderman
PRAGUE TRIBUNE
March 25, 2000
JOURNAL CODE: WPTE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 569

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   firm Hewlett-Packard. The HP Mopier makes it possible to print, collate, copy and bind **documents** , all **right** from the **computer** . Additionally, one can use it to **send** out electronic documents, either through local networks or through the internet. The HP Mopier can **print** or copy up to 32 A3 pages a minute and up to 150,000 pages a month, with 1,200 dpi resolution. Standard features include two-side **printing** and copying, a 133/166 MHz RISC processor, and an HP JetDirect **printer** . The Job Retention feature makes it possible to **print** documents under a password, as well as permanent storage on the hard disk, with the option of **printing** directly from the hard drive. The HP Mopier costs 350,620 Kc for the model...

13/3,K/11   (Item 11 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

10092168 (USE FORMAT 7 OR 9 FOR FULLTEXT)
MightyWords Launches New Digital Marketplace for the Written Word
BUSINESS WIRE
March 16, 2000

JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1445

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   than not eMatter will be printed by the reader. eMatter is quick
and easy to **download** and **print** from any **printer** .) MightyWords'
digital **rights** technology securely matches the **document** to the reader's
 computer , rendering it inaccessible on any other machine. If the reader
emails eMatter to a colleague...

   13/3,K/12   (Item 12 from file: 20)
DIALOG(R)File   20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

09737325   (USE FORMAT 7 OR 9 FOR FULLTEXT)
Synopsys' FPGA Express Now Available On the Internet From Toolwire, Inc.;
   Synopsys' Agreement with Toolwire Powers EDA Tools into Internet Time
BUSINESS WIRE
February 24, 2000
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 571

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   and optimize limited budgets. FPGA designers can run designs
quickly online, instead of spending time **downloading** program **files** and
requesting evaluation **licenses** . Designers who already have FPGA Express,
but have limited hardware resources, can leverage Toolwire's **server** farm
to **run** their designs on an as-needed basis.
   Benchmarking can be readily and quickly accomplished as...

   13/3,K/13   (Item 13 from file: 20)
DIALOG(R)File   20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

09311859   (USE FORMAT 7 OR 9 FOR FULLTEXT)
InstantDocuments.com Signs Agreement With MultiCopy; Expands European
   Market Coverage
BUSINESS WIRE
January 20, 2000
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 460

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   Kingdom. Other unique services offered by the company include
Instant Courier(TM), a completely secure, **computer** -to- **computer** ,
electronic document delivery service that provides encryption and
decryption, digital certificate authentication, digital **signatures** , and
web-based **document** tracking. InstantDocuments.com also .licenses its
secure **document** **transmission** software known as Document DNA(SM).
   MultiCopy is celebrating its 29th anniversary and is part...

   13/3,K/14   (Item 14 from file: 20)
DIALOG(R)File   20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

09094418 (USE FORMAT 7 OR 9 FOR FULLTEXT)
ecomXML Joins RosettaNet to Advance Business-to-Business E-Commerce
PR NEWSWIRE
January 12, 2000
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 338

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   databases to XML that matches the PIPs, encrypts and provides a
digital signature. On the **receiving** end, ecomTalk **Server** , verifies
 certificates , decrypts and routes the XML **document** to its **destination**
.

      ecomTalk **Server** brings companies quickly into the rapidly growing
world of B2B e-commerce where they will...

 13/3,K/15   (Item 15 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

09086052 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Computing big boys home in on your hi-tech house of the future
SCOTSMAN, p22
January 10, 2000
JOURNAL CODE: FSCT   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1292

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   showed off a range of gadgets running Microsoft software, including
the next generation of handheld **computers** . The pocket PCs **receive**
e-mail, store personal data and carry pictures and music **files** and **mark**
 the latest attempt by Microsoft to unseat 3Com's dominance in that market
with its...

 13/3,K/16   (Item 16 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

08418235 (USE FORMAT 7 OR 9 FOR FULLTEXT)
India: A break from the mindset
BUSINESS LINE
November 27, 1999
JOURNAL CODE: FBLN   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1036

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   raw data - audio files or image files - arrive over leased lines
and are transcribed into **computers** as text **files** . These are proofread,
edited, paginated, **coded** , and so on, and **sent** back to the customer as
data files over the telecommunication lines. There is really no need for
the **printout** , the last link with the industrial era.
      However, in view of the finding in the...

 13/3,K/17   (Item 17 from file: 20)

07743926 (USE FORMAT 7 OR 9 FOR FULLTEXT)
The Digital Music Revolution - Jammin' at a Store Near You
PR NEWSWIRE
October 14, 1999
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 892

...computer users to play, download and organize CD-quality MP3 files.
The release marks the **first** time that such an enhanced "jukebox" program
can be purchased by consumers at traditional retail...

13/3,K/18   (Item 18 from file: 20)

07507234 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Novell Certificate Server 2.0 Now Available in Open Beta
PR NEWSWIRE
September 29, 1999
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 334

(USE FORMAT 7 OR 9 FOR FULLTEXT)

... information. This security functionality builds on Public Key
Infrastructure Services (PKIS) 1.0, which was **first** introduced with NDS
last year. Novell Certificate Server 2.0 ensures that individuals or
applications...

13/3,K/19   (Item 19 from file: 20)

06975261 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Renmin Ribao Slams Handling Lee 'Spy Case'
"News analysis" US-based staff reporters Ma Shikun (7456 0013 3824) and
Zhang Yong (1728 0516): "What Does the 'Lee Wen Ho Case' Show?"
WORLD NEWS CONNECTION
August 30, 1999
JOURNAL CODE: WWNC   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1179

(USE FORMAT 7 OR 9 FOR FULLTEXT)

... was a "Chinese spy" and also refuted the accusation that he had
"violated security regulations": " **Downloading** data onto an insecure
computer is a part of my work and is done in order to protect my **code**
and my **files** ." He also said that "my **computer** has three codes, so that
hardly anyone can get in." A computer expert who was...

... Lee Wen Ho case appeared to have "died a natural death." Apparently
noting this conclusion **first** , Trulock, acting deputy director of the
counterintelligence department of the Department of Energy, who was...

13/3,K/20   (Item 20 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

06706644 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Global Viewpoint: Phantom menace
BANGKOK POST, p5
August 15, 1999
JOURNAL CODE: FBKP   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1362

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   Times on March 9, Lee has received hate mail and death threats.
Although Lee admitted **downloading** the codes to an unclassified **computer**
, he explained that doing so was "part of my job to protect my **code** , to
protect my **file** " by creating a backup copy. Lee noted this was "a very
common practice" at Los...

13/3,K/21   (Item 21 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

06089213 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**Entrust(r) Technologies' E-Business Solutions Chosen by NetEx(tm), LLC For
   Secure Document Delivery Service over the Internet**
CANADIAN CORPORATE NEWS
July 06, 1999
JOURNAL CODE: WCCN   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 651

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   informs the recipient via e-mail, fax, pager, or voice, that a
document has been **sent** to NetEx and is awaiting pick-up. The **recipient**
then accesses the NetEx **server** through use of a personal digital
certificate , and **downloads** the **file** where it is automatically
unencrypted and opened. Visit http://www.netex.com for more information...

13/3,K/22   (Item 22 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

06071488 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**Entrust Technologies' E-Business Solutions Chosen by NetEx, LLC For Secure
   Document Delivery Service over the Internet**
BUSINESS WIRE
July 06, 1999
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 852

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   informs the recipient via e-mail, fax, pager, or voice, that a
document has been **sent** to NetEx and is awaiting pick-up. The **recipient**
then accesses the NetEx **server** through use of a personal digital
certificate , and **downloads** the **file** where it is automatically
unencrypted and opened. Visit http://www.netex.com for more information...

13/3,K/23   (Item 23 from file: 20)
DIALOG(R)File   20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

05945742 (USE FORMAT 7 OR 9 FOR FULLTEXT)
New Breed of Viruses Strikes Computers via E-mail
Dawn C. Chmielewski
KRTBN KNIGHT-RIDDER TRIBUNE BUSINESS NEWS   (ORANGE COUNTY REGISTER -
CALIFORNIA)
June 26, 1999
JOURNAL CODE: KTOC   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 909

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   a Word file that, if opened, launched a macro that sends the virus
to the **first** 50 names in the recipient's Outlook address book. Corporate
mail systems literally choked on...

13/3,K/24   (Item 24 from file: 20)
DIALOG(R)File   20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

05945664 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Computer Users Can Prevent Infection by E-Mail-Borne Viruses
Dawn C. Chmielewski
KRTBN KNIGHT-RIDDER TRIBUNE BUSINESS NEWS   (ORANGE COUNTY REGISTER -
CALIFORNIA)
June 27, 1999
JOURNAL CODE: KTOC   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 923

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   a Word file that, if opened, launched a macro that sends the virus
to the **first** 50 names in the recipient's Outlook address book. Corporate
mail systems literally choked on...

13/3,K/25   (Item 25 from file: 20)
DIALOG(R)File   20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

05064136 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**First-of-its-Kind Internet Commerce Site Allows Members to Upload and Sell
   Licenses to Digital Media**
PR NEWSWIRE
April 22, 1999
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 399

     ...community called Digital Marketplace(TM) (www.digitalmarketplace.co
m) where owners of digital media and source **code** can upload **files** and
make them available for **licensing** and immediate **download** by customers.
Technology   developed   by   the   **Computer**   Science   Laboratory   at
SCIENCE.ORG(TM) forms the foundation of the **first** Internet site where
copyright holders can upload and sell licenses to their intellectual

property and...

... digital photographs, digital audio samples, digital music compositions, and digital video clips as well as **source** code for computer programs. SCIENCE.ORG(TM) even submitted the **source** for Digital Marketplace(TM) itself so that other electronic commerce developers can license the **source** code that makes digitalmarketplace.com possible.
An online seminar department is being added that will...

13/3,K/26   (Item 26 from file: 20)
DIALOG(R)File   20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

04495689   (USE FORMAT 7 OR 9 FOR FULLTEXT)
Crystal Announces New VirtuE-TM Virtual Execution Technology
BUSINESS WIRE
March 02, 1999
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1178

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   prove to be an essential asset to achieve total quality control.
    Using CodeEyes/2000
    By **downloading** the **source   code   files** to a **PC   workstation
running**   Windows NT/95/98, CodeEyes/2000 can perform the full analysis of the inputted application...

13/3,K/27   (Item 27 from file: 20)
DIALOG(R)File   20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

04376492   (USE FORMAT 7 OR 9 FOR FULLTEXT)
CHICKEN GIRL SOFTWARE: Show your computer systems who's boss
M2 PRESSWIRE
February 17, 1999
JOURNAL CODE: WMPR   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 300

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   single-location site license. Companies wishing to use FileMaker 3.0 or higher to customize **Computer** Admin's scripts, layouts and field definitions can **license** these **source** **documents** for $100. You can **download** a trial version of **Computer** Admin from http://www.chickengirl.com. For more information, contact Chicken Girl Software, 1602 Noble...

13/3,K/28   (Item 28 from file: 20)
DIALOG(R)File   20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

03614674   (USE FORMAT 7 OR 9 FOR FULLTEXT)
Isiah Thomas' i-gift(TM) Taps Somerset Collection to Preview New Online Gift Certificate
PR NEWSWIRE
December 01, 1998

JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 534

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

      An appealing and flexible form of gift giving for both the giver and
the **recipient** , an i-gift **certificate** is a **printed** and personalized
document that a **recipient** **receives** gift-wrapped in the mail. Users
simply log on to http://www.i-gift.com...

   13/3,K/29   (Item 29 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

03381810 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Creative Design Solutions Introduces Real-time Mirroring Software and
   Hardware for Protecting Laptop and Desktop Data
BUSINESS WIRE
November 09, 1998
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 793

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   prompted to select folders containing files needing protection.
Thereafter, Kharma works in the background monitoring **file** date and time
stamps . Whenever a **file** is saved on the **client** , Kharma recognizes the
modified file and promptly **sends** a copy to any networked CDS thin server.
      Kharma is particularly worthwhile for laptops that...

   13/3,K/30   (Item 30 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

02653118 (USE FORMAT 7 OR 9 FOR FULLTEXT)
E-Stamp Expands Online Postage Offering, Delivers First Browser-Based
   Solution to US Postal Service
BUSINESS WIRE
August 31, 1998
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 803

      ... Service for regulatory review five months after E-Stamp received
its landmark approval as the **first** company authorized to sell postage via
the Internet. Five hundred companies are participating in the...

   13/3,K/31   (Item 1 from file: 476)
DIALOG(R)File 476:Financial Times Fulltext
(c) 2003 Financial Times Ltd. All rts. reserv.

0009574643 BOIJGATAFYFT
SURVEY - FT REVIEW OF INFORMATION TECHNOLOGY: Clinching deals with digital
   signatures: IMAGE AUTHENTICATION by Tom Foremski: Without reliable
   authentication data, the potential of electronic commerce is limited
TOM FOREMSKI
Financial Times, Surveys ED, P 15
Wednesday, October 7, 1998

DOCUMENT TYPE: Surveys; NEWSPAPER LANGUAGE: ENGLISH   RECORD TYPE:
FULLTEXT
Word Count: 959

...law enforcement and government agencies.

VeriData can encode any digital audio, video or still picture **file** . The
code is added when the **file** is "created" or " **received** " by any
computer system **running** the VeriData software. There is a provision for
batch insertion of the code if a...

 13/3,K/32   (Item 2 from file: 476)
DIALOG(R)File 476:Financial Times Fulltext
(c) 2003 Financial Times Ltd. All rts. reserv.

0005525442 BOABKADACCFT
**Password to the Pentagon: This is the West German hacker who took supreme
  command of a US Air Force computer. Max Wilkinson unravels a web of
  intrigue, bluff and painstaking detection**
MAX WILKINSON
Financial Times, P I
Saturday, February 10, 1990
DOCUMENT TYPE: NEWSPAPER LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
Word Count: 2,349

...that the Berkeley scientists' text processing programme (with the
unlovely name of Gnu-Emacs) could **send** chunks of **computer** **code** from
one **file** to another. But only Hess knew that the Gnu-Emacs programme
didn't check where...

...system, roughly the equivalent of an implant in its central nervous
system. The computer blindly **executed** the instruction, and voila! Hess
was made its God.

He used this omniscience to discover...

 13/3,K/33   (Item 1 from file: 610)
DIALOG(R)File 610:Business Wire
(c) 2003 Business Wire. All rts. reserv.

00404560 20001108313B2089   (USE FORMAT 7 FOR FULLTEXT)
**Canon U.S.A. and eCopy, Inc. Announce New Distribution Agreement for
MailRoom 2000 Software-Software to be Available Through Canon Image Filing
Systems Distribution**
Business Wire
Wednesday, November 8, 2000 10:01 EST
JOURNAL CODE: BW LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
DOCUMENT TYPE: NEWSWIRE
WORD COUNT: 706

...includes the free eCopy
Viewer, which enables any recipient of an eCopy to view and **print**
documents
from their desktop. Business users who have MailRoom installed on their
desktops are able...

...includes many document markup and
handling tools, providing the ability to combine or separate scanned

documents , attach **signature   stamps** and create "eCopies" directly from **computer**
files. The software also allows recipients to **send** and **receive** eCopies
directly from their desktops.

About eCopy, Inc.

eCopy, Inc., based in Nashua, New Hampshire...

13/3,K/34   (Item 2 from file: 610)
DIALOG(R)File 610:Business Wire
(c) 2003 Business Wire. All rts. reserv.

00186487 20000203034B1210 (USE FORMAT 7 FOR FULLTEXT)
**Italia Advertising Chooses InstantDocuments.com For Distribution, Delivery
Of Confidential Data**
Business Wire
Thursday, February 3, 2000 09:30 EST
JOURNAL CODE: BW LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
DOCUMENT TYPE: NEWSWIRE
WORD COUNT: 489

...and securely throughout our company and to our customers.
And, when we need to produce **printed** materials, their Instant Online
 Printshop service will enable us to have physical documents delivered to
cities around
the U.S. in as little as two hours from when they were **sent** ."

Instant Courier is a completely secure, **computer** -to- **computer** ,
electronic
document delivery service that provides encryption and decryption, digital
certificate authentication, digital **signatures** , and web-based **document**
tracking. The company's "secure messaging" service applies Instant Courier
technology
to transmit encrypted, trackable...

13/3,K/35   (Item 1 from file: 624)
DIALOG(R)File 624:McGraw-Hill Publications
(c) 2003 McGraw-Hill Co. Inc. All rts. reserv.

0430987
**AGENCY REPUDIATION OF CD: RTC and FDIC May Repudiate a Contract when
    Performance Would Be Burdensome and Repudiation Would Promote the
    Administration of the Failed Institution. The Author Argues that RTC Is
    Repudiating Deposit Contracts without Satisfying These Statutory
    Criteria, and without Adequate Notice or Advice to Depositors.**
S&P's Review of Banking and Financial Services August, 1992; Pg 135; Vol.
    9, No. 14
Journal Code: BFS   ISSN: 1051-1741
Word Count: 2,996   *Full text available in Formats 5, 7 and 9*

BYLINE:
Arthur W. Leibold, Jr.

TEXT:
... the appointment of the ...receiver," but (1) the provisions of the
FIRREA repudiation provision must **first** be satisfied, and (2) the
depositor has a **right** to **file** a claim against the **receiver** , whether

the contract is repudiated or breached.

From the letters to depositors this writer has...
... being advised about any purported repudiation, nor are they being told that they have the **right** to **file** a claim against the **receiver** of the institution. Since each holder of a certificate of deposit is a known creditor...

...12 U.S.C. Section 1821(d)(3), et seq., should be advised of their **rights** to **file** a claim against the **receiver** . While few such depositors/creditors, as a practical matter, might choose to file a claim ...

13/3,K/36   (Item 1 from file: 634)
DIALOG(R)File 634:San Jose Mercury

08271142
BERNSTINE WAIVED; RETIREMENT EXPECTED BEARS' SMITH FINED $12,000 FOR HIT
San Jose Mercury News (SJ) - Thursday, September 28, 1995
By: Mercury News Wire Services
Edition: Morning Final Section: Sports Page: 2D
Word Count: 776

... named in the lawsuit are LaTonia Cox (wife of linebacker Bryan), Angel. Parmalee (wife of **running** back Bernie), Jacqueline Fryar (wife of wide receiver Irving), Melanie Jackson (wife of former Dolphins tight end Keith) and Shonda Ingram (wife of former **receiver Mark** Ingram). Parmalee and Fryar have **filed** a countersuit.

(box) Dallas Cowboys owner Jerry Jones met for 4 1/2 hours in...

13/3,K/37   (Item 2 from file: 634)
DIALOG(R)File 634:San Jose Mercury

07642177
GOVERNMENT, FIRMS FIND WAY TO VERIFY ELECTRONIC SIGNATURES
San Jose Mercury News (SJ) - Saturday, May 21, 1994
By: Associated Press
Edition: Morning Final Section: Business Page: 13D
Word Count: 234

...Both keys are composed of randomly generated numbers or characters.

If, for instance, a person **sends** a contract or bid electronically to the government agency, a **computer** keystroke would call up his or her private key -- the electronic **signature** .

When the **document** is retrieved by the agency, a 320-bit number, which is the electronic signature, will appear on the document. The government employee will then **run** a computer program to verify the signature against the person's public key. The key...

13/3,K/38   (Item 1 from file: 810)
DIALOG(R)File 810:Business Wire

0780575   BW0010

FIRSTFLOOR SOFTWARE: FirstFloor Ships Smart Delivery Channel Suite; Leading Web-Based Marketing Encyclopedia Extends to the Extranet -- Licensed by Over 12 Application Vendors

December 03, 1997

Byline: Business Editors/Computer Writers

     ...Server, that
personalizes, summarizes, notifies, and delivers the documents.
Smart Channel is a server and **client** component that **runs** on top of
Smart Delivery and allows users to **receive** the **right** **documents** and
web pages using standard web browsers such as Internet Explorer 3.0
and Navigator...

 13/3,K/39   (Item 2 from file: 810)
DIALOG(R)File 810:Business Wire
(c) 1999 Business Wire . All rts. reserv.

0700308   BW1202

NEOMEDIA TECHNOLOGIES: NeoMedia Acquires Worldwide Rights To Software Integrating Intelligent Documents With Microsoft Applications

May 07, 1997

Byline: Business Editors and Computer Writers

     ...software enables
printers, scanners and computers to print and read high density bar
codes containing **computer** code. Since the **printed** codes can include
commands to launch **computer** programs, the bar- **coded** paper **document**
takes on the functionality of a **computer** floppy disk, permitting the
seamless **transmission** of information from a paper document to a
computer, or creating links to the World...

 13/3,K/40   (Item 3 from file: 810)
DIALOG(R)File 810:Business Wire
(c) 1999 Business Wire . All rts. reserv.

0563357   BW0232

NIIT: Nation's leading "info highway" industry consortium endorses Specter-Kohl industrial espionage act

March 05, 1996

Byline: Business Editors

     ...that the
former Ellery Systems employee lacked the company's permission to
use the Internet **computer** network to **transfer** electronic **files**
containing Ellery's **source** **code** ," Eid wrote.
     "Only by concentrating on the former employee's unauthorized use
of the Internet...

13/3,K/41   (Item 4 from file: 810)

0476161   BW0139

**INFOIMAGING TECHNOLOGY: InfoImaging Technologies, Inc. opens headquarters
    in Palo Alto; first products due April 1995**

April 06, 1995

Byline: Business Editors

    ...Israel. The
company was chartered specifically to develop products based on
infoimaging. Infoimaging enables the **encoding** of **computer**   **files**   as
highly compressed and uniquely formatted images which can be
efficiently **transmitted** by a personal **computer** and **printed** by fax
machines or **received** directly by another PC. The company's **first**
products will be introduced in mid-April 1995. InfoImaging
Technologies has embarked upon an ambitious...

13/3,K/42   (Item 5 from file: 810)

0460375   BW1284

**NETPAGE   CROSS   INTERNATIONAL: Cross International releases NETPAGE
    management action tools, an onLAN and offLAN paging system**

January 30, 1995

Byline: Business Editors/Computers & Electronics Writers

    ...e., call the office, call home, etc.), dial (supports COM-1-4 and
interrupt14), connect, **send** data, and disconnect. Each page will be
date/time **stamped** and logged in a master **file** which can be **printed** .
*T
                NETPAGE(TM)   Pricing
                10 user version $99 per **server**
                25 user version $199 per server
                Unlimited user version $299 per server
        Available March 15...

13/3,K/43   (Item 6 from file: 810)

0341018   BW052

**BEAME   &   WHITESIDE: Beame   & Whiteside's TCP/IP Technology proven
    compatible with DESQview/X**

June 22, 1993

Byline: Business Editors/Computer Writers

...DOS and Windows.
    For example, DESQview/X host systems will be able to access
applications **running** on BW-TCP- or BW-NFS-supported **workstations** ,
 transfer   complete   **files**   from those   **workstations** , or **mark** and
 transfer
(cut and paste) data. By running Beame & Whiteside's TCP/IP or NFS
software, PC...

 13/3,K/44   **(Item 7 from file: 810)**
DIALOG(R)File 810:Business Wire
(c) 1999 Business Wire . All rts. reserv.

0083009   BW673

MANUF HANOVER MORGAN: (TCRD) **Manufacturers Hanover and Morgan Shareholders**
    complete testing of automated processing

March   2, 1988

Byline: Business Editors

    ...automate the processing of securities
certificates for the entire securities industry. The system consists
of **printer** / **encoders** , a controller and secure **document**   **terminals**
 that
validate the authenticity of the security being **transferred** while
substantially reducing the manual handling that is present in today's
method of processing...

 13/3,K/45   **(Item 1 from file: 813)**
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

1224839   NYM052
V-Cast Releases Gigex 2.0 -- Guaranteed Internet Delivery and Logistics
    Service

DATE: February 9, 1998   11:00 EST   WORD COUNT: 490

... agent which is distributed via websites, email, ftp, disks or CD-ROM.
The Gigex agent **runs** in the background, recovers from interrupted
downloads and reboots and can automatically install delivered software and
run E-commerce wrappers, such as Release or Ziplock, on the **client** 's
PC .

    "Gigex removes the frustration and failure from Internet **file**
 downloading ," said V-Cast CEO **Mark** Friedler. "Gigex gives **senders** of
digital packages a total outsourced solution to easily send, manage, track
and confirm their...

 13/3,K/46   **(Item 2 from file: 813)**
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

1108034   NYTH040

Bode Akintola30-Oct-03

UPS to Test NETDOX Secure Internet Delivery Service

DATE: June 5, 1997   11:22 EDT   WORD COUNT: 485

...Internet document delivery options and is evaluating NETDOX ePackage.

    NETDOX is expected to be the **first** Internet messaging service to offer secure, global document delivery supported with verification and authentication systems. The NETDOX ePackage service provides document privacy, message integrity, receipt verification, and **sender** and **receiver** identity authentication using digital **certificates** , record retention and **document** tracking.

    "The Internet is dramatically changing the way of doing business, and UPS is part...

 13/3,K/47   (Item 3 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0858717
MICROSOFT SHIPS WINDOWS 95 CLIENT FOR SNA SERVER; PROVIDES A RELIABLE PLATFORM FOR IBM HOST ACCESS FROM WINDOWS 95 DESKTOPS

DATE: September 12, 1995   08:04 E.T.   WORD COUNT: 1,443

...ODBC driver, developed for Microsoft by StarWare Inc., is licensed for one user per SNA **Server** . Additional **licenses** are available from StarWare.

        AFTP **file** **transfer** utility. APPC File **Transfer** Protocol (AFTP) is
an IBM-developed protocol that duplicates for the SNA environment the function...

...for easy diagnosis of
connectivity problems. Tracing can be enabled and disabled dynamically without stopping **running** programs. The same utility can be used by developers to step through the SNA API...

 13/3,K/48   (Item 4 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0518907   NE003
WANG OFFERS VS COBOL CO-EXISTENCE TOOLS AND SERVICES

DATE: September 16, 1992   08:58 EDT   WORD COUNT: 394

...said IDSI's Chief Executive Officer Greg
Adams.

Product Features

    WISP handles many aspect of **source - code** conversion, including **file transfer** , syntax translation, **terminal** operation, and screen display management. It accommodates the popular micro-focus and Acucobol COBOL environments...

Bode Akintola30-Oct-03

```
Set     Items    Description
S1          0    AU=(PRAKKEN R? OR PRAKKEN, R?)
S2    7652587    SIGNAT? OR SEAL OR STAMP? OR CERTIFICATE? OR  MARK? ? OR M-
                 ARKING? OR CODE? ? OR RIGHT? ? OR LICENS? OR ENCOD?
S3    9546339    EXECUT? OR RUN? ? OR RUNNING OR PRINT?
S4    8083976    NODE? ? OR TERMINAL? OR PC OR COMPUTER? ? OR CPU OR WORKST-
                 ATION? OR SERVER OR CLIENT
S5     244951    S4(3N)(DESTINATION OR SOURCE OR FIRST OR SECOND OR 2ND OR -
                 1ST)
S6    9833532    TRANSFER? OR TRANSMI? OR FORWARD OR SEND? OR SENT OR DOWNL-
                 OAD? OR RECEIV?
S7    3602162    FILE? ? OR DATAFILE? OR FOLDER? OR DIRECTORY OR DIRECTORIES
                 OR DOCUMENT? ?
S8      15124    S5(7N)(S3 OR S6)
S9     117682    S7(5N)S2
S10        54    S8(20N)S9
S11        78    S8(S)S9
S12        63    S11 NOT PY>2000
S13        55    S12 NOT PD=20000107:20031030
S14        38    RD (unique items)
? show files
File   9:Business & Industry(R)  Jul/1994-2003/Oct 29
         (c) 2003 Resp. DB Svcs.
File  15:ABI/Inform(R)  1971-2003/Oct 29
         (c) 2003 ProQuest Info&Learning
File  16:Gale Group PROMT(R)  1990-2003/Oct 29
         (c) 2003 The Gale Group
File 148:Gale Group Trade & Industry DB 1976-2003/Oct 30
         (c)2003 The Gale Group
File 160:Gale Group PROMT(R)  1972-1989
         (c) 1999 The Gale Group
File 275:Gale Group Computer DB(TM)  1983-2003/Oct 29
         (c) 2003 The Gale Group
File 621:Gale Group New Prod.Annou.(R)  1985-2003/Oct 30
         (c) 2003 The Gale Group
File 636:Gale Group Newsletter DB(TM)  1987-2003/Oct 29
         (c) 2003 The Gale Group
```

14/3,K/1   (Item 1 from file: 15)

01625478 02-76467
Leveraging the legacy
Lang, Jay
Informationweek   n679 PP: 1A-6A Apr 27, 1998
ISSN: 8750-6874   JRNL CODE: IWK
WORD COUNT: 2096

...TEXT: adhere to when establishing a secure connection with the server.

There are two ways to **send** a certificate to the **client** . In the **first**
 case, the HTML **document** can have the **certificate** included in the
header between the <CERTS> </CERTS> tags. In the second, the developer can
embed the **certific**ate in the **document** through the use of a label. In
this way, the server will fetch the certificate...

14/3,K/2   (Item 2 from file: 15)

01579770 02-30759
Today's window of exposure for data loss
Buffington, Jason L
Computer Technology Review Storage Inc. Supplement PP: 74-81 Winter 1997
ISSN: 0278-9647   JRNL CODE: CTN
WORD COUNT: 3189

...TEXT: of high availability-the idea of monitoring application files for
changes. If a production server **marks** a **file** as changed (e.g. archive
bit or time **stamp**), then some process copies the **file** to a second
server. This has the high availability potential of being able to stand...

...time any user updates any single cell, a copy of the whole file will be
sent to the **second** **server** ! Theoretically, the file could literally be
streamed back to back with itself, over and over...

14/3,K/3   (Item 3 from file: 15)

01071827 97-21221
Internet publishing - A tangled Web?
Phillips, John T Jr
Records Management Quarterly v29n3 PP: 38-42 Jul 1995
ISSN: 1050-2343   JRNL CODE: RMQ
WORD COUNT: 2965

...TEXT: groups of users already set up for bulk distributions. Each mail
message must be individually **sent** by the **computer** to a known
 destination , requiring considerable overall **computer** system resources,
staff time, and consequent expense. Electronic mail is usually sent as
unformatted text, with formatted text, graphics or other computer **files**
 encoded and attached to the mail message. Unless the receiver of the
message has the software...

14/3,K/4   (Item 4 from file: 15)

00912596 95-61988
Virus software for the '90s: Quick, easy and automatic - Scans become routine with Reflex's Disknet
Johnston, Stuart J
Computerworld v28n36 PP: 53, 57 Sep 5, 1994
ISSN: 0010-4841 JRNL CODE: COW
WORD COUNT: 640

...TEXT: inserts a sequential number that only Disknet sees.

Next, Disknet inserts a few lines of **code** into DOS' COMMAND.COM **file** , a core piece of the operating system that must be present for the computer to **run** .

After that, every time the **computer** boots up, the **first** thing it does is load a very small terminate-and-stay resident (TSR) program, about...

14/3,K/5   (Item 5 from file: 15)

00813602 94-62994
Custom software: Is it right for your company?
Wilbert, William F
Managing Office Technology v39n1 PP: 28-38 Jan 1994
ISSN: 1070-4051 JRNL CODE: MOP
WORD COUNT: 2273

...TEXT: build a custom software program" All software programs are comprised of two basic levels: the **executable** program which actually **runs** on your **computer** , and the **source code files** which are used to create that executable program. Your programmer writes the source code, which...

14/3,K/6   (Item 6 from file: 15)

00688126 93-37347
How CPAs count on computers
Zarowin, Stanley
Journal of Accountancy v175n4 PP: 61-65 Apr 1993
ISSN: 0021-8448 JRNL CODE: JAC
WORD COUNT: 3655

...TEXT: into the printer. Its advantages: It provides clear plain-paper copies, a fax can be **sent right** from a **computer file** (without **first** converting it to pilper and then feeding it into the fax) and the computer can...

14/3,K/7   (Item 7 from file: 15)

00638414 92-53354
The Computer Virus Threat and What You Can Do About It
Lateulere, John
CD-ROM Professional v5n5 PP: 105-111 Sep 1992
ISSN: 1049-0833 JRNL CODE: LDP

...ABSTRACT: categories. The first is the type of virus that attaches itself to individual programs. The **2nd** category of **computer** virus is system infectors that infect the **executable** code found in specific locations on the disk or in a computer's memory. Steps...

... indicative of the presence of a virus is unexpected changes in the date or time **stamp** or in the length of **files** .

 14/3,K/8   **(Item 8 from file: 15)**
DIALOG(R)File 15:ABI/Inform(R)

00082940 78-17272
Encoding system Cuts Check Printing Costs, Speeds Document Flow
Magazine of Bank Administration v54n10 PP: 68-69 Oct. 1978
ISSN: 0024-9823 JRNL CODE: BAD

...ABSTRACT: s name in regular ink and the account number in magnetic ink. Checks and other **documents** can be imprinted and/or **encoded** at the rate of 3 per **second** . A **computer** **prints** out the continuous installment loan payment forms and bursts them into a size acceptable to...

 14/3,K/9   **(Item 1 from file: 16)**
DIALOG(R)File 16:Gale Group PROMT(R)

06898605   Supplier Number: 58378559 (USE FORMAT 7 FOR FULLTEXT)
Windows 2000 and the Web: Microsoft Prepares an XML-Enabled
  Commerce/Publishing Platform.(Product Development)
Gillmor, Steve
The Seybold Report on Internet Publishing, v4, n3, pNA
Nov, 1999
Language: English   Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 3039

...   element in the source document in the left window to another element in the target **document** on the **right** . You can also choose from a function palette to perform many-to-one, one-to...

...resulting maps are generated and stored as Extensible Stylesheet Language (XSL) files; at runtime, BizTalk **Server** takes the **source** XML document and applies the stylesheet to **execute** the transformation.
     BizTalk Server supports both synchronous and asynchronous communications, allowing a single envelope to...

 14/3,K/10   **(Item 2 from file: 16)**
DIALOG(R)File 16:Gale Group PROMT(R)

05989705   Supplier Number: 53356532 (USE FORMAT 7 FOR FULLTEXT)
Remedy(R) Corp. and Ostream(TM) Software, Inc. Team to Simplify AR
  System(TM) Changes Throughout the Enterprise.
PR Newswire, p2255
Dec 7, 1998
Language: English   Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 733

...   with the AR System. The new features allow users to easily migrate
and schedule migrations. **Transferring** items from **source**   **server** to
destination   **server** can be done with simple drag-and- drop, and backup
can be performed for items that will be **transferred** on the **destination**
server . Customers can also turn the Admin mode on and off on the
destination server, edit scheduler files from within Ostream Migrator and
review or modify existing scheduler **files** . The **licensing** "per server"
is simplified to follow Remedy licensing conventions.
        "Ostream Migrator makes it easy for...

 14/3,K/11   (Item 3 from file: 16)
DIALOG(R)File   16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

05879161   Supplier Number: 53058575 (USE FORMAT 7 FOR FULLTEXT)
The MathWorks and Mercury Computer Systems Introduce High-Performance
  Embedded Signal Processing Solutions.
Business Wire, p1545
Oct 5, 1998
Language: English   Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 1135

...   embedded computer systems. In addition, the development library
provides single-precision, MATLAB-compiled M-file **execution** on Sun
Solaris **workstations** .
       For the **first** time, developers of high-end, signal processing
applications in the defense, aerospace and medical industries...

...The integrated environment of the RACE MATLAB Math Library allows users
to compile MATLAB M- **files** to produce executable C **code** for rapid
prototyping, eliminating the need to hand code complex mathematical
functions in C. This...

 14/3,K/12   (Item 4 from file: 16)
DIALOG(R)File   16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

05578708   Supplier Number: 48446740 (USE FORMAT 7 FOR FULLTEXT)
Leveraging The Legacy -- Capturing Web Transactions Requires A Robust And
  Mature Infrastructure That Ensures Data Integrity
Lang, Jay
InformationWeek, p1
April 27, 1998
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Tabloid; General Trade
Word Count: 2102

...   adhere to when establishing a secure connection with the server.
There are two ways to **send** a certificate to the **client** . In the
first case, the HTML **document** can have the **certificate** included in the
header between the <CERTS> </CERTS> tags. In the second, the developer can
embed the **certificate** in the **document** through the use of a label. In
this way, the server will fetch the certificate...

 14/3,K/13   **(Item 5 from file: 16)**
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

03624999   Supplier Number: 45108874   (USE FORMAT 7 FOR FULLTEXT)
WHEN WORLDS COLLIDE: PHYSICS MEETS WORKFLOW
Software Futures, n38, pN/A
Nov 1, 1994
Language: English   Record Type: Fulltext
Document Type: Newsletter; Refereed; Trade
Word Count: 1329

...   the server and these images can be cached.
Each year since the system has been **running** (the **first**   **client**
went into production at the end of 1991) performance has been tripling. By
year end EDH will be handling 2,500 **documents** per month. Currently
documents are **coded** into the client end of a client/server system, but
as more documents are added...

 14/3,K/14   **(Item 6 from file: 16)**
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

02673660   Supplier Number: 43566627   (USE FORMAT 7 FOR FULLTEXT)
Professionally Designed Fax Covers 01/05/93
Newsbytes, pN/A
Jan 5, 1993
Language: English   Record Type: Fulltext
Document Type: Newswire; General Trade
Word Count: 398

...   if users have fax/modem capability, they may send the cover sheets
with the appropriate **documents**   **right** from their **computer** , without
printing them **first** .
The company is encouraging users who are looking for the ability to
send faxes via...

 14/3,K/15   **(Item 7 from file: 16)**
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

01555743   Supplier Number: 41904154   (USE FORMAT 7 FOR FULLTEXT)
Netwise RPC Tool: Distributed Applications With Less Pain
Network Computing, p16
March, 1991
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 1342

...   source code for client and server stubs, a server dispatcher,

pack/unpack procedures and header **files** . This RPC source **code** is
compiled and linked together with application **source** code to create
client and server **executables** .
The system includes several Server Control Procedures for managing
remote requests from clients. Single-client...

 14/3,K/16 **(Item 1 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

11624336 SUPPLIER NUMBER: 58383116 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Direct printing to increase productivity in the digital age.
Brunner, Richard
Computer Dealer News, 15, 46, 31
Dec 3, 1999
ISSN: 1184-2369 LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 439 LINE COUNT: 00036

... printing Web documents has been painfully slow. This is due to the
fact that the **PC** must **first** **send** the HTML file to the **printer**
driver to translate. The printer then wraps PCL, or PostScript **code**
around the **file** which makes it much larger and consequently slower to
print.
Printing PDF files is also...

 14/3,K/17 **(Item 2 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

10176177 SUPPLIER NUMBER: 20547357 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Leveraging The Legacy.(planning a corporate e-commerce infrastructure)
 (Industry Trend or Event)
Lang, Jay
InformationWeek, n679, p1(1)
April 27, 1998
ISSN: 8750-6874 LANGUAGE: English RECORD TYPE: Fulltext; Abstract
WORD COUNT: 2201 LINE COUNT: 00176

... adhere to when establishing a secure connection with the server.
There are two ways to **send** a certificate to the **client** . In the
first case, the HTML **document** can have the **certificate** included in the
header between the ~CERTS~ ~CERTS~ tags. In the second, the developer can
embed the **certificate** in the **document** through the use of a label. In
this way, the server will fetch the certificate...

 14/3,K/18 **(Item 3 from file: 148)**
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

09309478 SUPPLIER NUMBER: 19042642 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Spring 1997: the countdown begins.(the announcement of spring books for
 1997 is introduced, as emphasis on the approaching millennium is becoming
 a more prevalent topic throughout the various categories)(Brief Article)
Publishers Weekly, v244, n3, p279(1)
Jan 20, 1997
DOCUMENT TYPE: Brief Article ISSN: 0000-0019 LANGUAGE: English
RECORD TYPE: Fulltext

WORD COUNT: 99948   LINE COUNT: 08312

...   the history of Islamic gardens in Morocco.
     Tokyo: World Cities (June, $95) by Botond Bognar **documents** the
city's historical developments.
     AFRICA WORLD PRESS
     Africa: Women's Art, Women's Lives...details a woman's search for a
friend who disappeared in North Carolina. 100,000 **first   printing** .
Advertising.
     DOUBLEDAY
     The Partner (Apr., $29.95) by John Grisham is another legal thriller.
Advertising...

 14/3,K/19   (Item 4 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

07797301   SUPPLIER NUMBER: 16782872   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**InfoImaging Technologies, Inc. opens headquarters in Palo Alto; first
  products due April 1995.**
Business Wire, p04060139
April 6, 1995
LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 472   LINE COUNT: 00040

...   Israel. The company was chartered specifically to develop products
based on infoimaging. Infoimaging enables the **encoding** of computer **files**
 as highly compressed and uniquely formatted images which can be
efficiently transmitted by a personal computer and printed by fax machines
or **received** directly by another **PC** . The company's **first** products will
be introduced in mid-April 1995. InfoImaging Technologies has embarked upon
an ambitious...

 14/3,K/20   (Item 5 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

06722092   SUPPLIER NUMBER: 14457660   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Unicode, wide characters, and C. (Environments)(Column) (Tutorial)
Petzold, Charles
PC Magazine, v12, n19, p369(5)
Nov 9, 1993
DOCUMENT TYPE: Tutorial   ISSN: 0888-8507   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2794   LINE COUNT: 00210

...   ve seen how to use both ASCII strings and Unicode strings in the
same source **code   file** , and how to have a single source **code   file**0
that can be compiled for either ASCII or Unicode. Of course what I've
discussed...

...a binary buffer or file as if it were a collection of characters. (You
can **download** the UNITEST program and **source   code   file** from **PC**
MagNet's Programming Forum, archived as UNI.ZIP.)
     In the next installment of this column...

 14/3,K/21   (Item 6 from file: 148)

06667432   SUPPLIER NUMBER: 14038981   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Languages. (question-and-answer) (Solutions)
Lee, Michael; Winer, Ethan
PC Magazine, v12, n14, p469(1)
August, 1993
ISSN: 0888-8507   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 376   LINE COUNT: 00028

...   and COMMON.ASM source files. Take a look at Figures 8 and 9 (you
can **download** both **source   code   files** from **PC** MagNet's Programming
Forum, archived as COMMON.ZIP).
      COMMON.BAS defines a COMMON block with...

14/3,K/22   (Item 7 from file: 148)

05800373   SUPPLIER NUMBER: 12013821   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Utilities: decompress your .ZIP file downloads with PCUNZIP.COM. (includes
   related articles about PC Magazine utilities updates, downloading
   utilities and PCUNZIP command) (Column)**
Mefford, Michael J.
PC Magazine, v11, n6, p361(6)
March 31, 1992
DOCUMENT TYPE: Column   ISSN: 0888-8507   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2899   LINE COUNT: 00212

ABSTRACT: The free utility from each issue of PC Magazine can be
downloaded from **PC** MagNet, but the **source   code   files** are usually
compressed into .ZIP files, which must be uncompressed prior to usage. .ZIP
files...

14/3,K/23   (Item 8 from file: 148)

05092930   SUPPLIER NUMBER: 09392328   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**An introduction to the Windows 3.0 palette manager. (Environments)
   (tutorial)**
Petzold, Charles
PC Magazine, v10, n4, p375(6)
Feb 26, 1991
DOCUMENT TYPE: tutorial   ISSN: 0888-8507   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2798   LINE COUNT: 00217

...   Compiler installed, you can create GRAYS.EXE by executing
      NMAKE GRAYS.MAK
      Or you can **download** GRAYS.EXE and all the **source   code   files**
from **PC** MagNet.
      CREATING THE LOGICAL PALETTE
      To use the palette manager, generally you'd first create...

14/3,K/24   (Item 9 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB

04512511   SUPPLIER NUMBER: 08308225   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Guide to buying office products. (Inc. 1990 Directory of Office Products)
  (buyers guide)
Inc., v12, n2, p5S(66)
Feb, 1990
DOCUMENT TYPE: buyers guide   ISSN: 0162-8968   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 99961   LINE COUNT: 08642

...   Stationers Loose Leaf Inc. Taylor-Merchant Corp., The Universal
Paper Goods Wilson Jones Co.
    Binders, **Printout**
    Advance Bindery Co. American Loose Leaf Business Products American
Thermoplastic Co. Atlanta Hoogezand Inc. C...Desktop
    ACL Inc. Amodex Products Inc. Blair Inc., Jim Chemtronics Inc.
Deflecto Corp. PPD READ/**RIGHT** Products Div. The Texwipe Co. Sigmatronics
Inc. Sprayway Inc. 3M Co. Commercial Office Supply Tech...

14/3,K/25   (Item 10 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB

04127048   SUPPLIER NUMBER: 08066731   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Parts delivery system takes off at O'Hare Int'l Airport.
Auguston, Karen A.
Modern Materials Handling, v44, n12, p52(3)
Oct, 1989
ISSN: 0026-8038   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 1618   LINE COUNT: 00126

...   a computer-controlled crane delivers the parts pan to a pick
station. Simultaneously, a bar-**coded** routing **document** containing
information such as order number, part number, quantity, and **destination**
prints out. A **computer** terminal, linked to the AS/RS controller, also
displays this information, along with a part...

14/3,K/26   (Item 11 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB

03884429   SUPPLIER NUMBER: 07144632   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Rapid Relay Easy. (Software Review) (one of seven file-transfer software
  package evaluations) (evaluation)
Brown, Bruce
PC Magazine, v8, n8, p115(1)
April 25, 1989
DOCUMENT TYPE: evaluation   ISSN: 0888-8507   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 572   LINE COUNT: 00043

...   moving-bar menus to control all functions. When transferring a
file, you must first seclect **Rece**ive on the target **computer** . Then, on
the **source** **PC** , you can use a tree-style directory representation to
locate the desired subdirectory; once there, **mark** each **file** for

transfer by tapping the Spacebar as you move down through an on-screen file
...

14/3,K/27   (Item 1 from file: 160)
DIALOG(R)File 160:Gale Group PROMT(R)
(c) 1999 The Gale Group. All rts. reserv.

02134417
ENCORE DEVELOPS FIRST PARALLEL FILE SYSTEM FOR MACH OPERATING SYSTEM
News Release   October 14, 1988   p. 1

    ... be   well-suited   for   distributed   processing   applications   and
multiprocessing systems like the Multimax. A parallelized **file** system is
programming **code**   for   a   portion of the operating system that mediates
access to disk files had by...

... Command. By 1990. Encore will provide DARPA with a 1000 MIPS (millions
of instructions per **second**) **computer** system **running** on Mach and
utilizing much of Encore's existing Multimax architectures.
...

14/3,K/28   (Item 2 from file: 160)
DIALOG(R)File 160:Gale Group PROMT(R)
(c) 1999 The Gale Group. All rts. reserv.

02075394
**XPEDITE   SYSTEMS   LAUNCHES PC-XPEDITE, LOW COST SOFTWARE TURN PC'S INTO FAX
    MACHINES**
News Release   September 14, 1988   p. 1

    ... transforms a personal computer into a facsimile machine for under
$50.   Xpedite   Service is the **first**   to offer **PC**   users two-way
transmission   , enabling them to **receive**   **documents** , spreadsheets and
graphics, including **signatures** , letterheads and drawings sent via
facsimile to a personal computer as well as drom PCs...

14/3,K/29   (Item 3 from file: 160)
DIALOG(R)File 160:Gale Group PROMT(R)
(c) 1999 The Gale Group. All rts. reserv.

01609314
LOW COST DIGITAL SIGNAL PROCESSING ENGINE FOR PC'S.
NEWS RELEASE   March 20, 1987   p. 11

    ...analysis, digital filtering, signal averaging, speech processing and
telecommunications.   Features   include: * Extensive software support
containing **source**   code * **PC** / R320 upload/ **download** routines *
Executable   **files** in TURBO PASCAL & TMS32010 source **code** * Complete,
turnkey spectrum analysis software. * Spectrum analysis via 1024 point FFT
* Data display for spectrum...

14/3,K/30   (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

02246419   SUPPLIER NUMBER: 21267082   (USE FORMAT 7 OR 9 FOR FULL TEXT)

Hands-free data retrieval. (conversion of IBM's ViaVoice 98 to Windows CE) (Product Information)
Mojica, Jose; Rutherfoord, Tom
e-Business Advisor, v16, n11, p34(5)
Nov, 1998
LANGUAGE: English   RECORD TYPE: Fulltext; Abstract
WORD COUNT: 2750   LINE COUNT: 00228

...   This is a relatively minor problem, since you can discover which
DLLs are required and **transfer** them to your H/ **PC** . The   second   problem
is more severe. Desktop machines typically **run** around 300 MHz (depending
on your budget), while H/PCs generally run around 75 MHz...

...main problem in converting our application involves cutting
functionality to improve performance. We cut unnecessary **code** , like the
code creating output **files** , to keep track of the state of the
application.
        Moral of the story
        The main...

 14/3,K/31   (Item 2 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

02057184   SUPPLIER NUMBER: 19272196   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Investigating multilanguage debugging and the new IDEs of Visual Studio 97.
   (integrated development environment of Microsoft's application
   development software) (Technology Tutorial)**
Schmidt, Robert
Microsoft Systems Journal, v12, n5, p51(20)
May, 1997
ISSN: 0889-9932   LANGUAGE: English   RECORD TYPE: Fulltext; Abstract
WORD COUNT: 6393   LINE COUNT: 00555

...   back end as Visual C++(R). Translation: Visual Basic can now
produce COM-aware native **code   executables** and symbolic information
(PDB) **files** . **Second** , SQL **Server** data and stored procedures can be
wrapped within Developer Studio data projects that support symbolic...

 14/3,K/32   (Item 3 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

01699015   SUPPLIER NUMBER: 16235384   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Bulletin boards.
Computer Shopper, v14, n10, p653(30)
Oct, 1994
ISSN: 0886-0556   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 67024   LINE COUNT: 05143

...   400 bps. Estab. 03/94; no fee. Adult area, Windows, DOS, archive
and other area. **Download** on **first** call. Free.
     Auburn 821-4704. Hyperfine BBS; sysop Chris Conway. 2 lines--MS-DOS
486...bps. Estab. 10/91; no fee. Access to 22 CD-ROMs. Specializing in
programmers' source **code** . A one-stop **file** -shopping area.
     Hot Springs Nat'l Pk. 623-2286. Imageworld Online; sysops Lee, Sam. 2
...MICC at up to 9,600 bps. Estab. 12/91; no fee. Guided access support,
file libs (**code** , examples, patches), usr2usr msgs., Telecon, RIP

graphics.
      Sunnyvale 737-8986. ShockWave BBS; sysop Bob Hogg...

 14/3,K/33   (Item 4 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

01581444   SUPPLIER NUMBER: 13373316   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Professionally designed fax covers. (WordStar International's Under Cover
  add-in/on software) (Product Announcement)
Rohrbough, Linda
Newsbytes, pNEW01050003
Jan 5, 1993
DOCUMENT TYPE: Product Announcement   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 416   LINE COUNT: 00032

...   if users have fax/modem capability, they may send the cover sheets
with the appropriate **documents   right** from their **computer** , without
printing them **first** .
      The company is encouraging users who are looking for the ability to
send faxes via...

 14/3,K/34   (Item 5 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

01531361   SUPPLIER NUMBER: 12552133   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Windows dressing. (HP's NewWave 4.0 graphical user interface and Symantec
  Corp.'s Norton Desktop for Windows 2.0 file management software)
  (Software Review) (Evaluation)
Wilansky, Ethan
LAN Technology, v8, n9, p71(8)
Sept, 1992
DOCUMENT TYPE: Evaluation   ISSN: 1042-4695   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 5610   LINE COUNT: 00442

...   NewWave installation can be broken down into server and client
portions. From Window's File- **Run** menu selection, typing INSTALL /A
initiates the **first** step of the **server** installation: placing a copy of
the NewWave diskettes on the network disk. These files will be
automatically flagged read-only. You must have enough **rights** to place
these **files** on the network disk and have 10 Mbytes of disk space
available for them. (The...

 14/3,K/35   (Item 6 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

01524048   SUPPLIER NUMBER: 12326474   (USE FORMAT 7 OR 9 FOR FULL TEXT)
The newest SQL Server. (Software Review) (version 4.2 from Microsoft Corp.
  and Sybase Inc.) (Evaluation)
DaSilva, Mike; Thawley, Peter
DBMS, v5, n8, p54(5)
July, 1992
DOCUMENT TYPE: Evaluation   ISSN: 1041-5173   LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 5096   LINE COUNT: 00408

...ABSTRACT: open architecture and to support it with powerful tools. ODS
comprises C libraries, example source **code** and header **files** , which
developers can use to build server applications that can provide
transparent access to any data **source** . SQL **Server** **runs** on LAN
Manager, Vines and NetWare.

 14/3,K/36   (Item 7 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

01462400   SUPPLIER NUMBER: 11577156   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Don't believe the hype; Origen isn't the best thing to hit LANs since
 coaxial cable, but it alleviates the tedium of repeatedly installing
 NetWare servers. (Software Review) (Preferred Systems Inc.'s Origen
 network management software; includes related article on executive
 summary; Test Drive) (Evaluation)
Marks, Howard
LAN Magazine, v6, n11, p150(4)
Nov, 1991
DOCUMENT TYPE: Evaluation   ISSN: 0898-0012   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 1937   LINE COUNT: 00149

...   your groups, you enter the users and set their group memberships.
Users automatically get trustee **rights** to their home **directories** , but
all other **rights** must be either handled through user groups or entered by
hand in SYSCON after you're done **running** Origen.
      After you have made your **first** pass at the **server** setup, you can
print or display group membership, group description, and other reports.
The reports don't go as...

 14/3,K/37   (Item 8 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

01416924   SUPPLIER NUMBER: 09822207   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Computing on the Go. (Go Corp.'s PenPoint operating system) (includes
 related article on software development for PenPoint)
Bortman, Henry
MacUser, v7, n3, p202(6)
March, 1991
ISSN: 0884-0997   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3333   LINE COUNT: 00251

...   operating system is a desktop; PenPoint's is a notebook. When you
start up a **computer** **running** PenPoint, the **first** thing you see is a
table of contents (see Figure 1). All the documents in...

...are listed in the TOC. Documents can be grouped into sections, which are
similar to **folders** on the Mac. On the **right** side of the TOC page are
tabs like the tabs on notebook dividers. You can...

 14/3,K/38   (Item 1 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)

03194597   Supplier Number: 46545330   (USE FORMAT 7 FOR FULLTEXT)
Glitz, Glitches Mar Pentagon Internet Sites DOD Analysts
New Technology Week, v10, n29, pN/A
July 15, 1996
Language: English   Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 836

...   it "possible to look at recent Navy press releases,...short of
manipulating the page's **computer   source   code** , an entire **document**
must be **printed** to obtain any part of it." And ArmyLink
([http://www.army.mil/]) indexes more than...

```
Set      Items    Description
S1           2    AU=(PRAKKEN R? OR PRAKKEN, R?)
S2     1569807    SIGNAT? OR SEAL OR STAMP? OR CERTIFICATE? OR  MARK? OR COD-
                  E? ? OR RIGHT? ? OR LICENS? OR ENCOD?
S3     1639699    EXECUT? OR RUN? ? OR RUNNING OR PRINT?
S4     1982648    NODE? OR TERMINAL? OR PC OR COMPUTER? OR CPU OR WORKSTATIO-
                  N? OR SERVER OR CLIENT OR RECIPIENT OR RECEIVER
S5     3095054    DESTINATION OR SOURCE OR FIRST OR SECOND OR 2ND OR 1ST
S6     4040275    TRANSFER? OR TRANSMI? OR FORWARD OR SEND? OR SENT OR DOWNL-
                  OAD? OR RECEIV?
S7      227603    FILE? ? OR DATAFILE? OR FOLDER? OR DIRECTORY OR DIRECTORIES
                  OR DOCUMENT? ?
S8       75652    S5(2N)S4
S9       19675    S8(7N)S6
S10      17925    S7(10N)S2
S11         78    S9 AND S10
S12         53    S11 AND IC=G06F?
S13         52    S12 NOT S1
? show file
File 344:Chinese Patents Abs Aug 1985-2003/Apr
         (c) 2003 European Patent Office
File 347:JAPIO Oct 1976-2003/Jun(Updated 031006)
         (c) 2003 JPO & JAPIO
File 350:Derwent WPIX 1963-2003/UD,UM &UP=200369
         (c) 2003  Thomson Derwent
File 371:French Patents 1961-2002/BOPI 200209
         (c) 2002 INPI.  All rts. reserv.
```

```
1/5/1      (Item 1 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003  Thomson Derwent. All rts. reserv.

014613769     **Image available**
WPI Acc No: 2002-434473/200246
XRPX Acc No: N02-341983
  Document file transmission method involves returning verification data
  from receiver computer to server computer, upon successful display of
  document image
Patent Assignee: PRAKKEN R L (PRAK-I); TABAYOYON A T (TABA-I); WIDENER G F
  (WIDE-I)
Inventor:  PRAKKEN R L ; TABAYOYON A T; WIDENER G F
Number of Countries: 001  Number of Patents: 001
Patent Family:
Patent No      Kind   Date     Applicat No    Kind   Date     Week
US 20020042838 A1  20020411  US 2000239691   P    20001011  200246  B
                            US 2001974624   A    20011009

Priority Applications (No Type Date): US 2000239691 P 20001011; US
  2001974624 A 20011009
Patent Details:
Patent No  Kind Lan Pg   Main IPC    Filing Notes
US 20020042838 A1     14 G06F-015/16   Provisional application US 2000239691
Abstract (Basic): US 20020042838 A1
       NOVELTY - The document file is transmitted from sender computer to
    the server computer which inturn transmits the file to the receiver
    computer through a network. A viewer program is executed by the
    receiver computer for generating a display of the document image and
    for automatically returning verification data to the server computer,
    upon successful display of the document image.
       USE - For transmitting document file through network e.g. Internet,
    intranet.
       ADVANTAGE - Since verification data is returned to the server
    computer, the successful display of the document image in the receiver
    computer can be determined by the sender computer.
       DESCRIPTION OF DRAWING(S) - The figure shows a data flow diagram of
    a document delivery system.
       pp; 14 DwgNo 1/13
Title Terms: DOCUMENT; FILE; TRANSMISSION; METHOD; RETURN; VERIFICATION;
  DATA; RECEIVE; COMPUTER; SERVE; COMPUTER; SUCCESS; DISPLAY; DOCUMENT;
  IMAGE
Derwent Class: T01
International Patent Class (Main): G06F-015/16
File Segment: EPI


 1/5/2     (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003  Thomson Derwent. All rts. reserv.

014012550     **Image available**
WPI Acc No: 2001-496764/200154
XRPX Acc No: N01-368108
  Embedded license data file distribution and processing method in document
  distribution system, involves adapting processing software to process
  only print file containing embedded license stamp
Patent Assignee: SWIFTVIEW INC (SWIF-N); CORRIGAN J (CORR-I); PRAKKEN R L
  (PRAK-I); WIDENER G F (WIDE-I)
Inventor: CORRIGAN J;  PRAKKEN R L ; WIDENER G F
```

Number of Countries: 023 Number of Patents: 003
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
WO 200152113   A1   20010719 WO 2001US264   A   20010104 200154 B
AU 200129276   A   20010724 AU 200129276   A   20010104 200166
US 20010049666 A1   20011206 US 2000174947 A   20000107 200203
                               US 2001754927 A   20010104

Priority Applications (No Type Date): US 2000174947 P 20000107; US
   2001754927 A 20010104
Patent Details:
Patent No   Kind Lan Pg   Main IPC   Filing Notes
WO 200152113 A1 E   22 G06F-017/30
   Designated States (National): AU CA JP
   Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LU
   MC NL PT SE TR
AU 200129276 A   G06F-017/30   Based on patent WO 200152113
US 20010049666 A1   G06F-017/60   Provisional application US 2000174947

Abstract (Basic): WO 200152113 A1
     NOVELTY - License stamper (36) is included within server software
   running on source computer (12) for embedding license stamp (37) into
   each print file (28) before server software forwards print file to
   destination computer (14) through network link. A processing software
   executed by destination computer is adapted to process each received
   print file only when the received print file contains embedded license
   stamp.
     DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for
   data file distribution and processing system.
     USE - For distributing and processing embedded license data file in
   document distribution system.
     ADVANTAGE - Since only the print file containing the license stamp
   is displayed, the viewers in the destination computer from producing
   displays based on print files that were not sent by licensed server is
   prevented and also prevents others from copying license stamp and
   inserting into print file, not forwarded by a licensed server.
     DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of
   document distribution system.
     Source computer (12)
     Destination computer (14)
     Print file (28)
     License stamper (36)
     License stamp (37)
     pp; 22 DwgNo 1/2
Title Terms: EMBED; LICENCE; DATA; FILE; DISTRIBUTE; PROCESS; METHOD;
   DOCUMENT; DISTRIBUTE; SYSTEM; ADAPT; PROCESS; SOFTWARE; PROCESS; PRINT;
   FILE; CONTAIN; EMBED; LICENCE; STAMP
Derwent Class: T01
International Patent Class (Main): G06F-017/30; G06F-017/60
File Segment: EPI

13/5/1   (Item 1 from file: 344)
DIALOG(R)File 344:Chinese Patents Abs
(c) 2003 European Patent Office. All rts. reserv.

  4344588
  MODULAR SYSTEM AND METHOD OF UPDATING APPLICATION SOFTWARE IN EXECUTION
Patent Assignee: KAIQI DIGITAL SCIENCE & TECHNO (CN)
Author (Inventor): XIANGCUN YAN (CN)
Number of Patents: 000
Patent Family:
    CC Number   Kind   Date
    CN 1374589   A   20021016 (Basic)
Application Data:
    CC Number   Kind   Date
    *CN 2001111467 A   20010314
Abstract: The present invention provides one modular system and method of
    updating application software in execution. After the computer in the
    client end executes the first application software and requests
    updating, the server receives the request and transmits file in the
    second mode to the client computer. The first application software
    judges the identification code of the second mode file and downloads
    the second functional module if the second functional module is judged
    to be updated one. Or else, the second functional module is not
    downloaded.
IPC: **G06F-012/06**

 13/5/2   (Item 1 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

07447953   **Image available**
AUTOMATIC AUTHENTICATION OF PRINTED DOCUMENT

PUB. NO.:   2002-316465 [JP 2002316465 A]
PUBLISHED: October 29, 2002 (20021029)
INVENTOR(s):   WELLER SCOTT W
APPLICANT(s): XEROX CORP
APPL. NO.:   2001-387275 [JP 20011387275]
FILED: December 20, 2001 (20011220)
PRIORITY: 00 748992 [US 2000748992], US (United States of America),
               December 27, 2000 (20001227)
INTL CLASS: B41J-029/38; B41J-029/00; **G06F-017/60** ; G06T-001/00;
               H04L-009/32; H04N-001/387

ABSTRACT
PROBLEM TO BE SOLVED: To automatically authenticate printed documents.

SOLUTION: A document printer 30 includes an authentication verifier 36 for
checking an electronic document and verifying predetermined authentication
information within the electronic **document** . The authentication
information may be an electronic **signature** or a digital watermark. The
authentication verifier 36 may be included in a printer controller 34,
examines the authentication information of the document to verify that the
document is unchanged from when it was **transmitted** by a **source
computer** , and authenticates the source of the document. When the
authentication verifier can confirm the authentication information, the
printer 30 automatically carries out a printing function such as printing
the **document** with an authentication **mark** . When the authentication
verifier cannot confirm the authentication information, the printer 30

carries out a different printing function such as not printing the document or printing the document with an authenticity warning.

13/5/3   (Item 2 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

06608831   **Image available**
METHOD FOR PROVIDING INFORMATION OVER INTERNET AND PROGRAM RECORDING MEDIUM

PUB. NO.:   2000-194636 [JP 2000194636 A]
PUBLISHED: July 14, 2000 (20000714)
INVENTOR(s):   TANAKA KIYOTAKA
               TANAKA HIROTAKA
APPLICANT(s): C & C COMMUN KK
APPL. NO.:   10-378232 [JP 98378232]
FILED: December 24, 1998 (19981224)
INTL CLASS: **G06F-013/00 ; G06F-003/00 ; G06F-017/60 ; G06F-017/30**

ABSTRACT
PROBLEM TO BE SOLVED: To provide an Internet advertisement medium which has high advertisement effect by determining whether information can be provided according to the icon operation result of a user.

SOLUTION: A receiving means 21 interprets and receives an access request accessed from a user terminal as a uniform resource locator(URL) which is WWW common architecture. A provided information data base 24 stores provided contents as a hypertext **mark** -up language(HTML) **file** . An information selection control means 23 receives the URL and controls the selection of the provided contents to be sent out to the user terminal. Namely, when the click operation URL of a banner advertisement is received, its operation data is temporarily stored and when an access URL for the provided contents is received next, the temporarily stored operation data is decided; when they can be provided, the corresponding page file is acquired from the provided information data base. Then a transmitting means 22 **sends** the page file to the request **source** user **terminal** .

13/5/4   (Item 3 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

06537187   **Image available**
SYSTEM AND METHOD FOR MUTUALLY RELATING DATA FILES BELONGING TO RESPECTIVE COMPUTERS IN COMPUTER NETWORK

PUB. NO.:   2000-122911 [JP 2000122911 A]
PUBLISHED: April 28, 2000 (20000428)
INVENTOR(s):   IWAKOSHI YOSHIMASA
APPLICANT(s): IWAKOSHI YOSHIMASA
APPL. NO.:   10-334905 [JP 98334905]
FILED: October 19, 1998 (19981019)
INTL CLASS: **G06F-012/00 ; G06F-017/21**

ABSTRACT
PROBLEM TO BE SOLVED: To provide a system which can add new relation to a

data file belonging to a prescribed computer on a computer network from the other computer without changing the document content of the data file.

SOLUTION: A function for transmitting a request for adding reference destination **code** data showing the place of a data **file** to be related and the display start position of the data file to a specified data file to the specified data file- side computer even with an operation from any computer on a computer network 4 and a function for adding request data to the designated data file by a **transmission destination computer** in response to the addition request are installed.

COPYRIGHT: (C)2000,JPO

13/5/5   (Item 4 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

06537102   **Image available**
DOCUMENT OUTPUT DEVICE

PUB. NO.:   2000-122826 [JP 2000122826 A]
PUBLISHED: April 28, 2000 (20000428)
INVENTOR(s):   HIGUCHI YUICHI
APPLICANT(s): CANON INC
APPL. NO.:   11-282980   [JP 99282980]
               Division of 63-096837 [JP 5196837]
FILED: April 21, 1988 (19880421)
INTL CLASS: **G06F-003/12** ; B41J-005/30; **G06F-015/00** ; G06K-015/00

ABSTRACT
PROBLEM TO BE SOLVED: To provide a document output device which eliminates the necessity to correct transmission data when the data is partially corrected.

SOLUTION: This **document** output device inputs **code** data such as characters, symbols and a control instruction which are **sent** from a data **source** (host **computer**) 101 and outputs a patterned document, is a processor which makes a command key 104 setting a control instruction designated by a control instruction invalid command and code data from the data source 101 patterns when the data source 101 inputs the control instruction invalid command as a control instruction, and has processors 102 to 109 which make the code data from the data source 101 a pattern while ignoring a control instruction when the control instruction set as invalid by the command key 104 is included in the code data from the data source 101.

COPYRIGHT: (C)2000,JPO

13/5/6   (Item 5 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

06308554   **Image available**
DOCUMENT PROCESSING SYSTEM

PUB. NO.:   11-250151 [JP 11250151 A]
PUBLISHED: September 17, 1999 (19990917)
INVENTOR(s):   NAKANE TAKANARI
               SOKAI MASATO

APPLICANT(s): SHACHIHATA INC
APPL. NO.:   10-063954 [JP 9863954]
FILED: February 27, 1998 (19980227)
INTL CLASS: **G06F-019/00**

ABSTRACT

PROBLEM TO BE SOLVED: To provide a **document** processing system capable of
preventing **seal** image data electronically sealed to an electronic
document to be transferred through a network from being illegally used by
a third person or preventing the contents of the electronic document from
being altered by a third person.

SOLUTION: A management terminal 1 for managing the whole network out of
plural terminals 1 to 3, 3' arranged on a network stores electronic seal
data providing the seal image data of respective users with user
information in an electronic **seal** data ˙**file** 10. The 1st terminal
equipment 3 electronically seals **seal** image data read out from the **file**
10 to a prepared electronic document and simultaneously executes document
protection for preventing the generation of alteration.·The **2nd terminal**
equipment 3' **receives** the protected electronic document through the
network, releases the document protection of the received **document** at a
moment of electronically putting the **seal** image data read out from the
file 10 on the received document and then protects the **document** again
simultaneously with the electronic sealing òf the **seal** image data.

13/5/7   (Item 6 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

06271476   **Image available**
RECEIVED INFORMATION CIRCULATING SYSTEM

PUB. NO.:   11-213064 [JP 11213064 A]
PUBLISHED: August 06, 1999 (19990806)
INVENTOR(s): IKEUCHI MAMORU
APPLICANT(s): MITSUBISHI ELECTRIC BUILDING TECHNO SERVICE CO LTD
APPL. NO.:   10-010479 [JP 9810479]
FILED: January 22, 1998 (19980122)
INTL CLASS: **G06F-019/00 ; G06F-013/00**

ABSTRACT

PROBLEM TO BE SOLVED: To automatically or semi-automatically circulate
received information by discriminating a field which transmitted
information belongs to and collating it with a circulating person list
table so as to extract a person matching with the discriminated field to
designate to be a circulating destination.

SOLUTION: A reception/circulation **server** station 20 **first** discriminates
the kind of **transmitted** information, namely which field information
belongs to. Next, the table of a list of circulating persons is referred to
to extract a person related to the discriminated field. Then, extracted
pertinent person list listing data is prepared to automatically designate
the extracted person as a circulating destination. This gives a circulation
access right (permission right) to a person in pertinent person list
listing data. thereby, the person given the access **right** can refer to a
circulating matter, namely a pertinent **file** . As the person of the
circulating destination does not have to print out it in particular, a

picture is not deteriorated and text data can be corrected, added, etc., as it is.

13/5/8   (Item 7 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

05949825   **Image available**
IMAGE TRANSMISSION METHOD FOR TRANSMITTING IMAGE INFORMATION FROM SCANNER
THROUGH NETWORK TO CLIENT COMPUTER, IMAGE TRANSMISSION SYSTEM, MEDIUM
UTILIZABLE BY COMPUTER AND MEMORY

PUB. NO.:   10-232925 [JP 10232925 A]
PUBLISHED: September 02, 1998 (19980902)
INVENTOR(s):   ROBBIN LAW
               KANFUUN LEE
               LAWRENCE TOREMER
               DAVID C STEWAR
               IWAO MAX ANZAI
APPLICANT(s): RICOH CO LTD [000674] (A Japanese Company or Corporation), JP
               (Japan)
APPL. NO.:   09-307354 [JP 97307354]
FILED: November 10, 1997 (19971110)
PRIORITY: 7-30,069 [US 30069-1996], US (United States of America),
               November 08, 1996 (19961108)
               7-818,685 [US 818685-1997], US (United States of America),
               March 14, 1997 (19970314)
INTL CLASS: [6] G06T-001/60; **G06F-013/00** ; H04N-001/00
JAPIO CLASS: 45.2 (INFORMATION PROCESSING -- Memory Units); 29.4
               (PRECISION INSTRUMENTS -- Business Machines); 45.9
               (INFORMATION PROCESSING -- Other)
JAPIO KEYWORD:R098 (ELECTRONIC MATERIALS -- Charge Transfer Elements, CCD &
               BBD); R102 (APPLIED ELECTRONICS -- Video Disk Recorders, VDR)
               ; R107 (INFORMATION PROCESSING -- OCR & OMR Optical Readers);
               R131 (INFORMATION PROCESSING -- Microcomputers &
               Microprocessers); R138 (APPLIED ELECTRONICS -- Vertical
               Magnetic & Photomagnetic Recording)

ABSTRACT
PROBLEM TO BE SOLVED: To transmit image information from a scanner to a
client computer through a computer network by acquiring images in a **first
  computer , transmitting** them through the computer network to a **second
  computer** and storing them in a storage medium.

SOLUTION: An application program 104 loaded to the client computer 102
utilizes a virtual TWAIN driver 106 and cooperates with a scanner server
computer 130. A scanning task software 134 inside the scanner server 130
performs communication with a scanner 144 through a TWAIN driver 136 for
controlling the communication to the scanner 144. An image **file** is
transferred on the network 120 through a client protocol **encoder** /decoder
108 to a **file** catcher 112 for writing **files** to a storage device 110.

13/5/9   (Item 8 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

04917875   **Image available**
METHOD AND DEVICE FOR DATA TRANSMISSION PROCESSING

ABSTRACT

PURPOSE: To reduce the burden of a user and a transfer fault concerning
data transfer between the computers of different OSs.

CONSTITUTION: At the time of specifying the name of one's own transmission
file and the name and the reception file name of a transmission opposite
party at the time of transmission from a host computer 10 to a work station
12, a file compatibility check means 72 provided for a client check means
70 transmits check information of a transmission file. A file compatibility
check means 88 provided for the server check means 86 of a **transmission
destination computer** 12 executes the previous check of discriminating
the possibility of reception from reception check information and returns
its result. As the result of the previous check, when data reception is
possible, a data transmission means 62 provided for the client means 60 of
the **transmission source computer** 10 **transmits** file data to a data
reception means 80 provided for the server means 78 of the **transmission
destination computer** 12. Furthermore, this system is provided with
functions such as automatic optimal **file** assignment on a server side,
acquiring an access **right** by checking the access right through the use of
user ID and a password, job starting and result returning instruction, and
automatic code conversion, etc.

13/5/10   (Item 9 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

04854210   **Image available**
COMPUTER SYSTEM

ABSTRACT

PURPOSE: To efficiently perform the matching processing of a data file even
when a transmitter with comparatively slow data transfer speed and to
remarkably reduce initialization processing time when a computer whose
operation is being stopped is initialized.

CONSTITUTION: In a computer system in which the matching processing of the

Bode Akintola30-Oct-03

data file is performed by performing data **transmission** mutually via the **transmitter** between **first** and **second** **computers** 1A, 1B provided with the same data files 2A, 2B individually and connected to each other by the transmitter, the data files 2A, 2B are divided into plural blocks, respectively, and difference is detected by comparing the cyclic check **codes** 3A. 3B of the data **files** 2A, 2B at every block, and consequently, data with only blocks with difference is transmitted via the transmitter.

13/5/11 (Item 10 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

04553173 **Image available**
INFORMATION SYSTEM

PUB. NO.: 06-225073 [JP 6225073 A]
PUBLISHED: August 12, 1994 (19940812)
INVENTOR(s): MURAKOSHI KATSUYA
APPLICANT(s): RICOH CO LTD [000674] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 05-010158 [JP 9310158]
FILED: January 25, 1993 (19930125)
INTL CLASS: [5] H04N-001/00; **G06F-015/20**
JAPIO CLASS: 44.7 (COMMUNICATION -- Facsimile); 45.4 (INFORMATION PROCESSING -- Computer Applications)
JAPIO KEYWORD:R131 (INFORMATION PROCESSING -- Microcomputers & Microprocessers)
JOURNAL: Section: E, Section No. 1629, Vol. 18, No. 593, Pg. 139, November 11, 1994 (19941111)

ABSTRACT
PURPOSE: To enable an information apparatus provided with a document transmission or reception function to transmit a document to the other party or to receive a reception document destined for the information apparatus itself by remotely controlling this information apparatus by a terminal equipment.

CONSTITUTION: When a **document** transmission destination is designated and a **document** (**document** **code**) and a **document** transmission request (control **code** of transmission start) are sent to an information apparatus (FAX) 11 from a terminal equipment 1 in this state, the information apparatus 11 transmits the document to the designated transmission destination (another FAX). Document transmission destination information can be transmitted from the terminal equipment 1 to the information apparatus 11 to designate the document transmission destination. The information apparatus 11 can transmit the document together with a specific identifier when **transmitting** it to the designated **transmission destination** , and the **terminal** equipment 1 can detect whether the document is received by the information apparatus 11 together with the identifier or not.

13/5/12 (Item 11 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

03643359 **Image available**
WORK INSTRUCTION DISPLAY SYSTEM

ABSTRACT
PURPOSE: To eliminate the wastage of copying paper by rearranging a **file**
group, making both machining and **marking** data at each process congruous
with each other, in order at a process unit in accordance with production
process planning data, and displaying each at the terminal of a work
section at each process.

CONSTITUTION: A host computer B guides all production process planning data
received to a file editing part 23, while it reads a file group at each
work stored in a second storage part 34, feeding the editing part 23 with
it, and resettles the file group at each work read out of the second
storage part 24 according to the production process planning data to the
file group at each process in a job site, and sequence of the file group at
a process unit is rearranged in conformity with the production process
planning data, thereby storing it in the second storage part 24. When there
is a request for file transmission from each terminal set up in the job
site at each process, the host computer B reads the file group conformed to
each **terminal** from the **second** storage part 24, **transmitting** it, thus
it is displayed on the scope of a display part 34.

 13/5/13   (Item 12 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

02521557   **Image available**
ELECTRONIC SEALING SYSTEM

ABSTRACT
PURPOSE: To eliminate possibility to seal with the wrong result of

transactions by using both a digital signature utilizing an open key cipher system and an actual seal.

CONSTITUTION: A transaction **receiver** tip **terminal** 204 **first** produces a unidirectional cipher of a transaction text after receiving the transaction text and a digital signature from a transaction originator 201 via a communication network 203 as well as a transaction originator terminal 202. Then the terminal 204 decodes the digital signature by a decoding key 208 and checks this decoded result to decide that both the transaction text and the digital signature are correctly produced by the transaction originator as long as the transaction state data an the data same as the unidirectional cipher produced previously by the terminal 204. Then an automatic seal stamping machine 250 coupled to a computer **stamps** a **mark** in a designated column of an electronic transaction **document** to show that the transaction is not correct. Thus it is possible to prevent that a wrong document is sealed.

13/5/14   (Item 13 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

01081338   **Image available**
DATA COLLECTING SYSTEM

PUB. NO.:   58-018738   [JP 58018738 A]
PUBLISHED: February 03, 1983 (19830203)
INVENTOR(s):   SAITO KIYOSHI
                 NISHIDA MASATADA
                 MUNAKATA KOJI
                 SATO KOJI
                 ENOKI EIKI
APPLICANT(s):   FUJITSU LTD [000522] (A Japanese Company or Corporation), JP
                 (Japan)
APPL. NO.:   56-115942   [JP 81115942]
FILED: July 24, 1981 (19810724)
INTL CLASS: [3] **G06F-003/04** ; **G06F**-015/21 ; H04L-013/00
JAPIO CLASS: 45.3 (INFORMATION PROCESSING -- Input Output Units); 44.3
                 (COMMUNICATION -- Telegraphy); 45.4 (INFORMATION PROCESSING
                 -- Computer Applications)
JOURNAL: Section: P, Section No. 192, Vol. 07, No. 93, Pg. 48, April
                 19, 1983 (19830419)

                            ABSTRACT
PURPOSE: To remarkably improve a system processing effect by using plural terminal devices connected to a circuit as equivalent terminals at the normal processing and specifying a prescribed terminal device to be connected to a master terminal at a specific period to collect data.

CONSTITUTION: To one processing device 1, n pieces of terminal devices are connected through a circuit 2. Each terminal device consists of keyboards K(sub 1)-K(sub n) and control parts C(sub 1)-C(sub n) and built-in memories M(sub 1)-M(sub n) store a program P and data D(sub 1)-D(sub n). When receiving an instruction E from a processor 1 or an interrupt command F from the keyboard K(sub 1), a receiving part C(sub 1) **codes** a processing program P(sub 0) in a **file** device 4 in an area m(sub 1) of the memory M(sub 1) and turns a switching part 5 to the contact side (b). Consequently the program P(sub 0) and a circuit controlling part 3 are actuated and the data D(sub 2)-D(sub n) outputted from the 2nd terminal device and after are collected to the control part C(sub 1) of the **1st terminal** device. The control part C(sub 1) **sends** the collected data D(sub 2)-D(sub n) and the

data D(sub 1) of its self-terminal to the processor through the circuit 2.

13/5/15   (Item 1 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

015494800   **Image available**
WPI Acc No: 2003-556947/200352
XRPX Acc No: N03-442581
  **File reformatting method in e.g. mail piece finishing system, involves
  importing data from file having data for specific document, and
  processing data set using job control parameters to generate report file**
Patent Assignee: HARMAN J L (HARM-I)
Inventor: HARMAN J L
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
US 20030084068 A1   20030501 US 2001682898   A   20011030 200352 B

Priority Applications (No Type Date): US 2001682898 A 20011030
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
US 20030084068 A1   19 G06F-012/00

Abstract (Basic): US 20030084068 A1
      NOVELTY - A file having data for specific document is received,
  from which a data set is imported using a set of import parameters. The
  data set includes common information and line item for the **received**
  document, and **destination** address of **recipient** of the document. The
  data set is processed using a set of job control parameters (26). A
  report file is generated using a set of output parameters, and output.
      DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for
  file modification system.
      USE - For adding control indicia such as optical **mark** recognition
  (OMR) control **marks** in output **file** for use in mail piece finishing
  system, data processing system used in generation of document such as
  purchase and sale invoices, medical bills, accounting and performance
  reports, and document used in other commercial activities.
      ADVANTAGE - File manipulation is performed efficiently with
  decreased processing time and expeditious set up, while increasing mail
  handling accuracy, mail customization capability, mail throughput and
  sorting capability.
      DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of
  the file reformatting system.
      job control parameters (26)
      report generator (70)
      pp; 19 DwgNo 2/6
Title Terms: FILE; METHOD; MAIL; PIECE; FINISH; SYSTEM; DATA; FILE; DATA;
  SPECIFIC; DOCUMENT; PROCESS; DATA; SET; JOB; CONTROL; PARAMETER; GENERATE
  ; REPORT; FILE
Derwent Class: T04
International Patent Class (Main): **G06F-012/00**
File Segment: EPI

13/5/16   (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

015365299   **Image available**
WPI Acc No: 2003-426237/200340
XRPX Acc No: N03-340555
   Document delivery system using internet, outputs document **data by**
   accessing uniform resource locator with respect to hypertext markup
   language format of document **data**
Patent Assignee: NEC CORP (NIDE)
Number of Countries: 001   Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
JP 2003141021	A	20030516	JP 2001338451	A	20011102	200340	B

Priority Applications (No Type Date): JP 2001338451 A 20011102
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
JP 2003141021	A		24	G06F-013/00	

Abstract (Basic): JP 2003141021 A
      NOVELTY - A document data is converted into interlingua format
   which is further converted into hypertext markup language (HTML)
   format. A **destination   terminal** (102) **receives** uniform resource
   locator (URL) with respect to HTML format of data through e-mail from a
   delivering agency terminal (101). A web server (105) receives printing
   instruction from the terminal (101) to print the document data by
   accessing the URL.
      USE - Document delivery system including printer, facsimile, for
   delivering and outputting content of document data in network system in
   which client computer and web server are connected through internet,
   intranet.
      ADVANTAGE - Improves security of printing document data by
   confirming content of document data using e-mail transmitted from
   delivery agency terminal.
      DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of
   document delivery output system. (Drawing includes non-English language
   text).
      delivering agency terminal (101)
      destination terminal (102)
      web server (105)
      pp; 24 DwgNo 1/14
Title Terms: DOCUMENT; DELIVER; SYSTEM; OUTPUT; DOCUMENT; DATA; ACCESS;
  UNIFORM; RESOURCE; LOCATE; RESPECT; LANGUAGE; FORMAT; DOCUMENT; DATA
Derwent Class: T01; W02
International Patent Class (Main): **G06F-013/00**
International Patent Class (Additional): **G06F-003/12 ; G06F-012/00 ;**
  H04N-001/00; H04N-001/32
File Segment: EPI

 13/5/17   (Item 3 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

015267979   **Image available**
WPI Acc No: 2003-328908/200331
XRPX Acc No: N03-263059
  E-mail management method involves transcoding digital object received in
  e-mail message to digital file having digital format and filename
Patent Assignee: IBM CORP (IBMC)
Inventor: BODIN W K; THORSON D C
Number of Countries: 001   Number of Patents: 001

Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
US 20020194366 A1   20021219   US 2001882174   A   20010614   200331 B

Priority Applications (No Type Date): US 2001882174 A 20010614
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
US 20020194366 A1   12 G06F-015/173

Abstract (Basic): US 20020194366 A1
      NOVELTY - A digital object received along with destination mailbox
   address of an e-mail message, is transcoded into a digital file having
   digital format and filename. The digital file is **downloaded** to a
   destination client (102) at an Internet address recorded in the
   corresponding field of a client device record with mailbox address
   identical to destination address and digital **file** format **code**
   indicating the capability of the device to receive digital format of
   the file.
      DETAILED DESCRIPTION - INDEPENDENT CLAIMS are included for the
   following:
      (1) an e-mail management system;
      (2) a computer software product for e-mail management.
      USE - For managing e-mails between client devices such as personal
   computers, Internet-enabled special purpose devices, Internet-capable
   personal data administrators, etc., in networks such as intranets,
   extranets, Internets, LAN, WAN.
      ADVANTAGE - By transcoding the digital object into digital file,
   the client can view the display of the digital object automatically
   without the need for performing additional actions.
      DESCRIPTION OF DRAWING(S) - The figure shows a schematic overview
   of the transcoding gateway.
      Destination client device (102)
      pp; 12 DwgNo 1/3
Title Terms: MAIL; MANAGEMENT; METHOD; TRANSCODER; DIGITAL; OBJECT; RECEIVE
 ; MAIL; MESSAGE; DIGITAL; FILE; DIGITAL; FORMAT
Derwent Class: T01; W01
International Patent Class (Main): **G06F-015/173**
File Segment: EPI

 13/5/18   (Item 4 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

015180771   **Image available**
WPI Acc No: 2003-241302/200324
XRPX Acc No: N03-192110
  **Document display system for video games machine has three receivers for
  hyper text** markup **language** documents **transmitted from server**
Patent Assignee: SQUARE CO LTD (SQUA-N); SQUARE KK (SQUA-N)
Inventor: YOSHIOKA M
Number of Countries: 031 Number of Patents: 002
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
EP 1284462   A2   20030219   EP 200218350   A   20020814   200324 B
JP 2003162475 A   20030606   JP 2001385355   A   20011219   200346

Priority Applications (No Type Date): JP 2001385355 A 20011219; JP
  2001246468 A 20010815; JP 2001324215 A 20010916
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes

EP 1284462   A2 E 12 G06F-017/30
    Designated States (Regional): AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
    GR IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR
JP 2003162475 A   8 G06F-013/00

Abstract (Basic): EP 1284462 A2
        NOVELTY - A hyper text **markup** language (HTML) description **file**
    of **document** pages is **sent** to a **first   receiver** and an object
    file defined by an initial display page of the description file is
    sent to a **second   receiver** to be used by a first display system to
    display the initial display page.
        DETAILED DESCRIPTION - After the **second   receiver** has **received**
    the object file, an object file defined by a second page of the
    description file is sent to a third receiver. The system stores content
    defining the second page and the object file defined by the second page
    in memory and a second display system analyzes the stored content and
    displays the second page when an HTML link from the first page is
    selected.
        INDEPENDENT CLAIMS are also included for ;
        1. A document display method.
        2. Stored software.
        USE - For displaying HTML documents on the screen of a video games
    machine or a client computer with a restricted display size/
        ADVANTAGE - The documents are displayed more quickly than under
    previous systems.
        DESCRIPTION OF DRAWING(S) - The drawing shows a block diagram for a
    system for providing a message exchange.
        pp; 12 DwgNo 1/6
Title Terms: DOCUMENT; DISPLAY; SYSTEM; VIDEO; GAME; MACHINE; THREE;
  RECEIVE; HYPER; TEXT; LANGUAGE; DOCUMENT; TRANSMIT; SERVE
Derwent Class: T01
International Patent Class (Main): **G06F-013/00 ; G06F-017/30**
File Segment: EPI

 13/5/19   (Item 5 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

015147266   **Image available**
WPI Acc No: 2003-207793/200320
 **Method for discriminating and displaying abnormal URL on wireless
 internet**
Patent Assignee: PANTECH CO LTD (PANT-N)
Inventor: HWANG S U; KIM D S; YANG G W
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No   Kind Date   Applicat No   Kind   Date   Week
KR 2002084374 A   20021107 KR 200123549   A   20010430 200320 B

Priority Applications (No Type Date): KR 200123549 A 20010430
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
KR 2002084374 A   1 G06F-017/00

Abstract (Basic): KR 2002084374 A
        NOVELTY - A method for discriminating and displaying an abnormal
    URL on a wireless Internet is provided to make a WAP(Wireless
    Application Protocol) browser or WAP gateway detect an abnormal URL
    linked in an Internet document to be supplied to a mobile terminal user
    using a WAP protocol or an HTTP(Hyper Text Transfer Protocol) protocol

in the case that a wireless Internet service is supplied.
    DETAILED DESCRIPTION - If a user requests a predetermined Internet
document 'A' to a WAP browser in accordance with a WAP protocol while
the user receives a wireless Internet service using a WAP browser
built-in one's mobile terminal, the WAP browser requests an URL of the
document 'A' to a WAP gateway(S31). Thus, the WAP gateway receives the
document 'A' as an HTTP format in accordance with an HTTP protocol,
coverts the **document** 'A' as a WML(Wireless **Markup** Language) format,
and returns the **document** 'A' to the WAP browser(S32). The WAP browser
analyzes a WML tag or other script tag of the document 'A', detects all
URLs linked in the document 'A', transmits a request message
corresponded to each URL to the WAP gateway, and tries an access to the
second web **server** (S33). The corresponding WAP browser **transmits** a
request message to the **second** web **server** corresponded to each URL
through the WAP gateway, and sets a timer for checking whether a
response message to the request is reached within a predetermined
time(S34). In the case that a response message to the request is
reached within a predetermined time, the WAP browser checks whether the
reached response message is set by a state code which displays an error
state(S35). If the reached response message is set by a state **code**
which displays an error state, the corresponding URL in the **document**
'A' to be supplied to the user is displayed as abnormal URL and
supplied(S36,S38).
    pp; 1 DwgNo 1/10
Title Terms: METHOD; DISCRIMINATE; DISPLAY; ABNORMAL; WIRELESS
Derwent Class: T01; W01
International Patent Class (Main): **G06F-017/00**
File Segment: EPI

 13/5/20   **(Item 6 from file: 350)**
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

015147265   **Image available**
WPI Acc No: 2003-207792/200320
  Method for discriminating and displaying abnormal url on internet
Patent Assignee: PANTECH CO LTD (PANT-N)
Inventor: HWANG S U; KIM D S; YANG G W
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
KR 2002084373	A	20021107	KR 200123548	A	20010430	200320	B

Priority Applications (No Type Date): KR 200123548 A 20010430
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
KR 2002084373	A		1	G06F-017/00	

Abstract (Basic): KR 2002084373 A
    NOVELTY - A method for discriminating and displaying an abnormal
URL on the Internet is provided to detect an abnormal URL linked in an
HTML document to be supplied to a user by a web browser or a web server
using an HTTP protocol in the case that an Internet service is
supplied.
    DETAILED DESCRIPTION - If a user requests a predetermined document
'A' to a web server while the user receives an Internet service using a
web browser embodied in one's PC, the web browser requests an URL of
the document 'A' to the **first** web **server** (S31). Thus, the user
receives the document 'A' as an HTML format(S32). The web browser

analyzes an HTML tag or other script tag of the received document 'A', detects all URLs linked in the document 'A', **transmits** a request message to the **second** web **server** corresponded to each URL in accordance with an HTTP protocol, and tries an access(S33). The web browser discriminates whether each URL is a service available normal URL. The web browser **transmits** a request message to the **second** web **server** corresponded to each URL, and sets a timer for checking whether a response message is reached within a predetermined time(S34). In the case that a response message is reached within a predetermined time, the web browser checks whether the reached response message is set by a state code which displays an error state(S35). If the reached response message is set by a state **code** which displays an error state, the corresponding URL in the **document** 'A' to be supplied to the user is displayed as abnormal URL and supplied(S36,S38).
        pp; 1 DwgNo 1/10
Title Terms: METHOD; DISCRIMINATE; DISPLAY; ABNORMAL
Derwent Class: T01
International Patent Class (Main): **G06F-017/00**
File Segment: EPI

 13/5/21   (Item 7 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

015080986
WPI Acc No: 2003-141504/200314
XRPX Acc No: N03-112313
 Modular system and method of updating application software in execution
Patent Assignee: KAIQI DIGITAL SCI & TECHNOLOGY CO LTD (KAIQ-N)
Inventor: YAN X
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
CN 1374589   A   20021016 CN 2001111467 A   20010314 200314 B

Priority Applications (No Type Date): CN 2001111467 A 20010314
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
CN 1374589   A   G06F-012/06

Abstract (Basic): CN 1374589 A
        NOVELTY - The present invention provides one modular system and method of updating application software in execution. After the computer in the client end executes the first application software and requests updating, the server receives the request and **transmits** file in the second mode to the **client** **computer** . The **first** application software judges the identification **code** of the second mode **file** and downloads the second functional module if the second functional module is judged to be updated one. Or else, the second functional module is not downloaded.
        DwgNo 0/0
Title Terms: MODULE; SYSTEM; METHOD; UPDATE; APPLY; SOFTWARE; EXECUTE
Derwent Class: T01
International Patent Class (Main): **G06F-012/06**
File Segment: EPI

 13/5/22   (Item 8 from file: 350)
DIALOG(R)File 350:Derwent WPIX

015014492   **Image available**
WPI Acc No: 2003-075009/200307
XRPX Acc No: N03-058051
   Operating system compliant Visual C++ source code **development system
   for shared** file **system, intercepts compilation of source** code **and
   transfers** code **to PC operating under UNIX OS, for producing UNIX OS
   object code**
Patent Assignee: ALALUF E (ALAL-I); BEN-ISRAEL Y (BENI-I); FURMAN V
   (FURM-I); RAY G (RAYG-I)
Inventor: ALALUF E; BEN-ISRAEL Y; FURMAN V; RAY G
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 20020138821	A1	20020926	US 2001767133	A	20010123	200307	B

Priority Applications (No Type Date): US 2001767133 A 20010123
Patent Details:

Patent No	Kind Lan Pg	Main IPC	Filing Notes
US 20020138821	A1	9 G06F-009/45	

Abstract (Basic): US 20020138821 A1
       NOVELTY - A PC (100) operating under a Windows operating system
   (OS), is connected to a PC (110) operating under a UNIX OS, through a
   LAN or WAN (130) such that compilation of a VC++ **source** code on **PC**
   (100) is intercepted and **transferred** to the PC (110) which executes
   the source code to produce UNIX OS object code.
       DETAILED DESCRIPTION - An INDEPENDENT CLAIM is included for method
   for converting windows-generated source code into standard compliant
   source-code.
       USE - For developing OS-compliant Visual C++ source **code** in
   shared **file** systems such as networked **file** system, common Internet
   file system (CIFS), web spread file systems.
       ADVANTAGE - By automatically intercepting and transferring the VC++
   source code to UNIX OS source code, the chance of creating bugs during
   the translation process is decreased and the time needed to complete
   the translation is reduced.
       DESCRIPTION OF DRAWING(S) - The figure shows a schematic view of
   the OS compliant VC++ source code development system.
       PCs (100,110)
       LAN or WAN (130)
       pp; 9 DwgNo 1/3
Title Terms: OPERATE; SYSTEM; COMPLIANT; VISUAL; SOURCE; CODE; DEVELOP;
   SYSTEM; SHARE; FILE; SYSTEM; INTERCEPT; COMPILE; SOURCE; CODE; TRANSFER;
   CODE; OPERATE; OS; PRODUCE; OS; OBJECT; CODE
Derwent Class: T01; W01
International Patent Class (Main): **G06F-009/45**
File Segment: EPI

 13/5/23   (Item 9 from file: 350)
DIALOG(R)File 350:Derwent WPIX

014796684   **Image available**
WPI Acc No: 2002-617390/200266
XRPX Acc No: N02-488589
   **Spell checking method for data processing system involves identifying and
   checking displayable text provided within computer source code, for**

errors
Patent Assignee: CAREW D J (CARE-I); DINH H (DINH-I); HU T (HUTT-I);
  LAKHDHIR M (LAKH-I)
Inventor: CAREW D J; DINH H; HU T; LAKHDHIR M
Number of Countries: 001   Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
US 20020078106 A1   20020620 US 2000740401   A   20001218 200266 B

Priority Applications (No Type Date): US 2000740401 A 20001218
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
US 20020078106 A1   14 G06F-017/24

Abstract (Basic): US 20020078106 A1
        NOVELTY - A **computer   source   code** located in a resource **file**
    is **received** for processing and a displayable text within the source
    code is identified and checked for errors.
        DETAILED DESCRIPTION - INDEPENDENT CLAIMS are included for the
    following:
        (1) Data processing system; and
        (2) Computer program product in computer readable medium storing
    spell checking text program.
        USE - For checking the spelling of displayable text within computer
    source code of data processing system (claimed).
        ADVANTAGE - Provides integrated spell checker that allow increased
    accuracy in user displayed text, thereby reducing misspellings in
    applications.
        DESCRIPTION OF DRAWING(S) - The figure shows the schematic block
    diagram of a menu system.
        pp; 14 DwgNo 4/8
Title Terms: SPELLING; CHECK; METHOD; DATA; PROCESS; SYSTEM; IDENTIFY;
  CHECK; DISPLAY; TEXT; COMPUTER; SOURCE; CODE; ERROR
Derwent Class: T01
International Patent Class (Main): **G06F-017/24**
File Segment: EPI

 13/5/24   (Item 10 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014431650   **Image available**
WPI Acc No: 2002-252353/200230
  On line music contest system using telephone and internet
Patent Assignee: INTERNET BROADCASTING & TECHNOLOGY CO LT (INTE-N)
Inventor: KIM J B
Number of Countries: 001   Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
KR 2001100709   A   20011114 KR 200024192   A   20000506 200230 B

Priority Applications (No Type Date): KR 200024192 A 20000506
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
KR 2001100709 A   1 G06F-019/00

Abstract (Basic): KR 2001100709 A
        NOVELTY - An on line music contest system using a telephone and the
    internet is provided to record and evaluate a user's song by using a
    telephone and internet.

DETAILED DESCRIPTION - An ARS(Automatic Response Service)
system(10) is used for determining a registration state of a user,
selecting a requested song, **transferring** an accompaniment of a sound
source   server (30) to the user, and storing user's song to a wave
file . An **encoder** (20) converts a sound source of the wave **file**
formed in the ARS system(10) to a streaming file. The sound source
server(30) stores the sound source converted in the encoder(20) and an
accompaniment. A database server(30) stores user information including
personal data, an ID, and a password. A web server(50) **receives** a
recorded song from the sound **source   server** , plays the recorded song
by using a plug-in software, evaluates the recorded song, and displays
ranking of the recorded song.
    pp; 1 DwgNo 1/10
Title Terms: LINE; MUSIC; CONTEST; SYSTEM; TELEPHONE
Derwent Class: T01
International Patent Class (Main): **G06F-019/00**
File Segment: EPI

13/5/25   (Item 11 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014382992   **Image available**
WPI Acc No: 2002-203695/200226
  System for advertisement real time on demand download of music file
Patent Assignee: DANAL CO LTD (DANA-N); KIM H N (KIMH-I); KIM S H (KIMS-I)
Inventor: KIM H N; KIM S H
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
KR 2001095885	A	20011107	KR 200019345	A	20000412	200226	B

Priority Applications (No Type Date): KR 200019345 A 20000412
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
KR 2001095885	A		1	G06F-015/16	

Abstract (Basic): KR 2001095885 A
    NOVELTY - A system for an advertisement real time on demand
download of a music file is provided to download all sorts of music
files in accordance with a user's selection by embodying inherent
numbers(M-code) in all music and displaying the corresponding M-code of
the current operated music on a screen.
    DETAILED DESCRIPTION - In a system for downloading a wanted music
in broadcasting real time, a communication network(202) capable of
communicating data by wire/wireless is provided. The first service
providing server(200) stores each M-code embodied in all music as
inherent **codes** and the corresponding music **file** . A TV(204) displays
a M- **code** of the currently broadcasted music on a screen. The first
terminal(206) connects to the first service providing server(200)
through the communication network(202) and is provided for inputting a
M-code and a telephone number of a music to be **downloaded** . The
second service providing **server** (208) **receives** a music file from
the **first** service providing **server** (200) through the communication
network(202) in broadcasting real time and calls the second terminal to
be **received** a **download** . The **second   terminal** (210) is provided
for **downloa**ding a music file from the **second** service providing
server (208).
    pp; 1 DwgNo 1/10

Title Terms: SYSTEM; ADVERTISE; REAL; TIME; DEMAND; MUSIC; FILE
Derwent Class: T01
International Patent Class (Main): **G06F-015/16**
File Segment: EPI

13/5/26   (Item 12 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014319304   **Image available**
WPI Acc No: 2002-140006/200218
XRPX Acc No: N02-105501
   Data storage management by obtaining data management access right **from**
   physical file **system in response to event message**
Patent Assignee: INT BUSINESS MACHINES CORP (IBMC)
Inventor: LOY I; MARBERG J; SCHMUCK F; SHMUELI B; WYLLIE J; CURRAN R;
   HASKIN R; SHUMELI B; YEHUDAI Z
Number of Countries: 096 Number of Patents: 007
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
WO 200201410	A1	20020103	WO 2001IL560	A	20010619	200218	B
AU 200167786	A	20020108	AU 200167786	A	20010619	200235	
US 20020059309	A1	20020516	US 2000214127	A	20000626	200237	
			US 2001887549	A	20010625		
US 20020123997	A1	20020905	US 2000214127	A	20000626	200260	
			US 2001887550	A	20010625		
US 20020124013	A1	20020905	US 2000214127	A	20000626	200260	
			US 2001887533	A	20010625		
US 20020144047	A1	20021003	US 2000214127	A	20000626	200267	
			US 2001887576	A	20010625		
US 20020143734	A1	20021003	US 2000214127	A	20000626	200267	
			US 2001887520	A	20010625		

Priority Applications (No Type Date): US 2000214127 P 20000626; US
   2001887549 A 20010625; US 2001887550 A 20010625; US 2001887533 A 20010625
   ; US 2001887520 A 20010625; US 2001887576 A 20010625
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
WO 200201410 A1 E 37 G06F-017/30
   Designated States (National): AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA
   CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN
   IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ
   PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
   Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR
   IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZW
AU 200167786 A   G06F-017/30   Based on patent WO 200201410
US 20020059309 A1   G06F-017/30   Provisional application US 2000214127

US 20020123997 A1   G06F-017/30   Provisional application US 2000214127

US 20020124013 A1   G06F-012/00   Provisional application US 2000214127
US 20020144047 A1   G11C-005/00   Provisional application US 2000214127

US 20020143734 A1   G06F-007/00   Provisional application US 2000214127

Abstract (Basic): WO 200201410 A
      NOVELTY - Method consists in initiating a data management (DM)
   application on a computing node, running a user application (UA) on a
   second **node** and **sending** a DM event message incorporating a data
   field uniquely identifying the node from the second node to the first

in response to receipt of a UA request to perform a file operation. The
session is initiated according to a data management application
programming interface (DMAPI) also processing the request.
     DETAILED DESCRIPTION - A DM access management **right** is obtained
from the physical **file** system at the first node to process the event
message and a data migration application is initiated to free data
storage space on the volumes. One node acts as a session manager which
distributes a specification of events and their dispositions.
     There are INDEPENDENT CLAIMS for (1) a computer, (2) a computer
program.
     USE - Method is for parallel file system data management
applications such as on-line encryption and directory browsers.
     DESCRIPTION OF DRAWING(S) - The figure shows details of a parallel
file system.
     Dwg.2/4
Title Terms: DATA; STORAGE; MANAGEMENT; OBTAIN; DATA; MANAGEMENT; ACCESS;
  RIGHT; PHYSICAL; FILE; SYSTEM; RESPOND; EVENT; MESSAGE
Derwent Class: T01; W01
International Patent Class (Main): **G06F-007/00 ; G06F-012/00 ;**
  G06F-017/30 ; G11C-005/00
International Patent Class (Additional): **G06F-012/14**
File Segment: EPI

 13/5/27   (Item 13 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014318732   **Image available**
WPI Acc No: 2002-139434/200218
XRPX Acc No: N02-105134
 Method of dynamically inserting content into Web document for display by
 e.g. wireless client device such as phones, PDAs, pagers etc by sending
 request from first **to** second server **for content for inclusion**
 within the Web document
Patent Assignee: WINDWIRE INC (WIND-N); BORGER D (BORG-I); COX S (COXS-I);
  GORDON T (GORD-I); SPITZ D (SPIT-I); SQUIRE M (SQUI-I); THRASH J (THRA-I)
Inventor: BORGER D; COX S; GORDON T; SPITZ D; SQUIRE M; THRASH J
Number of Countries: 095 Number of Patents: 003
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
WO 200186544	A2	20011115	WO 2001US13681	A	20010430	200218	B
AU 200157365	A	20011120	AU 200157365	A	20010430	200219	
US 20020123334	A1	20020905	US 2000202774	A	20000509	200260	
			US 2000220559	A	20000725		
			US 2001799194	A	20010305		

Priority Applications (No Type Date): US 2001799194 A 20010305; US
  2000202774 P 20000509; US 2000220559 P 20000725
Patent Details:

Patent No	Kind Lan Pg	Main IPC	Filing Notes
WO 200186544	A2 E 49	G06F-017/60	

    Designated States (National): AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA
    CH CN CO CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS
    JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL
    PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
    Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR
    IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZW

| AU 200157365 | A | G06F-017/60 | Based on patent WO 200186544 |
| US 20020123334 | A1 | H04M-003/42 | Provisional application US 2000202774 |

Abstract (Basic): WO 200186544 A
        NOVELTY - A request is **sent** from a **first** to **second** **server**
    for inclusion of a content within the Web document. A location for the
    content and a format are identified within the Web **document** by
    corresponding **markup** tags. A content having a format specified by the
    markup tag is then **sent** from the **second** **server** to the **first**
    server . The Web document is served with the included content at the
    identified location to a client device.
        DETAILED DESCRIPTION - INDEPENDENT CLAIMS are included for:
        (a) a system for dynamically inserting content into a Web document
    for display by a client device
        (b) a computer program product for dynamically inserting content
    into a Web document for display by a client device
        USE - Provides advertisement-serving procedures that are compatible
    with the new generation of wireless devices for deliver advertisements,
    coupons, promotions etc to all forms of phones, PDAs, pagers, both
    existing and future.
        ADVANTAGE - For delivering advertising content to users accessing
    the Internet via wireless communications.
        DESCRIPTION OF DRAWING(S) - The drawing is a flowchart of operation
    for dynamically inserting content into Web documents for display by a
    wireless client devices, according to embodiments of the present
    invention.
        Dwg.3/7
Title Terms: METHOD; DYNAMIC; INSERT; CONTENT; WEB; DOCUMENT; DISPLAY;
  WIRELESS; CLIENT; DEVICE; TELEPHONE; SEND; REQUEST; FIRST; SECOND; SERVE;
  CONTENT; INCLUSION; WEB; DOCUMENT
Derwent Class: T01; W01
International Patent Class (Main): **G06F-017/60** ; H04M-003/42
File Segment: EPI

 13/5/28   (Item 14 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

013972472   **Image available**
WPI Acc No: 2001-456685/200149
Related WPI Acc No: 2002-302737
XRPX Acc No: N01-338435
  **Secure program execution method for client server computer systems
  comprises a server security manager which allows Java applet execution
  based on an encrypted digital signature**
Patent Assignee: SUN MICROSYSTEMS INC (SUNM)
Inventor: CONNELLY D; MUELLER M
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 6263442	B1	20010717	US 96652703	A	19960530	200149	B

Priority Applications (No Type Date): US 96652703 A 19960530
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 6263442	B1		8	G06F-011/30	

Abstract (Basic): US 6263442 B1
        NOVELTY - The digital signature associated with the Java applet

allows the security manager to deny resource access unless the
signature originates from a trusted server or computer system. The JAR
 file containing the applet is signed using a public private key
encryption algorithm e.g. PGP and loaded onto the **source   server** . On
 download from the **source   server** , the signature is decrypted and
analyzed before resource access is granted.
        DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for
the computer system and a computer program using the securing method to
authenticate applet programs.
        USE - To provide a higher level of security for client-server or
server-server execution of Java applets.
        ADVANTAGE - This method uses public private key encryption to
authenticate the Java applets before execution, ensuring server
security. It also allows the network operator to monitor and control
resource access by Java applets or to allow only trusted signed applets
authority to execute and blocking unsigned applets.
        DESCRIPTION OF DRAWING(S) - The drawing shows a flow diagram of the
digital signature authentication process.
        pp; 8 DwgNo 3/3
Title Terms: SECURE; PROGRAM; EXECUTE; METHOD; CLIENT; SERVE; COMPUTER;
  SYSTEM; COMPRISE; SERVE; SECURE; MANAGE; ALLOW; EXECUTE; BASED;
  ENCRYPTION; DIGITAL; SIGNATURE
Derwent Class: T01
International Patent Class (Main): **G06F-011/30**
File Segment: EPI

 13/5/29   (Item 15 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

013799261   **Image available**
WPI Acc No: 2001-283473/200130
XRPX Acc No: N01-202086
  Operating method for real-time messaging system with hyperlinks to
  objects on an application server to enable two persons communicating over
  real-time messaging system to share objects with each other
Patent Assignee: AT & T CORP (AMTT); AMERICAN TELEPHONE & TELEGRAPH CO
  (AMTT)
Inventor: SARASWAT V A
Number of Countries: 027 Number of Patents: 003
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
EP 1075119   A2   20010207   EP 2000115084   A   20000727   200130 B
CA 2314780   A1   20010203   CA 2314780   A   20000801   200130
JP 2001109696 A   20010420   JP 2000235062   A   20000803   200139

Priority Applications (No Type Date): US 99366617 A 19990803
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
EP 1075119   A2 E   5 H04L-012/58
   Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT
   LI LT LU LV MC MK NL PT RO SE SI
CA 2314780   A1 E   H04L-012/16
JP 2001109696 A   5 G06F-013/00

Abstract (Basic): EP 1075119 A2
        NOVELTY - The method involves establishing a connection between a
   first terminal (101) and an application server permitting the first
   terminal to create an object stored on the application server (110),

and **transmitting** a message between the **first terminal** and a
second terminal (102) containing an object reference, i.e. URL,
embedded in the message. A connection is established between the second
terminal and the application server permitting the second terminal to
access the object stored on the application server. The persistent
object may contain authorization information and be a servlet,
certificate , shared **document** or a multi-media data stream.
    DETAILED DESCRIPTION - An INDEPENDENT CLAIM is included for an
application server for use in the real-time messaging system.
    USE - For enabling two or more persons communicating with each
other using real-tie messaging system to share objects with each other.

    ADVANTAGE - Makes it possible for sender to give a recipient access
to the functionality of the object and the ability to share, modify,
update and jointly manipulate the object.
    DESCRIPTION OF DRAWING(S) - The drawing shows a diagram of the
communication network.
    communication network (100)
    terminals (101,102)
    application server (110)
    pp; 5 DwgNo 1/1
Title Terms: OPERATE; METHOD; REAL; TIME; MESSAGING; SYSTEM; OBJECT; APPLY;
  SERVE; ENABLE; TWO; PERSON; COMMUNICATE; REAL; TIME; MESSAGING; SYSTEM;
  SHARE; OBJECT
Derwent Class: T01; W01
International Patent Class (Main): **G06F-013**/00 ; H04L-012/16; H04L-012/58
International Patent Class (Additional): **G06F-012/00** ; **G06F-015/00** ;
  G06F-017/00 ; H04L-029/06
File Segment: EPI

 13/5/30   **(Item 16 from file: 350)**
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

013617105   **Image available**
WPI Acc No: 2001-101313/200111
XRPX Acc No: N01-075132
  **Operating system has three alternate computers interconnected to one
  another by communications channel generating a graphical user interface
  (GUI) on the first computer corresponding to a presentation generated on
  the second computer**
Patent Assignee: US SEC OF NAVY (USNA)
Inventor: FONTENOT L A; MCLINTOCK B T; SIMONOFF A J; TAFT R L
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
US 6125387   A   20000926 US 97941545   A   19970930 200111 B

Priority Applications (No Type Date): US 97941545 A 19970930
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
US 6125387   A   100 G06F-015/16

Abstract (Basic): US 6125387 A
    NOVELTY - The method includes, storing a **document** written in
  hypertext **markup** language (HTML), the **document** is then **transmitted**
  to the **second computer** , the **second computer** is permitted to
  utilize a World Wide Web browser providing a JAVATM virtual machine and
  the universal client device (300) is initialized and executed using the

JAVATM virtual machine. Instructions for controlling the third computer are stored and processed by it creating a string.

DETAILED DESCRIPTION - Instructions for controlling and processing the alternate computer during the generation of an alternate character string. The string and a heartbeat signal is then **transmitted** from the third to the **second computer** and the alternate character signal from the alternate computer to the second computer. The universal client (300) device running on the second computer selectively modifies and replaces the Multimedia presentation / duration timer. The HTML document has an applet tag for invoking a universal client device and computer readable instructions for the first computer to generate the universal client device on the first computer. The instructions include commands to the universal client device to establish a predetermined connection between the second and third computer when a heart beat signal is present.

An INDEPENDENT claim is also included for An operating method for a computer system having first, second, third and alternate computers generating a graphical user interface (GUI) on the first computer screen corresponding to a presentation generated with respect to the second computer screen irrespective of the operating system differences between the computers.

USE - For interconnecting various military components efficiently.

ADVANTAGE - Permits military components to use the same computer program and share information beyond the visualization of a map, text or photograph regardless of variations in hardware and software between the networked computers.

DESCRIPTION OF DRAWING(S) - The figure shows a high-level block diagram of selected components of the computer system, which illustrates the operation of one of the several alternative operation techniques.

Server host (100)
Application host (200)
Client host (300)
pp; 100 DwgNo 3/10

Title Terms: OPERATE; SYSTEM; THREE; ALTERNATE; COMPUTER; INTERCONNECT; ONE; COMMUNICATE; CHANNEL; GENERATE; GRAPHICAL; USER; INTERFACE; FIRST; COMPUTER; CORRESPOND; PRESENT; GENERATE; SECOND; COMPUTER

Derwent Class: T01
International Patent Class (Main): **G06F-015/16**
File Segment: EPI

13/5/31   (Item 17 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

013414013   **Image available**
WPI Acc No: 2000-585951/200055
XRPX Acc No: N00-433526
Computer architecture independent device used by employees of department of navy, scripts behavior of program in response to operator interaction with one of the GUI objects and unrelated client-server commands
Patent Assignee: US SEC OF NAVY (USNA)
Inventor: FONTENOT L A; MCLINTOCK B T; SIMONOFF A J; TAFT R L
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 6078321	A	20000620	US 97941255	A	19970930	200055	B

Priority Applications (No Type Date): US 97941255 A 19970930
Patent Details:

Abstract (Basic): US 6078321 A
        NOVELTY - Network protocols are handled and GUI objects are
presented to form GUI. Scripts and GUI script defining GUI objects and
GUI, respectively, are generated. GUI scripts and scripts are
selectively passed and processed to display GUI in a display. The
behavior of program in response to operator interaction with one of the
GUI objects and client-server commands unrelated to GUI objects are
scripted.
        DETAILED DESCRIPTION - A computer system permits interpolation
between two computers irrespective of hardware and/or operating system
differences between the two computers. First computer has storage
device which stores a hypertext **markup** language (HTML) **document**
which includes an applet tag for invoking an universal client device
and computer readable instructions for generating the universal client
device. The second computer has another storage device for storing
computer readable instruction to realize WWW browser by providing
JAVAvirtual machine. HTML document and instructions from **first**
computer is **received** by **second** **comput**er . Universal code device
is executed to pass and process script to generate predetermined GUI
objects and project GUI objects on second computer.
        USE - For generating and displaying graphic user interface (GUI) on
client computer, for use by employees of department of navy.
        ADVANTAGE - Permits military components to use the same computer
program and share information beyond the visualization of map, text or
photograph, regardless of variations in hardware and software between
the networked computers. A dedicated scripting language enables each
military component to quickly and easily personalize the user front
end, without modifying the same software program application used by
all networked military components. Thus, the government simultaneously
achieves military component interoperability and cost savings
regardless of computer variation and architecture. User front end GUIs
are created to facilitate networked class room training. Several
objects are displayed simultaneously and browser is controlled
directly. Reduces software creation, distribution, maintenance and
support costs. Provides architecture independence of dedicated display
consoles.
        DESCRIPTION OF DRAWING(S) - The figure shows illustration of
computer screen showing the output of exemplary apparatus using the
universal client device.
        pp; 32 DwgNo 7/10
Title Terms: COMPUTER; ARCHITECTURE; INDEPENDENT; DEVICE; EMPLOY;
  DEPARTMENT; NAVY; PROGRAM; RESPOND; OPERATE; INTERACT; ONE; OBJECT;
  UNRELATED; CLIENT; SERVE; COMMAND
Derwent Class: T01
International Patent Class (Main): **G06F-013/00**
International Patent Class (Additional): **G06F-015/16**
File Segment: EPI

 13/5/32   (Item 18 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

013364693   **Image available**
WPI Acc No: 2000-536632/200049
XRPX Acc No: N00-397234
  Information communication for customer service, involves receiving
  application program or data files **automatically from host** server ,

Bode Akintola30-Oct-03

when preset destination **area** code **matches with code** received **from base station**
Patent Assignee: SHARP KK (SHAF)
Number of Countries: 001   Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
JP 2000207216	A	20000728	JP 996672	A	19990113	200049	B

Priority Applications (No Type Date): JP 996672 A 19990113
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
JP 2000207216	A		9	G06F-009/445	

Abstract (Basic): JP 2000207216 A
    NOVELTY - The portable terminal (130) receives area identification code from base station. When the received code matches with the preset area identification code of destination area in the terminal before the terminal is being moved, terminal is connected to host server (100) and application program or data files pertaining to that area accessed from hard disk (140) are automatically transferred to the terminal.
    DETAILED DESCRIPTION - The portable terminal (130) is connected to public telephone circuit network (110) via portable telephone base stations (120-122). An INDEPENDENT CLAIM is also included for portable terminal equipment.
    USE - For information communication between host computer server and portable terminal.
    ADVANTAGE - Even when the portable terminal is taken to destination area, the application program or data files from host computer server are automatically transferred to the terminal by matching the area identification code received from base station with preset code.
    DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of information communication procedure.
    Host server (100)
    Network (110)
    Base stations (120-122)
    Portable terminal (130)
    Hard disk (140)
    pp; 9 DwgNo 1/7
Title Terms: INFORMATION; COMMUNICATE; CUSTOMER; SERVICE; RECEIVE; APPLY; PROGRAM; DATA; FILE; AUTOMATIC; HOST; SERVE; PRESET; DESTINATION; AREA; CODE; MATCH; CODE; RECEIVE; BASE; STATION
Derwent Class: T01; W01
International Patent Class (Main): **G06F-009/445**
International Patent Class (Additional): **G06F-013/00** ; H04Q-007/38
File Segment: EPI

  13/5/33   **(Item 19 from file: 350)**
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

013147199
WPI Acc No: 2000-319071/200028
XRPX Acc No: N00-239375
  Time stamping data with official time e.g. for electronic signature **on digital** documents **by using decrypted official time signal to set internal time source**
Patent Assignee: MAZ MIKROELEKTRONIK ANWENDUNGSZENTRUM (MAZM-N)
Inventor: BECKER B; FISCHER F
Number of Countries: 001   Number of Patents: 001
Patent Family:

```
Patent No      Kind   Date     Applicat No    Kind   Date      Week
DE 19845199    A1   20000406   DE 1045199     A    19981001   200028   B
```

Priority Applications (No Type Date): DE 1045199 A 19981001
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
DE 19845199   A1   4 H04Q-007/06

Abstract (Basic): DE 19845199 A1
      NOVELTY - The method involves supplying a local and/or global
official time signal to a mobile network operator (e.g. GSM). The time
is encrypted and decrypted based on the technology of the network
operator before being transmitted to the customer. The decrypted
official time signal is used to set an internal time source. Digital
data are time-stamped with this official time signal. The time-stamped
data are encrypted and provided with a digital signature.
      USE - For protecting documents from manipulation.
      ADVANTAGE - Prevents manipulation of a time signal between a
reference signal **source** and the **receiver** module of the end user.
      pp; 4 DwgNo 0/0
Title Terms: TIME; STAMP; DATA; OFFICE; TIME; ELECTRONIC; SIGNATURE;
  DIGITAL; DOCUMENT; OFFICE; TIME; SIGNAL; SET; INTERNAL; TIME; SOURCE
Derwent Class: S04; T01; T05; W01
International Patent Class (Main): H04Q-007/06
International Patent Class (Additional): G04C-011/02; G04G-007/02;
  G06F-001/14 ; H04L-009/00
File Segment: EPI

 13/5/34   **(Item 20 from file: 350)**
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

013110608   **Image available**
WPI Acc No: 2000-282479/200024
XRPX Acc No: N00-212618
  **Computer implemented method for securing digital information from one
  computing system to another computing system**
Patent Assignee: WYATT S A (WYAT-I)
Inventor: WYATT S A
Number of Countries: 001 Number of Patents: 001
Patent Family:
```
Patent No      Kind   Date     Applicat No    Kind   Date      Week
US 6041411      A   20000321   US 97827548     A    19970328   200024   B
```

Priority Applications (No Type Date): US 97827548 A 19970328
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
US 6041411   A   21 G06F-013/00

Abstract (Basic): US 6041411 A
      NOVELTY - The validity of catalog file attempting to access the
requested digital information is determined by checking the product
activation code corresponding to the requested digital information. The
access of digital information is permitted only when the product
activation **code** is present in the catalog **file** .
      DETAILED DESCRIPTION - Several transaction initiators (TI12)
request for the **transmission** of digital information from an
intermediary data **destination** **server** (14). The server **send** the
requested digital information in wrapped form. INDEPENDENT CLAIMS are
also included for the following:

(a) a computer readable medium;
(b) a transmitting apparatus;
(c) and a computer data signal.
    USE - For securing digital information from one computing system to
another computing system. Used for electronic commerce which includes
transfer of funds, order or sales and credit information.
    ADVANTAGE - Has improved method for verifying the user access
rights to electronically transmitted digital information. Provides
wrapping that prohibits illegal or unauthorized execution of computer
file or program. Allows access to data packages only when the product
activation code is authorized.
    DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of
the computer system.
    IDD server (14)
    Transaction initiators (TI12)
    pp; 21 DwgNo 1/11
Title Terms: COMPUTER; IMPLEMENT; METHOD; SECURE; DIGITAL; INFORMATION; ONE
  ; COMPUTATION; SYSTEM; COMPUTATION; SYSTEM
Derwent Class: T01; T05; W01
International Patent Class (Main): **G06F-013/00**
International Patent Class (Additional): H04K-001/00; H04L-009/12;
  H04L-009/32
File Segment: EPI

13/5/35 **(Item 21 from file: 350)**
DIALOG(R)File 350:Derwent WPIX

012804333   **Image available**
WPI Acc No: 1999-610563/199952
Related WPI Acc No: 1998-556871
XRPX Acc No: N99-449879
  **Transaction based replication, realtime back-up system for computers
  running in different operating systems**
Patent Assignee: NETWORK SPECIALISTS INC (NETW--N)
Inventor: BEELER D E
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 5974563	A	19991026	US 95543266	A	19951016	199952	B
			US 98165724	A	19981002		

Priority Applications (No Type Date): US 95543266 A 19951016; US 98165724 A
  19981002
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 5974563	A		46	G06F-017/30	Cont of application US 95543266
					Cont of patent US 5819020

Abstract (Basic): US 5974563 A
    NOVELTY - File modification request stored in non-volatile memory
of source server, is executed by a source server (84) and is
communicated to target server (83) via network interface (89). The
executed file modification is stored in non-volatile memory of target
server.
    DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for
real time back-up method.
    USE - For computers running in different operating systems such as
Novell Netware, Windows NT, Unix, OS/2 etc.
    ADVANTAGE - Provides centralized back-up facilities across entire
network, coordination of distributed processing and migration of data

to new platform with minimal down time, since the target computers may or may not be running the same operating system software as original **source computer** . Since only changed information is **transmitted** to target server, the amount of network traffic associated with each back-up is minimized. In the event of failure on source computer, users may login immediately and access data, since user configuration information such as user accounts, **file** ownership, trustee **rights** are replicated to target computer. When a change is made to file or configuration item on source computer, those changes are immediately copied to target computer, providing real time back-up of all data on source computer, thereby enabling no data to be lost during source computer failure.

DESCRIPTION OF DRAWING(S) - The figure illustrates polling sequence for identifying source and target servers.

Target server (83)
Source server (84)
Network interface (89)
pp; 46 DwgNo 8/34

Title Terms: TRANSACTION; BASED; REPLICA; BACK; UP; SYSTEM; COMPUTER; RUN; OPERATE; SYSTEM
Derwent Class: T01
International Patent Class (Main): **G06F-017/30**
File Segment: EPI

 13/5/36   (Item 22 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

011839851   **Image available**
WPI Acc No: 1998-256761/199823
XRPX Acc No: N98-203057
 Image forming apparatus - has output unit that forms image of specified image data, and outputs image data according to output format corresponding to specified output setting data
Patent Assignee: CANON KK (CANO)
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
JP 10083263	A	19980331	JP 96238032	A	19960909	199823	B

Priority Applications (No Type Date): JP 96238032 A 19960909
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
JP 10083263	A		9	G06F-003/12	

Abstract (Basic): JP 10083263 A
The apparatus has a **first receiver** for the data ID number and the **file** name which accompany the **code** data showing the information sent from other apparatus, and the code data. A data converter transforms the code data to the corresponding bit-map image data. A first quota unit assigns the received data ID number and file name to the bit-map image data, and store it in an image data holder. The setting output data, and the setting data ID number and file name which accompany the setting output data are **received** by a **second receiver** . The setting output data are used for setting output format during image formation. The output setting data are stored by a setting data holder.

A second quota unit assigns the setting data ID number and file name from the **second receiver** . The image data and output setting

data specified by the ID numbers are searched from the data holders. A
combination of the searched image data and output setting data is
chosen by a selector. An output unit forms the image of the image data
selected, and outputs it to the output format corresponding to the
selected output setting data.
    ADVANTAGE - Facilitates modification of output conditions.
    Dwg.1/7
Title Terms: IMAGE; FORMING; APPARATUS; OUTPUT; UNIT; FORM; IMAGE;
  SPECIFIED; IMAGE; DATA; OUTPUT; IMAGE; DATA; ACCORD; OUTPUT; FORMAT;
  CORRESPOND; SPECIFIED; OUTPUT; SET; DATA
Derwent Class: P75; T01
International Patent Class (Main): **G06F-003/12**
International Patent Class (Additional): B41J-005/30; G06T-001/00;
  H04N-001/00
File Segment: EPI; EngPI

  13/5/37   (Item 23 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

011806712   **Image available**
WPI Acc No: 1998-223622/199820
XRPX Acc No: N98-177478
  **Facsimile system for LAN - enables transmission of facsimile information
  to specified terminal only if availability of** transmission **route to
  specified** destination   terminal **is confirmed**
Patent Assignee: RICOH KK (RICO)
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
JP 10065732   A   19980306 JP 96232626   A   19960813 199820 B

Priority Applications (No Type Date): JP 96232626 A 19960813
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
JP 10065732   A   7 H04L-012/54

Abstract (Basic): JP 10065732 A
      The system includes a facsimile server (14) linked to a public
  circuit network (16), ISDN network (18) and several client terminals
  (10a-10m) connected by a LAN (11). The facsimile server forwards a file
  on receiving a facsimile transmitting request from a client terminal. A
  processor develops a image corresponding to the forwarded **file** and
  sends notification information regarding **signature** part of an address
  and an addressee at the time of facsimile transmission.
      At the time of reception, a judging unit judges whether or not a
  route to **send** the information to the specified **destination
  terminal** is available. If the route is available, facsimile
  transmission to the specified **destination   terminal** is enabled.
      ADVANTAGE - Improves flexibility. Facilitates data and electronic
  mail communication. Performs automatic communication route selection.
      Dwg.1/10
Title Terms: FACSIMILE; SYSTEM; LAN; ENABLE; TRANSMISSION; FACSIMILE;
  INFORMATION; SPECIFIED; TERMINAL; AVAILABLE; TRANSMISSION; ROUTE;
  SPECIFIED; DESTINATION; TERMINAL
Derwent Class: T01; W01; W02
International Patent Class (Main): H04L-012/54
International Patent Class (Additional): **G06F-013/00** ; H04L-012/28;
  H04L-012/46; H04L-012/58; H04M-011/00; H04N-001/00; H04N-001/21;

H04N-001/32
File Segment: EPI

13/5/38   (Item 24 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

011754232   **Image available**
WPI Acc No: 1998-171142/199816
XRPX Acc No: N98-135978
**Web browser sending of multimedia messages using tag showing extension
program - executes form web browser application program extension program
to record multimedia message as digital signals in file on** 1st   client
  computer , sends   file **to** 2nd   client   computer **as** encoded
E-mail message which can be audio or video based
Patent Assignee: DIGITAL EQUIP CORP (DIGI)
Inventor: ALDEN K; EBERMAN B S; GOLDENTHAL W D; GOSH D; WEIKART C M; ALDEN
  K F; GHOSH D
Number of Countries: 025 Number of Patents: 003
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
EP 831409	A2	19980325	EP 97115923	A	19970912	199816	B
JP 10124415	A	19980515	JP 97248242	A	19970912	199830	
US 6212535	B1	20010403	US 96710696	A	19960919	200120	

Priority Applications (No Type Date): US 96710696 A 19960919
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
EP 831409	A2	E	14	G06F-017/60	

    Designated States (Regional): AL AT BE CH DE DK ES FI FR GB GR IE IT LI
    LT LU LV MC NL PT RO SE SI

JP 10124415	A		8	G06F-013/00	
US 6212535	B1			G06F-017/00	

Abstract (Basic): EP 831409 A
      A tag specifying an extension program is added to a page (200)
  accessible by a server computer (140). A browser executing in a first
  client computer connected to the server computer by a communications
  network requests the page. The extension program is retrieved via the
  server computer.
      The extension program is executed from the web browser application
  program to record a multimedia message as digital signals in a file on
  the **first   client   computer** . The **file** is sent to a **second
  client   computer** as an **encoded** electronic mail message. An audio
  message is recorded in the **file** using a microphone and a sound card.
  A video message is recorded in the file using a camera and a video
  card.
      USE - Electronic messaging using Internet.
      ADVANTAGE - Uses delivery mechanism based on standard, non
  proprietary Internet protocols such that intended recipient receives
  and processes message using any E-mail client program that supports
  these protocols.
      Dwg.1/7
Title Terms: WEB; SEND; MESSAGE; TAG; EXTEND; PROGRAM; EXECUTE; FORM; WEB;
  APPLY; PROGRAM; EXTEND; PROGRAM; RECORD; MESSAGE; DIGITAL; SIGNAL; FILE;
  CLIENT; COMPUTER; SEND; FILE; CLIENT; COMPUTER; ENCODE; MAIL; MESSAGE;
  CAN; AUDIO; VIDEO; BASED
Derwent Class: T01
International Patent Class (Main): **G06F-013/00 ; G06F-017/00 ;**

G06F-017/60
International Patent Class (Additional): **G06F-003/16 ; G06F-015/16 ;**
  H04L-012/54; H04L-012/58
File Segment: EPI

  13/5/39   (Item 25 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

010704081   **Image available**
WPI Acc No: 1996-201036/199620
Related WPI Acc No: 1995-132820; 1996-268192; 1996-476664; 1997-502662
XRPX Acc No: N96-168653
  **File linking between emulation and host for emulation users - has host
  processor including application providing emulation and emulator monitor
  with security checking for host and emulation**
Patent Assignee: BULL HN INFORMATION SYSTEMS INC (HONE)
Inventor: BIANCHI R S; HIRSCH T S; PERRY R B
Number of Countries: 017 Number of Patents: 006
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
WO 9610224	A2	19960404	WO 95US12354	A	19950912	199620	B
WO 9610224	A3	19960509	WO 95US12354	A	19950912	199630	
US 5572711	A	19961105	US 93128456	A	19930928	199650	
			US 94311646	A	19940923		
EP 803101	A1	19971029	EP 95935148	A	19950912	199748	
			WO 95US12354	A	19950912		
EP 803101	B1	20030618	EP 95935148	A	19950912	200341	
			WO 95US12354	A	19950912		
DE 69531112	E	20030724	DE 631112	A	19950912	200356	
			EP 95935148	A	19950912		
			WO 95US12354	A	19950912		

Priority Applications (No Type Date): US 94311646 A 19940923; US 93128456 A
  19930928
Cited Patents: US 4611298; US 4621321; US 4825354; US 4918653; US 4984272;
  US 5204961; US 5361359
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
WO 9610224	A2	E	91	G06F-000/00	

    Designated States (Regional): AT BE CH DE DK ES FR GB GR IE IT LU MC NL
    PT SE

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
WO 9610224	A3			G06F-000/00	
US 5572711	A		19	G06F-003/00	CIP of application US 93128456
EP 803101	A1	E		G06F-017/30	Based on patent WO 9610224

    Designated States (Regional): DE FR GB IT

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
EP 803101	B1	E		G06F-017/30	Based on patent WO 9610224

    Designated States (Regional): DE FR GB IT

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
DE 69531112	E			G06F-017/30	Based on patent EP 803101
					Based on patent WO 9610224

Abstract (Basic): WO 9610224 A
    The host data processing system has a variety of input-output
  devices and operates under an extended UNIX operating system. The host
  includes an emulator that runs as an application process to execute
  user emulated system applications.
    The emulator (28) has a number of emulated system executive
  services operating in shared memory. An interpreter, an emulator
  monitor call unit (EMCU)(73) and a number of server facilities operate
  in the host memory. The emulator and file manager are extended to allow

creation and access to linked files within both the host and the
emulation environment. Security facilities are extended to maintain the
integrity of both systems.
   ADVANTAGE - Allows efficient access and control of host files for
application program operating in an emulation environment.
   Dwg.1a/2
Title Terms: FILE; LINK; EMULATION; HOST; EMULATION; USER; HOST; PROCESSOR;
  APPLY; EMULATION; EMULATION; MONITOR; SECURE; CHECK; HOST; EMULATION
Derwent Class: T01
International Patent Class (Main): **G06F-000/00 ; G06F-003/00 ;
  G06F-017/30**
International Patent Class (Additional): **G06F-009/455** ; H04L-009/00
File Segment: EPI

   13/5/40   (Item 26 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

010663572   **Image available**
WPI Acc No: 1996-160526/199616
Related WPI Acc No: 2000-564416
XRPX Acc No: N96-134444
  **Capture, storage, transport and authentication method for handwritten
  signatures - digitises** signature **from** document , **stores in** signature
  **envelope and compares with database of known verified signature
  information to verify**
Patent Assignee: PERIPHERAL VISION LTD (PERI-N); PENOP LTD (PENO-N);
  COMMUNICATION INTELLIGENCE CORP (COMM-N); PERIPHERAL VISION INC (PERI-N)
Inventor: NEWMAN J M; SMITHIES C P K
Number of Countries: 066 Number of Patents: 014
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
WO 9607156	A1	19960307	WO 95US11016	A	19950829	199616	B
AU 9534614	A	19960322	AU 9534614	A	19950829	199626	
US 5544255	A	19960806	US 94298991	A	19940831	199637	
EP 778969	A1	19970618	EP 95931027	A	19950829	199729	
			WO 95US11016	A	19950829		
US 5647017	A	19970708	US 94298991	A	19940831	199733	
			US 96644084	A	19960509		
AU 688589	B	19980312	AU 9534614	A	19950829	199822	
JP 10505175	W	19980519	WO 95US11016	A	19950829	199830	
			JP 96508954	A	19950829		
KR 97705797	A	19971009	WO 95US11016	A	19950829	199841	
			KR 97701353	A	19970228		
AU 9871860	A	19980730	AU 9534614	A	19950829	199842	
			AU 9871860	A	19980612		
US 5818955	A	19981006	US 94298991	A	19940831	199847	
			US 96644084	A	19960509		
			US 97859626	A	19970520		
NZ 292439	A	19981028	NZ 292439	A	19950829	199901	
			WO 95US11016	A	19950829		
US 6064751	A	20000516	US 94298991	A	19940831	200031	
			US 96644084	A	19960509		
			US 97859626	A	19970520		
			US 98112224	A	19980708		
CN 1159238	A	19970910	CN 95195333	A	19950829	200141	
US 6381344	B1	20020430	US 94298991	A	19940831	200235	
			US 96644084	A	19960509		
			US 97859626	A	19970520		
			US 98112224	A	19980708		

Priority Applications (No Type Date): US 94298991 A 19940831; US 96644084 A
    19960509; US 97859626 A 19970520; US 98112224 A 19980708; US 2000477462 A
    20000104
Cited Patents: 02Jnl.Ref; US 4495644; US 5091975; US 5195133; US 5297202;
    US 5322978; US 5339361
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
WO 9607156	A1	E	80	G06K-009/00	

Designated States (National): AM AT AU BB BG BR BY CA CH CN CZ DE DK EE
ES FI GB GE HU IS JP KE KG KP KR KZ LK LR LT LU LV MD MG MK MN MW MX NO
NZ PL PT RO RU SD SE SG SI SK TJ TM TT UA UG UZ VN
Designated States (Regional): AT BE CH DE DK ES FR GB GR IE IT KE LU MC
MW NL OA PT SD SE SZ UG

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
AU 9534614	A				Based on patent WO 9607156
US 5544255	A		29		
EP 778969	A1	E			Based on patent WO 9607156

Designated States (Regional): AT BE CH DE DK ES FR GB GR IE IT LI LU MC
NL PT SE

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 5647017	A		35		Cont of application US 94298991
					Cont of patent US 5544255
AU 688589	B				Previous Publ. patent AU 9534614
					Based on patent WO 9607156
JP 10505175	W		76	G06T-007/00	Based on patent WO 9607156
KR 97705797	A				Based on patent WO 9607156
AU 9871860	A			G06K-009/00	Div ex application AU 9534614
US 5818955	A				Cont of application US 94298991
					Cont of application US 96644084
					Cont of patent US 5544255
					Cont of patent US 5647017
NZ 292439	A				Based on patent WO 9607156
US 6064751	A			G06K-009/00	Cont of application US 94298991
					Cont of application US 96644084
					Cont of application US 97859626
					Cont of patent US 5544255
					Cont of patent US 5647017
					Cont of patent US 5818955
CN 1159238	A			G06K-009/00	
US 6381344	B1			G06K-009/00	Cont of application US 94298991
					Cont of application US 96644084
					Cont of application US 97859626
					Cont of application US 98112224
					Cont of patent US 5544255
					Cont of patent US 5647017
					Cont of patent US 5818955
					Cont of patent US 6064751

Abstract (Basic): WO 9607156 A
    The method involves displaying an image of a **document** and
    capturing the handwritten **signature** (4). A set of measurements
    relating to the signature is determined and stored in a **signature**
    envelope (10). A checksum value of the **document** is also stored,
    together with the claimed identity of the **signatory** .
    The signature envelope is encrypted and transmitted to another
    computer (2b) or stored for verification. The signature envelope is
    decrypted and the set of measurements stored in the envelope is
    compared against a known set of handwritten signature measurements to
    verify the identity of the signatory. A database of signature templates
    storing verified signature information (12) is compared with the
    signature envelope to obtain a similarity score.

Bode Akintola30-Oct-03

Title Terms: CAPTURE; STORAGE; TRANSPORT; AUTHENTICITY; METHOD; HANDWRITING
  ; SIGNATURE; DIGITAL; SIGNATURE; DOCUMENT; STORAGE; SIGNATURE; ENVELOPE;
  COMPARE; DATABASE; VERIFICATION; SIGNATURE; INFORMATION; VERIFICATION
Derwent Class: T01; T04
International Patent Class (Main): G06K-009/00; G06T-007/00
International Patent Class (Additional): **G06F-017/60 ; G06F-157/00 ;**
  G06K-009/62
File Segment: EPI

 13/5/41   (Item 27 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

010611627   **Image available**
WPI Acc No: 1996-108580/199612
XRPX Acc No: N96-090840
  **Character management system for document exchange in network system -
  uses terminal equipment to update character** code **table and font** file
  **using second processor, and third processor updates version record file
  upon future processing**
Patent Assignee: HITACHI LTD (HITA)
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
JP 7319854   A   19951208 JP 94110679   A   19940525 199612 B

Priority Applications (No Type Date): JP 94110679 A 19940525
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
JP 7319854   A   5 G06F-017/21

Abstract (Basic): JP 7319854 A
        The management system is provided with an outer character file
  unification part (2) that stores character version information, which
  indicates a character **code** . An outer record **file** unification part
  (3) stores the latest version informations, on the outer character
  file unification part. A character **code** management **file** (4) stores
  the corresponding relations of the outer character file unification
  part.
        A character code table stores the correspondence relations of the
  character **codes** . A font **file** (12) stores an outer character font,
  based on the outer character **code** . A terminal equipment (10) has a
  version record **file** that stores version information on the character
  code table.
        The first processor processes a checked result with the version
  information stored in the version record file, based on the character
  order demand from the terminal equipment. A character code is selected,
  which is not possessed by the **terminal** equipment. A **second**
  processor **transmits** the character code to the terminal equipment. The
  terminal equipment updates the character **code** table and the font
  file , using the second processor. A third processor updates the
  version record file upon future processing.
        ADVANTAGE - Prevents generation of unwanted files.
        Dwg.1/3
Title Terms: CHARACTER; MANAGEMENT; SYSTEM; DOCUMENT; EXCHANGE; NETWORK;

SYSTEM; TERMINAL; EQUIPMENT; UPDATE; CHARACTER; CODE; TABLE; FONT; FILE;
SECOND; PROCESSOR; THIRD; PROCESSOR; UPDATE; VERSION; RECORD; FILE;
FUTURE; PROCESS
Index Terms/Additional Words: JIS; CODE
Derwent Class: T01
International Patent Class (Main): **G06F-017/21**
File Segment: EPI

13/5/42   (Item 28 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

010540008   **Image available**
WPI Acc No: 1996-036962/199604
XRPX Acc No: N96-031261
  **Event management system for process automation and factory automation
  networks - uses client server system to manage each event collectively**
Patent Assignee: FUJI ELECTRIC CO LTD (FJIE); FUJIFACON CORP (FUJX)
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
JP 7306820   A   19951121 JP 9496679   A   19940510 199604 B

Priority Applications (No Type Date): JP 9496679 A 19940510
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
JP 7306820   A   7 G06F-013/00

Abstract (Basic): JP 7306820 A
     The event management system has a monitoring terminal (11), an
office terminal (12) and an alarm terminal (13) connected through a
network, to which a server and clients are connected. When the
monitoring terminal detects abnormality in an installation appts, an
abnormal event code is generated. The event code is **transmitted** to
the **server** . The **destination** address of the office terminal and
alarm terminal are found. The recording generation time is obtained
from logging processor (10b) through the server.
     The event code is transferred to the office and alarm terminals.
The main processing corresponding to the event **code** is performed
using definition **files** (12b,13b). The data associated with
information execution is generated by each client, and is suitably
processed into events. Each event is managed collectively by the
corresponding client-server system.
     ADVANTAGE - Realises real-time management. Provides good
cooperation between server and clients. Simplifies data transfer
between clients.
     Dwg.1/5
Title Terms: EVENT; MANAGEMENT; SYSTEM; PROCESS; AUTOMATIC; FACTORY;
  AUTOMATIC; NETWORK; CLIENT; SERVE; SYSTEM; MANAGE; EVENT; COLLECT
Derwent Class: T01; W01; W05
International Patent Class (Main): **G06F-013/00**
International Patent Class (Additional): H04L-012/24; H04L-012/26
File Segment: EPI

13/5/43   (Item 29 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

010529010   **Image available**
WPI Acc No: 1996-025963/199603
XRPX Acc No: N96-022098
   **Media information delivery system for cassette and CD recording -
   transmits media information recording demand to centre device which in
   turn transmits back file control data needed for searching and recording
   selected media information into recording medium**
Patent Assignee: NIPPON TELEGRAPH & TELEPHONE CORP (NITE); TOSHIBA KK
   (TOKE)
Number of Countries: 001 Number of Patents: 002
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
JP 7297950   A   19951110   JP 9491321   A   19940428   199603   B
JP 3310105   B2   20020729   JP 9491321   A   19940428   200256

Priority Applications (No Type Date): JP 9491321 A 19940428
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
JP 7297950   A   10 H04M-011/08
JP 3310105   B2   10 H04M-011/08   Previous Publ. patent JP 7297950
Abstract (Basic): JP 7297950 A
      The system has a second media information memory (31) which stores
   a media information, e.g. video and music. Information that is to be
   recorded in a recording medium (14), e.g. CD-ROM, is selected from the
   stored media information. The terminal (11,12) transmits a media
   information recording demand to a centre device (10) which is then
   received by a **first   receiver** .
      Corresp. file control data is transmitted back to the terminal.
   Based on the received file control data, a second reference device
   searches the selected media information . A recorder records the
   searched information to a recording medium.
      ADVANTAGE - Clarifies recording data control through inquiry to
   terminal. Reliably protects copyright through **file** control data
   encoding technique. Prevents tapping by improving data secrecy.
   Shortens processing time by limiting **encoding** range to minimum extent
   since **encoding** is performed only to **file** control data.
      Dwg.1/13
Title Terms: MEDIUM; INFORMATION; DELIVER; SYSTEM; CASSETTE; CD; RECORD;
   TRANSMIT; MEDIUM; INFORMATION; RECORD; DEMAND; CENTRE; DEVICE; TURN;
   TRANSMIT; BACK; FILE; CONTROL; DATA; NEED; SEARCH; RECORD; SELECT; MEDIUM
   ; INFORMATION; RECORD; MEDIUM
Derwent Class: P86; T01; W01; W02; W04
International Patent Class (Main): H04M-011/08
International Patent Class (Additional): **G06F-012/00 ; G06F-013/00 ;**
   G10K-015/04; H04L-029/04; H04L-029/06
File Segment: EPI; EngPI

   13/5/44   (Item 30 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

010469038   **Image available**
WPI Acc No: 1995-370357/199548
XRPX Acc No: N95-273471
   **Facsimile with schedule management function - has control to notify of
   document to** destination   terminal **, when document control be**
   transmitted
Patent Assignee: RICOH KK (RICO)
Number of Countries: 001 Number of Patents: 001

Bode Akintola30-Oct-03

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
JP 7250194	A	19950926	JP 9439943	A	19940310	199548	B

Priority Applications (No Type Date): JP 9439943 A 19940310
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
JP 7250194	A		7	H04N-001/00	

Abstract (Basic): JP 7250194 A

The facsimile with schedule management has a scanner (11) which reads a **document** . A **code** conversion part (12) converts the image data into a **coded** data. A schedule registration part (13) registers **document** name, address number, sending principle affair and transmission expected date of confinement of the document registered into it in advance. A facsimile telegraphy part (14) performs transmission and reception of facsimile. A printing part (15) performs transmission and reception of facsimile. An expanding image memory part (18) which has control and clocking functions. When a document to be transmitted on the expected data of the confinement is not transmitted, this is notified to the concerned address.

ADVANTAGE - Avoids complications of registering transmission schedule into other schedule management system. Produces notice to users automatically when document cannot be transmitted. Improves operativity of device.

Dwg.1/9

Title Terms: FACSIMILE; SCHEDULE; MANAGEMENT; FUNCTION; CONTROL; NOTIFICATION; DOCUMENT; DESTINATION; TERMINAL; DOCUMENT; CONTROL; TRANSMIT

Derwent Class: T01; W02
International Patent Class (Additional): **G06F-017/60** ; H04N-001/32
File Segment: EPI

13/5/45   (Item 31 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

010413009   **Image available**
WPI Acc No: 1995-314323/199541
 Data transmission processing method - performs transmission of object file conformance checking for client checking on which reception checking process is carried out
Patent Assignee: FUJITSU LTD (FUIT)
Inventor: MIURA I
Number of Countries: 002 Number of Patents: 002
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
JP 7210475	A	19950811	JP 942291	A	19940114	199541	B
US 5664100	A	19970902	US 94320250	A	19941011	199741	

Priority Applications (No Type Date): JP 942291 A 19940114
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
JP 7210475	A		24	G06F-013/00	
US 5664100	A		28	G06F-015/163	

Abstract (Basic): JP 7210475 A

The method uses a transmission line for transmitting a file between two computers of different operating systems. If the data is to be transmitted from a host computer (10) to a workstation (12), then the

transmitting filename, the name of the **destination workstation** and the filename to be **received** from the workstation are transmitted to a client checking unit (70) from a file conformance checking unit (72). Then a reception check is performed on the data at a server checking unit (86) which is provided from the workstation. If the data transmission is possible, then the data file is transmitted to a receiving unit (80) of the workstation from a data transmitting unit (62) of the host computer.

ADVANTAGE - Enables simple and reliable data transmission process. Avoids requirement of high qualified user.

Dwg.1/22

Title Terms: DATA; TRANSMISSION; PROCESS; METHOD; PERFORMANCE; TRANSMISSION ; OBJECT; FILE; CONFORMANCE; CHECK; CLIENT; CHECK; RECEPTION; CHECK; PROCESS; CARRY

Derwent Class: T01; W01

International Patent Class (Main): **G06F-013/00 ; G06F-015/163**

International Patent Class (Additional): **G06F-012/00**

File Segment: EPI

 13/5/46   (Item 32 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

010392186   **Image available**
WPI Acc No: 1995-293499/199539
XRPX Acc No: N95-222044
  Digital document image processing system e.g. for scanning of inland revenue tax returns or social security forms - has LAN manager for sending 2nd **work group** server destination **address to work-station of 1st work group LAN to communicate over 1st work group LAN, backbone LAN and 2nd work group LAN to 2nd work group server with failure of 1st work-group**
Patent Assignee: INT BUSINESS MACHINES CORP (IBMC); LOCKHEED MARTIN CORP (LOCK)
Inventor: BILLINGS D W; CULLEN J W; KLEIN W W; MEYERS G; PROBST R E; ROSE W C; MEYERS G J
Number of Countries: 002 Number of Patents: 003
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
CA 2130411	A	19950701	CA 2130411	A	19940818	199539	B
US 5566299	A	19961015	US 93175825	A	19931230	199647	
CA 2130411	C	19980929	CA 2130411	A	19940818	199849	

Priority Applications (No Type Date): US 93175825 A 19931230
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
CA 2130411	A		15	G06F-015/66	
US 5566299	A		8	G06F-011/00	
CA 2130411	C			G06T-009/00	

Abstract (Basic): CA 2130411 A
     The system comprises an image local area network and a coded data local area network. The image local area network is operated at high utilisation because of the large size of the image **files** transmitted over it. The **coded** data local area network is operated at a low utilisation level, because of the small size of the **coded** data **files** transmitted over it.
     Two or more work group servers are connected to the image local area network. Each work group server is connected through a work group

local area network to the coded data local area network.
    Each work group server operates in both primary mode to service its
own work group LAN, and in hot standby mode to serve as a back-up
processor for its corresponding work group server when the corresp.
work group server is in failure ode. When the failure occurs, a LAN
manager re-routes image **files** from the first work group LAN over the
under-utilised **coded** data LAN, to the second work group LAN and its
work group server which is operating in hot standby mode.
    ADVANTAGE - High availability is provided for image **file**
processing and **coded** data processing by providing alternate LAN links
having adequate capacity to accommodate large re-routed image files.
    Dwg.1/3
Title Terms: DIGITAL; DOCUMENT; IMAGE; PROCESS; SYSTEM; SCAN; INLAND;
  REVENUE; TAX; RETURN; SOCIAL; SECURE; FORM; LAN; MANAGE; SEND; WORK;
  GROUP; SERVE; DESTINATION; ADDRESS; WORK; STATION; WORK; GROUP; LAN;
  COMMUNICATE; WORK; GROUP; LAN; BACKBONE; LAN; WORK; GROUP; LAN; WORK;
  GROUP; SERVE; FAIL; WORK; GROUP
Derwent Class: T01
International Patent Class (Main): **G06F-011/00** ; **G06F-015/66** ;
  G06T-009/00
File Segment: EPI

 13/5/47   (Item 33 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

009989005   **Image available**
WPI Acc No: 1994-256716/199432
XRPX Acc No: N94-202302
 Computer based facsimile based reception method - using central server
   computer which is programmed to determine whether facsimile
   store-and-forward device has received document for partic. network user,
   and opening storage file
Patent Assignee: US WEST ADVANCED TECHNOLOGIES INC (USWA-N); QWEST
  COMMUNICATIONS INT INC (QWES-N)
Inventor: MARSHALL C R
Number of Countries: 004 Number of Patents: 003
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
EP 610875	A1	19940817	EP 94101870	A	19940208	199432	B
US 6396597	B1	20020528	US 9315756	A	19930210	200243	
US 6452691	B1	20020917	US 9315756	A	19930210	200264	
			US 99418873	A	19991015		

Priority Applications (No Type Date): US 9315756 A 19930210; US 99418873 A
  19991015
Cited Patents: 01Jnl.Ref; EP 504068; JP 3289756; US 5091790; WO 9103115; WO
  9221199
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
EP 610875	A1	E	15	H04N-001/32	
Designated States (Regional): DE FR GB					
US 6396597	B1			H04N-001/00	
US 6452691	B1			G06F-013/00	Cont of application US 9315756
					Cont of patent US 6396597

Abstract (Basic): EP 610875 A
    The transmission method for facsimile documents from a facsimile
  store-and-forward service computer to a network, involves transmitting

a first code from a first facsimile compatible modem coupled to a
central **computer** to a **second** such modem connected to the store-and-
forward device. The **code** indicates the intended recipient of a
facsimile **document** . A second **code** is transmitted from the first
modem to the second one that causes the store-and-forward device
computer to transmit any documents that have been received for the
partic. user to the central server computer.
        Transmitted documents are received at the central computer, and a
file associated with the partic. user of the networked computer for
storing the received documents.
        ADVANTAGE - Does not require additional hardware.
        Dwg.2/4
Title Terms: COMPUTER; BASED; FACSIMILE; BASED; RECEPTION; METHOD; CENTRAL;
    SERVE; COMPUTER; PROGRAM; DETERMINE; FACSIMILE; STORAGE; FORWARD; DEVICE;
    RECEIVE; DOCUMENT; NETWORK; USER; OPEN; STORAGE; FILE
Derwent Class: T01; W01; W02
International Patent Class (Main): **G06F-013/00** ; H04N-001/00; H04N-001/32
International Patent Class (Additional): **G06F-015/16**
File Segment: EPI

13/5/48   (Item 34 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

009889108   **Image available**
WPI Acc No: 1994-169024/199421
XRPX Acc No: N94-133078
  **Computer system for inputting key-code data and symbol code data - has
  two target computer programs which receive both key code and symbol e.g.
  bar-code data from buffer**
Patent Assignee: INTERMEC CORP (INTE-N)
Inventor: BOLME P A; HUNT J; MCCALL C; OGAMI K; RAMBERG J; JUNT J
Number of Countries: 019 Number of Patents: 004
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
EP 598324	A2	19940525	EP 93118233	A	19931110	199421	B
CA 2103340	A	19940518	CA 2103340	A	19931117	199430	
US 5404493	A	19950404	US 92978938	A	19921117	199519	
EP 598324	A3	19950920	EP 93118233	A	19931110	199615	

Priority Applications (No Type Date): US 92978938 A 19921117
Cited Patents: No-SR.Pub; CA 2054581; DE 9017818; EP 441032; NL 9002217; US
    5261079
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
EP 598324	A2	E	18	G06K-007/10	

    Designated States (Regional): AT BE CH DE DK ES FR GB GR IE IT LI LU MC
    NL PT SE

Patent No	Kind	Lan	Pg	Main IPC	
US 5404493	A		17	G06F-003/023	
CA 2103340	A			G06K-009/18	
EP 598324	A3			G06K-007/10	

Abstract (Basic): EP 598324 A
        The computer system has a symbol code device driver for generating
    decoded symbol code data in accordance with configuration data. A
    reader services utility program interprets the decode information and
    based upon the interpreted decode information, the data characters are
    transformed into either a data string, or a data string plus reader
    command information.

The **second** target **computer** program **receives** the data string plus reader command information and generates the configuration data. A buffer stores the key-code data input and the data string generated by the reader services utility program. Both target computer programs receive the key-code data and the key-code data string from the buffer.

ADVANTAGE - Both reader and non-reader application programs can operate on PC and accept bar-code data.

Dwg.2/7

Title Terms: COMPUTER; SYSTEM; INPUT; KEY; CODE; DATA; SYMBOL; CODE; DATA; TWO; TARGET; COMPUTER; PROGRAM; RECEIVE; KEY; CODE; SYMBOL; BAR-CODE; DATA; BUFFER
Derwent Class: T01; T04
International Patent Class (Main): **G06F-003/023** ; G06K-007/10; G06K-009/18
File Segment: EPI

13/5/49   (Item 35 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

009350244
WPI Acc No: 1993-043717/199305
XRPX Acc No: N93-033322
Data source **and** receiver **interface for data processing systems - has count and setting inputs of second flip-flop connected to outputs of decoder and second OR-gate**
Patent Assignee: RYAZAN RADIO ENG INSR SPEKTR CONS BUR (RYWI)
Inventor: LUPIROV V S; ZUBTSOVSKI V A
Number of Countries: 001   Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
SU 1718224	A1	19920307	SU 4779304	A	19900108	199305	B

Priority Applications (No Type Date): SU 4779304 A 19900108
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
SU 1718224	A1		5	G06F-013/00	

Abstract (Basic): SU 1718224 A
      The interface contains store (1), counter (2), flipflops (3,4), decoder (5), multiplexer (6), OR-gates (7,8), delay elements (9,10), univibrator (11), AND-gate (12), data inputs (13) and outputs (14), sync. inputs (15,16), control outputs (17,18) and setting input (19). The data inputs (13) and outputs (14) are connected to the data inputs and outputs of the store (1), the latter's address inputs being connected to the outputs of the counter (2).
      USE/ADVANTAGE - For designing interface of data processing systems. Wider functional scope by providing transparency of received messages relative to the doubled **code** 'end of **file** '. Bul.9/7.3.92.
      Dwg.1/1
Title Terms: DATA; SOURCE; RECEIVE; INTERFACE; DATA; PROCESS; SYSTEM; COUNT ; SET; INPUT; SECOND; FLIP-FLOP; CONNECT; OUTPUT; DECODE; SECOND; OR-GATE
Derwent Class: T01
International Patent Class (Main): **G06F-013/00**
File Segment: EPI

13/5/50   (Item 36 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

008830335   **Image available**
WPI Acc No: 1991-334351/199146
XRPX Acc No: N91-256220
  Monitoring electronic data processing equipment locations – by
  automatically prompting for user ID and sending **this and machine ID via**
  power source **to monitoring** computer
Patent Assignee: IBM CORP (IBMC   )
Inventor: DURDIK P A
Number of Countries: 004   Number of Patents: 003
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
EP 456395	A	19911113	EP 91303842	A	19910426	199146	B
US 5072370	A	19911210	US 90520578	A	19900508	199201	
EP 456395	A3	19930901	EP 91303842	A	19910426	199508	

Priority Applications (No Type Date): US 90520578 A 19900508
Cited Patents: NoSR.Pub; EP 201253; EP 47089; GB 2229025; US 3702460
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
EP 456395	A				

    Designated States (Regional): DE FR GB

Abstract (Basic): EP 456395 A
        A number of data processing machines (28-38) such as PC's or work
    stations, and a central monitoring computer (12) are powered from a
    power bus (16, 18, 20). Each machine contains a power line modem to
    provide communication via the power bus. The remote machines include
    system software which digitises a prompt for user ID and unique machine
    ID. It then transmits this information to the host computer via the
    power lines.
        The host computer monitors all the power lines for this data to
    update its database of machines and also allows queries to be sent.
        ADVANTAGE - Simplifies tracking and security of machines.
        Dwg.1/5
Title Terms: MONITOR; ELECTRONIC; DATA; PROCESS; EQUIPMENT; LOCATE;
  AUTOMATIC; PROMPT; USER; ID; SEND; MACHINE; ID; POWER; SOURCE; MONITOR;
  COMPUTER
Index Terms/Additional Words: EDP
Derwent Class: T01
International Patent Class (Additional): **G06F-003/00 ;   G06F-011/30 ;**
  H04M-011/04
File Segment: EPI

 13/5/51   (Item 37 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

008409596   **Image available**
WPI Acc No: 1990-296597/199039
XRPX Acc No: N90-227858
  Message commutator e.g. for dispersed computer network – has microprogram
  control unit with output connected to first control input of messages
  receiver
Patent Assignee: CYBERNETICS GLUSHKO (CYBE-R)
Inventor: DINOVICH M V; GROL V V; VYUN V I
Number of Countries: 001   Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
SU 1529235	A	19891215	SU 4359482	A	19880107	199039	B

Priority Applications (No Type Date): SU 4359428 A 19880107; SU 4359482 A
   19880107

Abstract (Basic): SU 1529235 A
       The message commutator includes input store (1), header decoder
   (2), central store (3), (ALU) (4), microprogram control unit (5),
   messages **receiver** (6), **first** and second commutators (7,8) and
   message output unit (9). The code field format includes a header contg.
   numbers of an output port, transmission command **code** , input port
   number and a fixed capacity data **file** . The control messages are
   transmitted as a short **code** message contg. the t output port number,
   data **file** length and a number of blocks transmitted for a subscriber.

       USE/ADVANTAGE - For organising inter-computer data exchange in
   distributed computing systems. Improved transmission capacity.
   Bul.46/15.12.89 (8pp Dwg.No.1/5
Title Terms: MESSAGE; COMMUTATE; DISPERSE; COMPUTER; NETWORK; MICROPROGRAM;
   CONTROL; UNIT; OUTPUT; CONNECT; FIRST; CONTROL; INPUT; MESSAGE; RECEIVE
Derwent Class: T01
International Patent Class (Additional): **G06F-013/00**
File Segment: EPI

 13/5/52   (Item 38 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

007631520   **Image available**
WPI Acc No: 1988-265452/198838
XRPX Acc No: N88-201591
   Electronic file **appts. storing** code **data in optical memory - uses
   address data with identification data representing type of data to be
   recorded**
Patent Assignee: TOSHIBA KK (TOKE)
Inventor: OHSHIMA K; OSANAI T
Number of Countries: 005 Number of Patents: 008
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
EP 282997	A	19880921	EP 88104191	A	19880316	198838	B
JP 63229678	A	19880926	JP 8763272	A	19870318	198844	
JP 63229679	A	19880926	JP 8763273	A	19870318	198844	
JP 63229680	A	19880926	JP 8763274	A	19870318	198844	
EP 282997	A3	19930303	EP 88104191	A	19880316	199349	
US 5355355	A	19941011	US 88168485	A	19880315	199440	
			US 90607625	A	19901031		
			US 91812860	A	19911223		
EP 282997	B1	19960207	EP 88104191	A	19880316	199610	
DE 3854975	G	19960321	DE 3854975	A	19880316	199617	
			EP 88104191	A	19880316		

Priority Applications (No Type Date): JP 8763274 A 19870318; JP 8763272 A
   19870318; JP 8763273 A 19870318
Cited Patents: No-SR.Pub; 2.Jnl.Ref; EP 122467; GB 2157035; JP 62054329; US
   4607290
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
EP 282997   A E 13
   Designated States (Regional): DE FR NL
US 5355355   A   13 G11B-013/04   Cont of application US 88168485

Abstract (Basic): EP 282997 A
        The recording appts. for the two items of data on an optical memory
    includes a **receiver** for the **first** data to be processed, recording
    appts. and address data indicating the location of the first data to be
    recorded on the optical memory. There is also a **second   receiver** for
    the **second** data to be processed, second recording appts. and second
    address data indicating the location of the second data to be recorded
    on the optical memory.
        The first address data to be recorded on the optical memory (34)
    has first identification data representing the first type of the data.
    The second address data to be recorded on the optical memory (34) has
    second identification data representing the second type of the data.
        ADVANTAGE - Large memory capacity, good data retrieval
Title Terms: ELECTRONIC; FILE; APPARATUS; STORAGE; CODE; DATA; OPTICAL;
  MEMORY; ADDRESS; DATA; IDENTIFY; DATA; REPRESENT; TYPE; DATA; RECORD
Derwent Class: T03; W04
International Patent Class (Main): G11B-013/04; G11B-027/28
International Patent Class (Additional): **G06F-003/08 ; G06F-015/40 ;**
  G11B-020/10; H04N-001/21
File Segment: EPI

```
Set     Items    Description
S1          1    AU=(PRAKKEN R? OR PRAKKEN, R?)
S2     873479    SIGNAT? OR SEAL OR STAMP? OR CERTIFICATE? OR  MARK? ? OR M-
                 ARKING? OR CODE? ? OR RIGHT? ? OR LICENS? OR ENCOD?
S3     929284    EXECUT? OR RUN? ? OR RUNNING OR PRINT?
S4    2008133    NODE? OR TERMINAL? OR PC OR COMPUTER? OR CPU OR WORKSTATIO-
                 N? OR SERVER OR CLIENT OR RECIPIENT OR RECEIVER
S5    2354322    DESTINATION OR SOURCE OR FIRST OR SECOND OR 2ND OR 1ST
S6    1591413    TRANSFER? OR TRANSMI? OR FORWARD OR SEND? OR SENT OR DOWNL-
                 OAD? OR RECEIV?
S7     353471    FILE? ? OR DATAFILE? OR FOLDER? OR DIRECTORY OR DIRECTORIES
                 OR DOCUMENT? ?
S8      12430    S3(5N)S7
S9      36489    S4(7N)S2
S10       228    S8 AND S9
S11        33    S10(10N)S6
S12        31    S11 NOT PY>2000
S13        28    RD (unique items)
? show files
File    2:INSPEC 1969-2003/Oct W3
        (c) 2003 Institution of Electrical Engineers
File   35:Dissertation Abs Online 1861-2003/Sep
        (c) 2003 ProQuest Info&Learning
File   65:Inside Conferences 1993-2003/Oct W4
        (c) 2003 BLDSC all rts. reserv.
File   99:Wilson Appl. Sci & Tech Abs 1983-2003/Sep
        (c) 2003 The HW Wilson Co.
File 233:Internet & Personal Comp. Abs. 1981-2003/Jul
        (c) 2003, EBSCO Pub.
File 474:New York Times Abs 1969-2003/Oct 29
        (c) 2003 The New York Times
File 475:Wall Street Journal Abs 1973-2003/Oct 29
        (c) 2003 The New York Times
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13
        (c) 2002 The Gale Group
File 256:SoftBase:Reviews,Companies&Prods. 82-2003/Sep
        (c)2003 Info.Sources Inc
```

13/5/1   (Item 1 from file: 2)

5554577   INSPEC Abstract Number: C9705-6110S-010
 Title: **Estimating test effectiveness with dynamic complexity measurement**
  Author(s): Munson, J.C.; Hall, G.A.

  Author Affiliation: Dept. of Comput. Sci., Idaho Univ., Moscow, ID, USA

  Abstract: The paper presents an investigation into four distinct aspects
of software complexity. An initial partition of the software complexity
domain would be the attributes of static software complexity and those of
dynamic software complexity. Static complexity measurement views all
program modules monolithically. That is, all of the code for all of the
modules is measured as extracted from source **code** **files** . When **computer**
 software is actually **executed** , not all modules are executed to the same
extent. Some   **receive** a large proportion of execution activity. Further,
when these modules execute, not all code in the modules executes. If just
the code that is executed is measured for complexity, a completely
different view of the program module emerges. We examine the static
complexity of a program together with the three dynamic measures of
functional, fractional, and operational complexity. The eminent value of
the dynamic metrics is shown in their role as measures of test outcomes. (
24 Refs)
  Subfile: C
  Descriptors: program testing; software metrics
  Identifiers: test effectiveness estimation; dynamic complexity
measurement; software complexity domain; static software complexity;
dynamic software complexity; static complexity measurement; program modules
; source code files; execution activity; dynamic measures; operational
complexity; dynamic metrics; test outcomes
  Class Codes: C6110S (Software metrics); C6150G (Diagnostic, testing,
debugging and evaluating systems); C0310F (Software development management)

13/5/2   (Item 2 from file: 2)

5529236   INSPEC Abstract Number: C9705-6130S-005
 Title: **Java security and type safety**
  Author(s): McGraw, G.; Felten, E.

  Author Affiliation: Reliable Software Technol. Corp., Sterling, VA, USA

  Abstract: Java's ability to **download** , integrate, and execute **code**

from a remote **computer** is a double-edged sword. On the positive side, the use of Java enables a computer to obtain new capabilities with little user intervention. In addition, Java requires no installation of hard-to-track-down and dubiously secure plug-in files. On the negative side, however, Java's intricate machinations leave a computer vulnerable to attack. A hostile Java applet could stealthily tamper with a host system's files or siphon off private data without the user's being aware of the damage until it's too late. Java's designers did their best to make such malicious activities impossible by implementing a security model. This security model performs a number of checks before allowing a downloaded applet to execute. Java security relies on three prongs of defense: the Byte-Code Verifier, the Applet Class Loader, and the Security Manager. Together, these three prongs perform load and run-time checks to restrict file-system and network access, as well as restrict access to browser internals. Each of these prongs depends in some way on the others. Each part must do its job properly for the security model to function correctly. (0 Refs)
 Subfile: C
 Descriptors: object-oriented languages; security of data
 Identifiers: Java; security; type safety; Byte-Code Verifier; Applet Class Loader; Security Manager; Java applet
 Class Codes: C6130S (Data security); C6110J (Object-oriented programming); C6140D (High level languages)
 Copyright 1997, IEE

 13/5/3   (Item 3 from file: 2)
DIALOG(R)File   2:INSPEC
(c) 2003 Institution of Electrical Engineers. All rts. reserv.

5102298
 Title: LAN of opportunity
 Author(s): McWilliams, B.
 Journal: Inc   vol.17, no.13   p.39-42, 44
 Publication Date: 1995 Country of Publication: USA
 CODEN: INCCDU ISSN: 0162-8968
 Language: English   Document Type: Journal Paper (JP)
 Treatment: Practical (P)
 Abstract: Here's how to match the right PC network to your needs. The pioneers have discovered that LANs do a lot more than allow employees to share **files** and **printers** and **send** E-mail. They can open up all sorts of business opportunities. (0 Refs)
 Subfile: D
 Descriptors: local area networks
 Identifiers: PC network; LAN; business opportunities
 Class Codes: D5020 (Computer networks and intercomputer communications)
 Copyright 1995, IEE

 13/5/4   (Item 4 from file: 2)
DIALOG(R)File   2:INSPEC
(c) 2003 Institution of Electrical Engineers. All rts. reserv.

01695016   INSPEC Abstract Number: B81029511
 Title: Text and facsimile integrated terminal
 Author(s): Hasuike, K.; Konishi, K.; Asami, T.; Kurematsu, A.
 Author Affiliation: Res. & Dev. Labs., Kokusai Denshin Denwa Co. Ltd., Tokyo, Japan
 Conference Title: NTC '80. IEEE 1980 National Telecommunications Conference   p.60.5/1-5
 Publisher: IEEE, New York, NY, USA

Publication Date: 1980 Country of Publication: USA 4 vol.
(480+528+522+272) pp.
Conference Sponsor: IEEE
Conference Date: 30 Nov.-4 Dec. 1980 Conference Location: Houston, TX,
USA
Language: English Document Type: Conference Paper (PA)
Treatment: Applications (A)

Abstract: Describes a data **terminal** for the integration of character-
coded and facsimile- **coded** communications. This 'Integrated **Terminal** '
provides a means to create, edit, store, **transmit / receive** and **print**
documents that consist of not only characters but also figures in
rectangular areas within the same page. For creating and editing documents,
a keyboard, a facsimile scanner and an image display are used. A high
resolution laser printer is used to satisfy the printing pitches of both
character and facsimile signals. In transmitting documents, the area with
characters is character coded. The area with figures is facsimile coded
with an efficient two dimensional coding. (7 Refs)
Subfile: B
Descriptors: data communication equipment; encoding; facsimile equipment;
keyboards; printers
Identifiers: integrated terminal; data terminal; documents; keyboard;
facsimile scanner; image display; laser printer; two dimensional coding;
character coded communications; facsimile coded communications
Class Codes: B6210H (Facsimile transmission); B6220W (Other stations)

13/5/5 **(Item 1 from file: 35)**
DIALOG(R)File 35:Dissertation Abs Online
(c) 2003 ProQuest Info&Learning. All rts. reserv.

01812406 ORDER NO: AADAA-I3000267
A scientific computing GUI agent for parallel Monte Carlo in a distributed
environment
Author: Zhou, Mike Hongbo
Degree: Ph.D.
Year: 2000
Corporate Source/Institution: The University of Southern Mississippi (
0211)
Director: Michael Mascagni
Source: VOLUME 62/01-B OF DISSERTATION ABSTRACTS INTERNATIONAL.
PAGE 353. 127 PAGES
Descriptors: COMPUTER SCIENCE
Descriptor Codes: 0984
ISBN: 0-493-08505-X

Monte Carlo applications, such as Brownian Langevin simulations of
biomedical molecules, are often computationally intensive, since reducing
stochastic errors calls for more samplings and the order of this reduction
is proportional to the square root of the number of samples.
For the last 15 years, there has been a continuing trend away from
main frame computers and towards distributed PCs. In this new environment
(parallel PC pools), the network throughput bottleneck, PC instability,
heterogeneousness, and security issues must be addressed anew.
We developed a web-based graphical user interface (WB-GUI) agent for
distributed Monte Carlo computations that significantly improves our
Brownian Langevin simulation time. The GUI agent is built upon the Condor
cycle scavenging system and consists of the Scalable Parallel Random Number
Generator library (SPRNG), the remote compiler, and the cycle server.
The WB-GUI reduces the complexity of using the underlying distributed
computer systems. Users only need upload **codes** and **download** results
via the WB-GUI. Parallel random number support (via SPRNG), preparing tasks

for heterogeneous platforms (via remote compiler), and using Condor to migrate a job from a busy or dead computer to an idle one, are all integrated seamlessly; they are transparent to users. At the same time, the GUI agent acts as a gate-keeper for the PC pool: no user account is needed on pool computers; users are assigned web accounts instead. Jobs only run at machine idle time and the executing machine file systems are never touched by them.

   With the aid of this tool, we studied the sensitivity of the results of a Brownian Langevin application to a suite of random number generators. We were able to run the application in parallel on available hardware in a reasonable time.

 13/5/6   (Item 1 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00614413   00PI11-010
   Power for now, power for later -- Business servers
   Bsales, Jamie M
   PC Magazine , November 7, 2000 , v19 n19 p158-174, 11 Page(s)
   ISSN: 0888-8507
   Company Name: IBM Corp.
   URL: http://www.ibm.com
   Product Name: IBM Netfinity 5100
   Languages: English
   Document Type: Buyer and Vendor Guide
   Grade (of Product Reviewed): A
   Geographic Location: United States
   Presents a buyers' guide to entry-level servers that have expansion capabilities to grow with the business. Indicates their suitability for file and print sharing, e-mail backbone, application serving, intranet hosting, and hosting an external Web site. Servers reviewed and rated on a scale of 1 to 5 are: the Compaq ProLiant ML370 ($9,250) from Compaq Computer Corp. of Houston, TX (800, 281) - 3; the Dell PowerEdge 2400 ($8,994) from Dell Computer Corp. of Round Rock, TX - 4; the HP NetServer LH3000 ($6,410) from Hewlett-Packard Co. of Palo Alto, CA (800, 650) - 4; the IBM Netfinity 5100 ($6,420) from IBM Corp. of Armonk, NY (914) - 5; and the NEC Express5800/120Ed ($6,770) from NEC of Sacramento, CA (888) - 2. Explains that the IBM Netfinity 5100 **received** the Editor's Choice award for excellent performance, scalability, **right** price, and redundancy in the best-designed **server** chassis on the market. Includes six photos, six benchmark test results, five product summaries, three sidebars, two tables, a chart, and a diagram. (MEM)
   Descriptors: Server; Network Server; Web Server; Enterprise Computing ; Client-Server Computing; Business; Benchmark Testing
   Identifiers: IBM Netfinity 5100; IBM Corp.

 13/5/7   (Item 2 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00547093   99IW09-208
   IBM HOD 4.0 gets security boost
   Biggs, Maggie
   InfoWorld , September 20, 1999 , v21 n38 p53, 1 Page(s)
   ISSN: 0199-6649
   Company Name: IBM Corp.
   URL: http://www.ibm.com
   Product Name: SecureWay Host-On-Demand 4.0

Languages: English
Document Type: Software Review
Grade (of Product Reviewed): B
Hardware/Software Compatibility: IBM PC Compatible
Geographic Location: United States
Presents a favorable review of IBM SecureWay Host-On-Demand 4.0 ($199 per concurrent user; $129 upgrade), a secure and manageable host-access solution from IBM Corp. of Armonk, NY (800). Explains that X.509 client certificate authentication via Secure Sockets Layer is key in this release. Says that the price compares favorably to competing solutions. Reports that it can be deployed on several servers, including Solaris, Windows NT, Linux, and OS/400; and requires only a Java-capable browser and appropriate security permissions to begin using. Adds that deployment and administration have been centralized. Remarks that this release supports Lightweight Directory Access Protocol (LDAP) integration, 5250 **file - transfer** , and host- **printing** capabilities. Rated four on a sca of one to five. Includes one screen display and one product summary. (amg)
    Descriptors: Security; Management; Certificate Authorities; Java
    Identifiers: SecureWay Host-On-Demand 4.0; IBM Corp.

13/5/8   (Item 3 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00537611   99IE06-207
    Responses vary to ExploreZip worm -- E-mail attachments banned or limited by administrators
    Luh, James C
    Internet World , June 21, 1999 , v5 n23 p6, 1 Page(s)
    ISSN: 1081-3071
    Languages: English
    Document Type: Articles, News & Columns
    Geographic Location: United States
    Reports on the responses of enterprises and information technology administrators to the recent attack of the ExploreZip worm on the Internet. Mentions that the worm replicates by sending itself as an electronic mail attachment to a victim's circle of e-mail correspondents. Explains that it destroyed the contents of programming source **code** and Microsoft Office productivity files on victims' **computers** . Explains that affected companies began restricting the **transfer** of file attachments over e-mail systems while Microsoft is looking to block the **transfer** of **executable** f and to establish a **File Transfer** Protocol server to let employees exchange such files with e-mail correspondents. Presents su for containing the impact of the worm on enterprise networks. (MEM)
    Descriptors: Virus; Electronic Mail; Security; Enterprise Computing; Network Management; File Management

13/5/9   (Item 4 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00504368   98IW08-213
    NetWare for Linux: neat party trick
    Yager, Tom
    InfoWorld , August 17, 1998 , v20 n33 p79, 1 Page(s)
    ISSN: 0199-6649
    Company Name: Caldera
    URL: http://www.caldera.com

Product Name: NetWare for Linux
Languages: English
Document Type: Software Review
Grade (of Product Reviewed): C
Hardware/Software Compatibility: IBM PC Compatible; NetWare; Linux
Geographic Location: United States
Presents a mixed review of NetWare for Linux (free **download**, three-user license, $59 for CD-ROM; $450, five-user **license** upgrade), a Novell NetWare 4.01b host **server** from Caldera Inc. of Orem, UT (801). Explains that it is designed to host the NetWare server under Linux, with support for Caldera's Linux as well as Red Hat and several other Linux installations. Calls this a good solution for providing NetWare file and print service for DOS or Macintosh workstations. Says it is easy to install, and notes its detailed documentation. Complains of the price for over three users, and criticizes its limited local administration. Questions its market value, because of its version and access limitations. Also points out that Novell offers similar services with NetWare upgrades. Concludes that this is a useful, yet limited, and somewhat unnecessary service. Rated three out of five. Includes one screen display and one product summary. (kgh)
    Descriptors: Server; Systems Integration; Network Management; Workstation; Network Operating Systems; Networks
    Identifiers: NetWare for Linux; Caldera

13/5/10   (Item 5 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00418145   96LA03-207
    Microsoft FPNW bridges gap -- NT servers appear as NetWare for client printing, file transfer
    Harper, Eric
    LAN Times, March 18, 1996, v13 n6 p69-80, 2 Page(s)
    ISSN: 1040-5917
    Company Name: Microsoft
    Product Name: Microsoft File and Print Server for NetWare
    Languages: English
    Document Type: Software Review
    Grade (of Product Reviewed): B
    Hardware/Software Compatibility: IBM PC Compatible; NetWare; Microsoft
Windows
    Geographic Location: United States
    Presents a favorable review of File and Print Services for NetWare ($99.95 per server license), a Window-based utility from Microsoft Corp. of Redmond, WA (206). Says it enables the Windows NT server to function as a NetWare v3.12-compatible file and print server. Adds that comes with several management options including remote administration, and it helps NT and NetWare to coexist on a client level. However, says it lacks NLM support. Calls it ``a fairly manageable product'' that does what it is designed to do. Rated 3.8 out of five points. Includes a line graph and a summary card. (dpm)
    Descriptors: Network Server; Software Review; Window Software; Utility Program; Network Management; Remote Computing; Interoperability
    Identifiers: Microsoft File and Print Server for NetWare; Microsoft

13/5/11   (Item 6 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00369528   94PI12-201
Windows NT Server 3.5: Microsoft gets serious about enterprise computing
Jonikas, Mark
PC Magazine , December 20, 1994 , v13 n22 p37-38, 2 Page(s)
ISSN: 0888-8507
Company Name: Microsoft
Product Name: Microsoft Windows NT Server
Languages: English
Document Type: Software Review
Grade (of Product Reviewed): B
Hardware/Software Compatibility: IBM PC Compatible
Geographic Location: United States
Presents a favorable review of Microsoft Windows NT Server 3.5 ($699, client license $39.95), a network operating system from Microsoft Corp., Redmond, WA (800, 206). The program requires 16MB RAM and 110MB hard disk space. New in this release are enhancements which ease administration, better interoperability with other networks, and new tools and features. This version permits Windows for Workgroups and DOS clients to access files and printer resources on NetWare LANs. It supports TCP/IP-based **printers** and **file transfer** protocols and it can communicate with mainframes using 3270 emulation. This version allows a server to support up to 256 sessions. Its improved security features now includes a lockout feature which will lock a user's account after a specified number of unsuccessful log-on attempts. Compared to NetWare and Unix it's ``a viable competitor in terms of features, performance, and price.'' Includes two screen displays, one graph. (djd)
   Descriptors: Network Operating Systems; Window Software; Local Area Networks; Software Review
   Identifiers: Microsoft Windows NT Server; Microsoft

 13/5/12   (Item 7 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00273195   92DA04-105
 NetWare's latest mainframe link -- Here's how NetWare for SAA eliminates some of the bottlenecks and limitations of Novell's earlier SNA connectivity products.
Schlack, Mark
Datamation , April 15, 1992 , v38 n9 p62-66, 3 Page(s)
ISSN: 0011-6963
Company Name: Novell
Product Name: NetWare for SAA
Languages: English
Document Type: Feature Articles and News
Hardware/Software Compatibility: IBM PC Compatible; Macintosh
Geographic Location: United States
Discusses the benefits of NetWare for SAA ($195 single-user, $4,995 for a server-based license), a mainframe-PC link from Novell Inc. of Provo, UT, as compared to Novell's SNA gateway software. Notes that NetWare for SAA can handle 254 sessions for each emulated controller, is less expensive, can **transfer files** substantially more quickly, and **runs** on both IBM PC compatibles and the Macintosh. Also says installation and administration are simplified, though users must be assigned individually. Contains one diagram. (jo)
   Descriptors: Micro-mainframe Link; Gateway; Networks; Software Evaluation; Case Study
   Identifiers: NetWare for SAA; Novell

13/5/13   (Item 8 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.

00171471   88PI06-231
Fax Mail 96
Brown, Bruce
PC Magazine , June 28, 1988 , v7 n12 p175-178
Languages: English
Document Type: Hardware Review
Hardware/Software Compatibility: IBM PC;   IBM PC Compatible
Geographic Location: United States
Presents a mixed review of Fax Mail 96 ($995), a 9600 bps facsimile
board, from Brook Trout Technology Inc. of Wellesley Hills, MA (617).
Requires 256K, a hard disk, EGA, CGA, or Hercules graphics, DOS 2.0 or
later, and an IBM PC, XT, AT, or compatible. It is easy to install and
configure, the software is entirely menu driven, and it **receives**
documents while **running** unattended in the foreground or background.
Sends other fax documents, scanned documents, and ASCII and **PC**
Paintbrush formats. Allows letterheads and **signatures** to be stored and
added to outgoing files. Says that there are undocumented commands that are
required to adjust aspect ratio and convert documents to Group-3 format.
Includes one photo. (tjm)
    Descriptors: Facsimile; Expansion Board; Hardware Review
    Identifiers: Fax Mail 96; Brook Trout Technology

13/5/14   (Item 1 from file: 583)
DIALOG(R)File 583:Gale Group Globalbase(TM)

06029082
TENDER NOTICE
  SINGAPORE: TENDER FOR SERVER
The Straits Times (XBB)   05 Aug 1994 ClassifiedP.8
Language: ENGLISH

Invitation from : Nanyang Technological University (NTU) Tender No :
NTU/EEE/042/94 Tender for : 1 unit of Server Type II, 1 unit of Bar Code
System, 4 units of Postscript Laser **Printers** , 1 unit of Network **Document**
 Image **Transmission** Server, 1 unit of Remote Access Server, 2 units of
Ethernet - LocalTalk Bridge. Eligibility : CIDB/CPO registered firms
Financial Limit : SD 100,000 & above Document Fee : SD 10.30 per set
Closing Date : 26 August 1994, 11.00 am Collection : Cashier, Bursar's
Office, Details Administration Building, Nanyang Technological University.

PRODUCT: Wide Area Network Equipment (3661WN); Microcomputers (3573MI);
EVENT: Capital Expenditure (43); Use of Materials & Supplies (46);
    Contracts & Orders (61);
COUNTRY: Singapore (9SIN);

13/5/15   (Item 2 from file: 583)
DIALOG(R)File 583:Gale Group Globalbase(TM)

05944823
Bass drinks to client-server
  UK: BASS EXPANDS CLIENT-SERVER SUPPORT
Electronics Times (ECT)   17 Feb 1994 p.8

Language: ENGLISH

Bass Taverns is expanding its client-server decision support systems which will now be available to 300 users across all regions giving faster response times. Epos data from Bass tavern tills is transferred to the company's Unisys mainframe then the data is **downloaded** to a SQL database on a netware **file** server **running** Infoshell, the company's tailored decision support software.

COMPANY: UNISYS; BASS TAVERNS

PRODUCT: Licensed Premises (5800LP); Licensed Houses & Pubs (5800LH);
    Computer Software (7372);
EVENT: null (00);
COUNTRY: United Kingdom (4UK);

 13/5/16   (Item 3 from file: 583)
DIALOG(R)File 583:Gale Group Globalbase(TM)
(c) 2002 The Gale Group. All rts. reserv.

03388409
INTERLINK BUYS ACCESS/MVS TCP/IP LINK
  US - INTERLINK BUYS ACCESS/MVS TCP/IP LINK
Computergram International (CGI)   4 April 1990
ISSN: 0268-716X

Interlink Computer Sciences (Fremont, CA) has bought all rights to Santa Barbara-based Advanced Computer Communications' Access/MVS TCP/IP to IBM MVS mainframe product. The acquisition includes marketing rights, the program code, and the contracts of 100 existing clients. The product has been renamed Software Network Solution TCP access, SNS/TCPaccess. The company will sell the product direct and through distributors. When SNS/TCPaccess is coupled with an Interlink Network Controller, both IBM and TCP/IP users can log in to remote systems, transfer files between the mainframe and hosts in a TCP/IP network, **transfer print files** from TCP/IP hosts to the mainframe, and **send** or **receive** electronic mail. It also enables SNA users to log in to remote TCP/IP hosts, and users of remote TCP/IP hosts to access SNA applications located on the SNA network. SNS/TCP-access is compatible with external security systems such as RACF, ACF, and Top Secret. It uses Systems Management Facility to record network statistics, and has interfaces for IBM's TSO and VTAM. The entry level version of SNP/TCP-access is USD1r60,000.

PRODUCT: Mainframe Computers (3573MF);
EVENT: COMPANIES ACTIVITIES (10);
COUNTRY: United States (1USA); NATO Countries (420); South East Asia
    Treaty Organisation (913);

 13/5/17   (Item 1 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00126571   DOCUMENT TYPE: Review

PRODUCT NAMES: Viruses & Worms   (838942)

TITLE: Virus Protection
AUTHOR: Greiner, Lynn
SOURCE: Computing Canada,   v26 n16 p13(3) Aug 4, 2000

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

The ILOVEYOU, Melissa, and Pretty Park malevolent codes, known sometimes as
malware, were generally known as computer viruses, but, in reality, they
were not true viruses. Viruses are designed to spread from file to file and
can be in the form of an executable file, or can hide in a document,
spreadsheet, presentation, or graphics file. To move from computer to
computer, they rely on users. Trojan horses are programs the hide their
malevolent behavior behind something that is useful or amusing, such as a
cute screen saver, while they delete files in the background. But a worm is
the malicious code that is most often misidentified as a virus. Worms
spread from **computer** to **computer** and may also carry **code** that is
designed to **transmit** destructive behavior. ILOVEYOU was a worm with virus
qualities. Malware can be created in several ways and can be written in
various languages or created as batch files or scripts. There has been an
escalation is malware attacks, and antivirus software updates are
increasing in frequency.

COMPANY NAME: Vendor Independent (999999)
DESCRIPTORS: Computer Security; File Security; Viruses & Worms
REVISION DATE: 20030925

 13/5/18   (Item 2 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00123207   DOCUMENT TYPE: Review

**PRODUCT NAMES: AlohaBob's PC-Relocator 1.2   (796433); Desktop DNA 1.0
(777897); PC Transplant Pro 1.0   (787604)**

TITLE: Desktop Migration: Have It Your Way
AUTHOR: Schenk, Rob
SOURCE: PC Magazine,   v19 n9 p215(2) May 9, 2000
ISSN: 0888-8509
HOMEPAGE: http://www.pcmag.com

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: B

Eisenworld's AlohaBob's PC-Relocator 1.2, Miramar Systems' Desktop DNA 1.0,
and Altiris's PC Transplant Pro 1.0 are reviewed desktop migration
products. Testers found all the products lacking in one way or another,
although AlohaBob's PC Relocator is a good consumer product, its IT version
will not be available to provide corporate support until later in 2000. All
the tools are designed to allow users to migrate from one PC to another
while retaining the original PC's personal configuration, including
personal desktop settings, dial-up configurations, sounds, files,
applications, and Internet shortcuts. All require a visit from a technician
to get the migration process up and running. PC-Relocator 1.2 migrated the
most settings since testers found that AlohaBob moved everything including
'junk.' While Desktop DNA and PC Transplant Pro allow users to choose which
applications, files, or settings will be transferred, AlohaBob easily moves
the whole nine yards to the new PC. During testing, AlohaBob worked very

well to migrate Internet Explorer and Netscape favorites, data files, and printer drivers. Desktop DNA 1.0, which gets good ratings, is rated excellent for application setting migration and has a wizard that supports about 40 applications, including Corel and Microsoft Office suites, and e-mail, browser, and graphics software. **PC** Transplant Pro 1.0 **receives** excellent **marks** for data migration and can streamline mass migrations with Personality Packages that can be executed on multiple PCs.

COMPANY NAME: Eisenworld Corp (679097); Miramar Systems Inc (467308);
    Altiris (646784)
SPECIAL FEATURE: Screen Layouts Tables
DESCRIPTORS: Configuration Management; Conversion; Electronic Software
    Distribution; IBM PC & Compatibles; Network Administration; Network
    Software
REVISION DATE: 20030430

 13/5/19   **(Item 3 from file: 256)**
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00118769   DOCUMENT TYPE: Review

PRODUCT NAMES: Linux (833916)

TITLE: Linux Can't Handle Life As a Corporate Client \
AUTHOR: Rist, Oliver
SOURCE: InternetWeek,   v778 p35(1) Aug 23, 1999
ISSN: 0746-8121
HOMEPAGE: http://www.internetwk.com

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

Linux, although it is fast, scalable, almost free, and robust, is not yet a good corporate client. The industry loves Linux for its versatility: it can run on an old Pentium 90 traffic-generating client without the frequent crashes of Windows NT, and can also give a system the stamina to generate more traffic and virtual sessions than a 233MHz client with twice as much RAM. However, IT managers choosing Linux will likely raise its cost by choosing supported versions instead of the freely **downloadable** open source **code** . When Linux, which is a superb **server** , is used as a client, users will learn that Linux has few supporting applications. For instance, if a Linux port of Notes even existed, migration would be hellish. As for file and print services, testers found that Linux could not easily be configured to see the lab's printers, and working with Linux made NetWare configuration seem like a breeze. Because corporate networks still generally use all Windows clients and users like their ease of use, Microsoft still has a significant advantage. A Linux port of Corel's WordPerfect is not likely to make a significant dent in the Windows market. Linux can only win over the client market by not only equaling Windows' advantages, but must have more client application support, better migration and system management tools, and tools for training users.

COMPANY NAME: Vendor Independent (999999)
DESCRIPTORS: IBM PC & Compatibles; Linux; Network Software; Operating
    Systems
REVISION DATE: 19991030

13/5/20   (Item 4 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00115556   DOCUMENT TYPE: Review

PRODUCT NAMES: Norton AntiVirus (318167); Guard Dog (007285); McAfee Clinic (742368); eSafe Protect Desktop 2.0 (668419)

TITLE: Healthy Browsing: Protect yourself from Internet-related viruses
AUTHOR: Rudich, Joe
SOURCE: Link-Up,   v16 n2 p20(1) Mar/Apr 1999
ISSN: 0734-988X
HOMEPAGE: http://www.infotoday.com

RECORD TYPE: Review
REVIEW TYPE: Product Comparison
GRADE: Product Comparison, No Rating

Symantec's Norton AntiVirus, Network Associates' Guard Dog, eSafe
Technologies' eSafe Protect 2.0, and McAfee PC Clinic from Network
Assosciates are highlighted in a discussion of tools that can protect users
from Internet-conveyed viruses. Office 95 includes Visual Basic for
Applications, or VGA, a subset of Visual Basic, and viruses can use VBA to
add unwanted abilities to Word, Excel, PowerPoint, or Access documents.
Many virus detection programs can now find Microsoft Office files with
macro viruses. All PC users who must not lose data files or be restricted
from using applications, or who have had personal data **sent** to a hacker,
have to install a virus scanner for **executables** and scan all **documents**
as they are **received** . Norton AntiVirus is the most widely known virus
protection program. This release blocks 16,000 known computer viruses and
can also protect against attack code written in Java or ActiveX. McAfee
Guard Dog is designed to deal with attacks outside the area of classic
viruses. It detects and repairs viruses and can block cookies, schedule
scans, and read e-mail attachments. eSafe, which has one of the largest
databases of known viruses, may be the most comprehensive of Internet
antivirus products and is known as a personal firewall. As a firewall does,
eSafe Protect can make particular communications ports and TCP/IP detection
utilities unable to acces the PC. However, the user has to have some
technical expertise. PC Clinic is an online product that finds viruses and
assesses the condition of a computer at no cost.

COMPANY NAME: Symantec Corp (386251); Network Associates Inc (490113);
    Aladdin Knowledge Systems Inc (626252)
DESCRIPTORS: Computer Security; File Security; IBM PC & Compatibles;
    Internet Security; Internet Utilities; Network Administration; Network
    Software; System Monitoring; Viruses & Worms
REVISION DATE: 20020930

13/5/21   (Item 5 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00112921   DOCUMENT TYPE: Review

PRODUCT NAMES: Strategi (731871)

TITLE: Strategi Now Available
AUTHOR: Greenemeier, Larry

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

Advanced BusinessLink's Strategi (formerly called Javalin), an emulation,
printing , and **file   transfer** product, is now available. Server and
client components are provided, with the server component running on the
AS/400, and the client running inside a standard Web browser and other
Java-enabled environments. Strategi Client is small, requiring 80KB, but
still has 5250/3270 emulation with a dynamic graphical user interface,
printing , and **file   transfer** . A built-in push technology engine and
data queue application programming interfaces (APIs) aid client/server
application development. Security features include 128-bit Secure Sockets
Layer cryptographic support, digital client certificate authentication, and
applet provider authentication. Strategi's power comes from Java, which is
increasingly used in AS/400 shops. Advanced BusinessLink believes that
Strategi's success derives from dissatisfaction with other technologies
available. Strategi, says the CEO of Advanced BusinessLink, Chris Lategan,
will be widely used in environments that need to improve access to AS/400s,
which is generally through Client Access or internally developed Java
components. Strategi is generally added to AS/400 environments
incrementally, and does not directly compete with Client Access. Because
Strategi requires only a browser as client software, distribution of Client
Access can be avoided. An IT specialist or IBM Global Services praises
Strategi, saying it allows fast, easy access from any location without
requiring middleware.

COMPANY NAME: ADVANCED BusinessLink Corp (626104)
SPECIAL FEATURE: Screen Layouts
DESCRIPTORS: Data Communications; File Transfer; IBM AS/400; IBM PC &
    Compatibles; Network Software; Remote Printing; Terminal Emulators
REVISION DATE: 20000430

 13/5/22   (Item 6 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00108766   DOCUMENT TYPE: Review

PRODUCT NAMES: LapLink Tech   (704032)

TITLE: LapLink extends help desk reach
AUTHOR: Williams, Dennis

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: A

Traveling Software's LapLink Technical, a remote management software
package, gets excellent marks overall, especially for its ease of use,
support for many connection types, and bundled software utilities. However,
it does not support DOS systems. The LapLink part of the product compares
identically feature-by-feature to Symantec's pcAnywhere 8.0 and Stack's

ReachOut 7.0, so administrators will find LapLink's added features very
attractive. LapLink Technical's principal component is the LapLink remote
connection program, which one computer can use to control another, or to
use such functions as **file   transfer** **, printing** , and chatting.
Connectivity methods include dial-up, direct, or Internet network links.
Ghost Special Edition, a disk-imaging tool from Binary Research, provides a
fast and easy way for support representatives to push clean disk images to
problematic client systems. LapLink also provides WinGuard antivirus
software and many features that streamline data access tasks for remote
users. Among them are an Xchange Agent for file synchronization, a Print
Redirection feature, and a voice chat function. Installation is quick and
easy, and the software allows users to set up access rights to the
computer.

PRICE: $199

COMPANY NAME: LapLink Inc (358975)
SPECIAL FEATURE: Charts Screen Layouts
DESCRIPTORS: Data Communications; IBM PC & Compatibles; Laptops; Mobile
    Computing; Network Software; Remote Control; Remote Network Access;
    Telecommunications
REVISION DATE: 20020430

 13/5/23   (Item 7 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00104646   DOCUMENT TYPE: Review

PRODUCT NAMES: Classifier   (684619)

TITLE: Making Reservations for Real-Time Applications
AUTHOR: Greenfield, David
SOURCE: Data Communications,   v26 n13 p58(2) Oct 1997
ISSN: 0363-6399

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

Class Data Systems' Classifier allows any application to reserve bandwidth,
without any rewriting of existing code. The software also supports many
prioritization and quality of service schemes, to allow users to use more
than one technology or protocol. Classifier works only with Windows 95 and
Windows NT clients, and on the server side it runs on NT and UNIX, but not
on NetWare or VINES. Policy settings cannot be changed on the fly, and
Classifier is not optimized for use on extranets or the Internet. Four
components make up Classifier: Classifier QOS manager, policy server,
server agent, and desktop agent. Each server and desktop agent has a
protocol stack that includes Resource Reservation Protocol (RSVP) and IP
Precedence. A user requests a session with the app server, and the server
agent queries the policy server. The policy server checks the user's
rights, and if access is allowed, the server agent is given the reservation
details, including the quantity of bandwidth and maximum burst size. When
RSVP is used, the application server sends a path message to the client,
and with IP Precedence, the server agent assigns a priority to each packet.
One user has high hopes for the product in branch offices, where it would
ease mixing of real-time transactions coming from automated teller machines
with traffic from users **running** e-mail or **file   transfers** .

COMPANY NAME: Class Data Systems Inc   (639583)
SPECIAL FEATURE: Charts
DESCRIPTORS: Client/server; Data Communications; IBM PC & Compatibles;
    Network Software; Network Utilities; QoS (Quality of Service); System
    Performance; UNIX; Windows; Windows NT/2000
REVISION DATE: 20010130

  13/5/24   (Item 8 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00101586   DOCUMENT TYPE: Review

**PRODUCT NAMES: Microsoft Internet Information Server 4.0 Beta   (591645);
K-2   (660001)**

TITLE: IIS 4.0 beta: a better contender
AUTHOR: Symoens, Jeff
SOURCE: InfoWorld,   v19 n27 p115(1) Jul 7, 1997
ISSN: 0199-6649
HOMEPAGE: http://www.infoworld.com

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: A

An evaluation of the prerelease version of Microsoft's Microsoft Internet
Information Server (IIS) 4.0, code-named K-2 and slated to ship in fourth
quarter 1997, reveals that the upgraded Internet server application offers
many improvements over previous versions. Users will find that it is a much
better platform for hosting multiple Internet sites and distributed
Web-based applications. Users will appreciate that IIS 4.0 offers the
Microsoft Transaction Server for managing multithreaded support for
COM-based applications, as well as database connection pooling. A novel
debugging tool enables programmers to conduct run-time debugging of HTML
files or ASPs that utilize client-side scripting. The new Internet server
application features a Network News **Transfer** Protocol (NNTP) service, an
x.509 **certificate   server** , and an SMTP **Sendmail** component. However,
IIS 4.0 does not offer distributed administration features that are on the
same level as Netscape's competing Enterprise Server. Also, IIS 4.0's
debugger cannot function as a standalone tool.

COMPANY NAME: Microsoft Corp   (112127)
SPECIAL FEATURE: Screen Layouts Charts
DESCRIPTORS: Distributed Processing; IBM PC & Compatibles; IIS; Network
    Administration; Network Servers; Network Software; Program Development;
    Web Servers; Webmasters
REVISION DATE: 20020630

  13/5/25   (Item 9 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00100739   DOCUMENT TYPE: Review

**PRODUCT NAMES: IntranetWare   (635421); OS/2 Warp Server 4.0   (557641);
Solaris 2.5.1   (334707); Microsoft Windows NT Server 4.0   (442674)**

TITLE: Network operating systems: Networking lifeblood
AUTHOR: Talley, Brooks Jefferson, Steve
SOURCE: InfoWorld,   v19 n9 p74(6) Mar 3, 1997
ISSN: 0199-6649
HOMEPAGE: http://www.infoworld.com

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: B

Novell's IntranetWare, IBM's OS/2 Warp Server 4.0, Sun Microsystems'
Solaris 2.5.1, and Microsoft's Microsoft Windows NT Server 4.0 are network
operating systems (NOSs) reviewed and compared. IntranetWare gets the
highest marks, especially for its easy migration from NetWare 3.12,
powerful directory service, and full-functioned Internet support.
Interoperability is rated excellent, with the largest number of protocols
supported among the reviewed NOSs; IntranetWare supports NFS, AppleTalk,
NetWare Core Protocol, TCP/IP, and IPX. File and print services are the
best of all the products, with a rating of very good. Windows NT Server and
Solaris 2.5.1 tied for second place; NT server has good implementation, but
a few steps during migration from NetWare 3.12 were needlessly difficult.
Solaris 2.5.1, Windows NT **Server** 4.0, and IntranetWare **received** good
marks for application services, and very good marks for Internet
suitability. However, Windows NT **Server** 4.0 does not have an object model
for users, printers, and directories, as the other products do. This means
that there is no easy, universal away to attach more attributes.
IntranetWare's directory services would be first rate if they had searching
abilities on the client and the capability of allowing parts of users'
records to be edited by different administrators.

COMPANY NAME: Novell Inc (344893); IBM Corp   (351245); Sun Microsystems
     Inc (385557); Microsoft Corp (112127)
SPECIAL FEATURE: Charts Tables Graphs
DESCRIPTORS: IBM PC & Compatibles; Intranets; IntranetWare; LANs; Network
     Servers; Operating Systems; OS/2; Solaris; Sun; Windows NT/2000
REVISION DATE: 20000830

13/5/26   (Item 10 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00100252   DOCUMENT TYPE: Review

**PRODUCT NAMES: Microsoft Visual Basic 5 Custom Control Edition   (328081);
Microsoft ActiveX   (603295)**

TITLE: Custom Controls
AUTHOR: Kiely, Don
SOURCE: Information Week,   v614 p1A(3) Jan 20, 1997
ISSN: 8750-6874
HOMEPAGE: http://www.informationweek.com

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: A

Microsoft's Microsoft Visual Basic 5 Custom Control Edition toolkit, a
subset of the Visual Basic 5 rapid application development (RAD)
environment, is dedicated to creation of 32-bit Microsoft ActiveX controls.
A tester was able to create a control in just minutes, and also loaded it

into a test application. This product is the best available for
streamlining custom control design tasks. Microsoft states that the average
control is about 20KB, which is an ideal size for quickly **downloading**
from the Internet. However, users need the MSVBVM50.DLL **file** , the VB **run**
-time virtual machine, and any of multiple supporting Dynamic Link Library
(DLL) and type library files. When the virtual machine is installed, users
have all the features of the VB run-time engine available for the control.
Users can create controls using three methods: by creating a totally new
control from the ground up; by subclassing and customizing an existing
control; or by using more than one ActiveX control to create a control
assembly. Three new modules are provided: UserControl, the base object,
which is like a Form; PropertyPage, which provides an alternative to the
Properties window for viewing and setting properties at design time; and
UserDocument, the base object of an ActiveX document that looks like a
standard Visual Basic Form object and is used to create DocObject, a type
of compound document made up of Object Linking and Embedding (OLE) objects.

COMPANY NAME: Microsoft Corp   (112127)
SPECIAL FEATURE: Screen Layouts Charts
DESCRIPTORS: ActiveX; Code Generators; IBM PC & Compatibles; Program
     Development; Visual Basic
REVISION DATE: 20020730

 13/5/27   (Item 11 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00076881   DOCUMENT TYPE: Review

**PRODUCT NAMES: Client Access /400   (303968); Reflection for AS/400
(695025); NS/Router   (477516); RALLY! for AS/400   (533211); 5250 Elite
(558877)**

TITLE: The Host with the Most
AUTHOR: Gengler, Barbara
SOURCE: INTERNETWORK,   v6 n4 pS6(2) Apr 1995
ISSN: 1055-1808
HOMEPAGE: http://www.internetworkweb.com

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

IBM's replacement for PC Support/400, Client Access/400, promotes
PC-to-AS/400 connectivity. The integrated package includes ODBC drivers, a
protocol-independent Windows client with SNA and TCP/IP support, and a
graphic emulator and database query tool. WRQ's Reflection for the AS/400
brings the AS/400 into open computing. Reflection supports several network
connections simultaneously, and its API is accessible from any environment
that can support DLL calls. NetSoft's NS/Router is a de facto standard for
PC to AS/400 communications. It has been licensed to WRQ and other
companies for use in connectivity products. Attachmate licenses it for its
RALLY! for AS/400 product, a Windows-host connectivity suite that includes
ODBC drivers and TN5250, SQL file transfer support, and the ability to
provide concurrent SNA and TCP/IP sessions. Andrew's 5250 Elite, a
Windows-based **print** and display emulator, facilitates **file   transfer**
between Windows PCs and AS/400s.

COMPANY NAME: IBM Corp   (351245); WRQ Inc   (368113); NetManage Inc
     (525375); Attachmate Corp   (417041); Andrew Corp   (375098)

DESCRIPTORS: Data Communications; File Transfer; IBM AS/400; IBM PC &
     Compatibles; Terminal Emulators; Windows
REVISION DATE: 20010430

   13/5/28   (Item 12 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00075132   DOCUMENT TYPE: Review

PRODUCT NAMES: VINES   (695912); Banyan TCP/IP Application Suite   (551023)

TITLE: Vines Gets Native TCP/IP Client Support
AUTHOR: Kapustka, Paul
SOURCE: Open Systems Today,   v168 p22(2) Feb 6, 1995
ISSN: 1061-0839

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

Banyan Systems' VINES network operating system (NOS) now provides
connectivity via native **Transmission** Control Protocol/Internet Protocol
(TCP/IP) **client   code** , functions beyond those supported by the standard
VinesIP proprietary transport. A second TCP/IP application package, Banyan
TCP/IP Application Suite, allows VINES clients to gain access to UNIX
servers for applications such as ftp (**file   transfer** protocol), **printer**
 sharing, and Network **File** System (NFS) support. The included Windows
stack is Winsock-compliant, and any Winsock-developed applications operate
with the new stack. The TCP/IP products were developed with Ipswitch. The
new connectivity options were developed because customers constructing
large enterprise networks with TCP/IP backbones needed the functionality. A
Banyan manager indicates that the ubiquitous use of TCP/IP and the fact
that it simplifies networking are two primary reasons for using it.

COMPANY NAME: ePresence   (376639)
SPECIAL FEATURE: Charts
DESCRIPTORS: Banyan; Communications Protocols; Internetworking; LANs;
    Network Software; Operating Systems
REVISION DATE: 20021226

```
Set       Items    Description
S1            2    AU=(PRAKKEN R? OR PRAKKEN, R?)
S2       874889    SIGNAT? OR SEAL OR STAMP? OR CERTIFICATE? OR  MARK? ? OR M-
                   ARKING? OR CODE? ? OR RIGHT? ? OR LICENS? OR ENCOD?
S3       589288    EXECUT? OR RUN? ? OR RUNNING OR PRINT?
S4       631791    NODE? OR TERMINAL? OR PC OR COMPUTER? OR CPU OR WORKSTATIO-
                   N? OR SERVER OR CLIENT OR RECIPIENT OR RECEIVER
S5      1161344    TRANSFER? OR TRANSMI? OR FORWARD OR SEND? OR SENT OR DOWNL-
                   OAD? OR RECEIV?
S6       909114    FILE? ? OR DATAFILE? OR FOLDER? OR DIRECTORY OR DIRECTORIES
                   OR DOCUMENT? ?
S7        84520    S4(2N)(DESTINATION OR SOURCE OR FIRST OR SECOND OR 2ND OR -
                   1ST)
S8        26506    S7(5N)S5
S9        20939    S2(5N)S6
S10          93    S8(20N)S9
S11          23    S10 AND IC=(G06F-017/60 OR G06F-017/30)
? show file
File 348:EUROPEAN PATENTS 1978-2003/Oct W03
        (c) 2003 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20031023,UT=20031016
        (c) 2003 WIPO/Univentio
```

11/3,K/1 **(Item 1 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS

01446567
System and method for managing documents
System und Verfahren zum Verwalten von Dokumenten
Systeme et methode de gestion de documents
PATENT ASSIGNEE:
  Ricoh Company Ltd., (3895230), 3-6 Nakamagone 1-chome, Ohta-ku, Tokyo
    143-8555, (JP), (Applicant designated States: all)
INVENTOR:
  Hyakutake, Shogo, Zushi White House 409, 4-15, Yamanone 1-chome,
    Zushi-shi, Kanagawa 249-0002, (JP)
  Ishizuka, Hiroaki, 1454 S. Blaney Ave., San Jose, CA 95129, (US)
  Aoshima, Minoru, 524 Portside Drive Edgewater, NJ 07020, (US)
  Kizawa, Akio, 22-14, Kairaku 2-chome, Urayasu-shi, Chiba 279-0003, (JP)
  Kitada, Hiroshi, 2071 Concourse Drive, San Jose, CA 95131-1817, (US)
LEGAL REPRESENTATIVE:
  Schwabe - Sandmair - Marx (100951), Stuntzstrasse 16, 81677 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 1237096 A2 020904 (Basic)
                              EP 1237096 A3 020925
APPLICATION (CC, No, Date): EP 2002004312 020228;
PRIORITY (CC, No, Date): US 795438 010301
DESIGNATED STATES: DE; FR; GB; IT
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: **G06F-017/30**
ABSTRACT WORD COUNT: 119
NOTE:
  Figure number on first page: 2

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200236	1883
SPEC A	(English)	200236	8124
Total word count - document A		10007	
Total word count - document B		0	
Total word count - documents A + B		10007	

INTERNATIONAL PATENT CLASS: **G06F-017/30**

...CLAIMS 31. A computer program for causing a computer to manage
    documents, characterized by comprising:
  a **first   computer** code configured to **receive** a request to interact
    with a remote **document** manager (60);
  a second computer **code** configured to connect an image forming
    apparatus (90) to said document manager (60) via a...

11/3,K/2 **(Item 2 from file: 348)**
DIALOG(R)File 348:EUROPEAN PATENTS

01417818
System, computer program product and method for managing documents
System, Computerprogrammprodukt und Methode zum Verwalten von Dokumenten
Systeme, produit de programme informatique et procede pour la gestion de
    documents
PATENT ASSIGNEE:

Ricoh Company Ltd., (3895230), 3-6 Nakamagone 1-chome, Ohta-ku, Tokyo
143-8555, (JP), (Applicant designated States: all)
INVENTOR:
  Uchida, Yuki, c/o Ricoh Company, Ltd., 3-6 Nakamagome 1-chome, Ohta-ku,
    Tokyo 143-8555, (JP)
  Hyakutake, Shogo, 1-4-15-409, Yamanone, Zushi-shi, Kanagawa, (JP)
  Aoshima, Minoru, c/o Ricoh Company, Ltd., 3-6 Nakamagome 1-chome,
    Ohta-ku, Tokyo 143-8555, (JP)
LEGAL REPRESENTATIVE:
  Leeming, John Gerard (74731), J.A. Kemp & Co., 14 South Square, Gray's
    Inn, London WC1R 5JJ, (GB)
PATENT (CC, No, Kind, Date): EP 1197882 A2 020417 (Basic)
APPLICATION (CC, No, Date):   EP 2001308165 010926;
PRIORITY (CC, No, Date): US 684965 001010
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: **G06F-017/30**
ABSTRACT WORD COUNT: 113
NOTE:
  Figure number on first page: 4

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200216	1765
SPEC A	(English)	200216	8244
Total word count - document A			10009
Total word count - document B			0
Total word count - documents A + B		10009	

INTERNATIONAL PATENT CLASS: **G06F-017/30**

...CLAIMS computer to manage documents over a computer network, the
    computer program code mechanism comprising:
  a **first   computer** code device configured to **receive** a request from
    a remote user,
  a **second   computer   code** device configured to **receive** a **document**
    and storage information from said user;
  a third computer code device configured to select an...

  11/3,K/3   (Item 3 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

01310674
Method and system for content commercialization
Verfahren und System zum Kommerzialisieren von Inhalten
Methode et systeme pour la commercialisation de contenus
PATENT ASSIGNEE:
  Alchemedia Ltd., (2893652), P.O. Box 400, Azor Tasia Har Tuv, Mercaz
    Ganir, Beit Shemesh 99100, (IL), (Applicant designated States: all)
INVENTOR:
  Goldman, Andrew, 73 Shimon Street, Beit Shemesh 99543, (IL)
  Goodman, Daniel Isaac, 130 Shimon Street, Beit Shemesh 99543, (IL)
  Schreiber, Daniel, 71 Shimon Street, Beit Shemesh 99453, (IL)
  Taragin, Jonathan Chaim, Nachal Shimshon 18/4, Ramat Beit Shemesh 99000,
    (IL)
LEGAL REPRESENTATIVE:
  Beresford, Keith Denis Lewis et al (28273), BERESFORD & Co. High Holborn

2-5 Warwick Court, London WC1R 5DJ, (GB)
PATENT (CC, No, Kind, Date): EP 1120731 A2 010801 (Basic)
APPLICATION (CC, No, Date): EP 2001300655 010125;
PRIORITY (CC, No, Date): US 493023 000127
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
    LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: **G06F-017/60** ; G06F-001/00
ABSTRACT WORD COUNT: 139
NOTE:
    Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text   Language   Update   Word Count
       CLAIMS A (English)   200131   2192
       SPEC A   (English)   200131   7157
Total word count - document A   9349
Total word count - document B   0
Total word count - documents A + B   9349

INTERNATIONAL PATENT CLASS: **G06F-017/60** ...

...CLAIMS by generating a request message for a digital image and
    outputting the request message for **transmission** to a **first
    server   computer** ;
    receiving a response message from the **first   server   computer** , the
    response message comprising **code** defining an image **file**
    containing digital image data representative of the digital image and
    goods and services data determining...

  11/3,K/4   (Item 4 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

01061064
Multimedia mail communication system and computer-readable recording medium
Multimedia-Nachrichtensystem und Computerlesbares Speichermedium
Systeme de messagerie multimedia et support informatique
PATENT ASSIGNEE:
  FUJITSU LIMITED, (211463), 1-1, Kamikodanaka 4-chome, Nakahara-ku,
    Kawasaki-shi, Kanagawa 211-8588, (JP), (Applicant designated States:
    all)
INVENTOR:
  Semba, Satoshi, c/o Fujitsu Limited, 1-1, Kamikodanaka 4-chome,
    Nakahara-ku, Kawasaki-shi, Kanagawa 211, (JP)
  Suzuki, Shoji, c/o Fujitsu Limited, 1-1, Kamikodanaka 4-chome,
    Nakahara-ku, Kawasaki-shi, Kanagawa 211, (JP)
  Shimizu, Masayoshi, c/o Fujitsu Limited, 1-1, Kamikodanaka 4-chome,
    Nakahara-ku, Kawasaki-shi, Kanagawa 211, (JP)
  Mori, Masahiro, c/o Fujitsu Limited, 1-1, Kamikodanaka 4-chome,
    Nakahara-ku, Kawasaki-shi, Kanagawa 211, (JP)
LEGAL REPRESENTATIVE:
  Gibbs, Christopher Stephen (69691), Haseltine Lake & Co. Imperial House
    15-19 Kingsway, London WC2B 6UD, (GB)
PATENT (CC, No, Kind, Date): EP 936786 A2 990818 (Basic)
                            EP 936786 A3 001227
APPLICATION (CC, No, Date): EP 98302406 980330;
PRIORITY (CC, No, Date): JP 97275985 971008

Bode Akintola30-Oct-03

DESIGNATED STATES: AT; BE; CH; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU;
   MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: H04L-029/06; H04L-012/58; **G06F-017/60**
ABSTRACT WORD COUNT: 142
NOTE:
   Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text   Language   Update   Word Count
     CLAIMS A   (English)   9933   1271
     SPEC A   (English)   9933   15550
Total word count - document A   16821
Total word count - document B   0
Total word count - documents A + B   16821

...INTERNATIONAL PATENT CLASS: **G06F-017/60**
...SPECIFICATION a transmitting mail document in the mail content editing
   device 13 and finishes selecting the **destination** , the personal
   computer 1 generates a command to **transmit** the mail (by the
   transmission button 226 (see Fig. 14) being pressed)
      Then, the mail **document   encoder** 16 receives the transmitting mail
   document from the mail content editing device 13 (step a14). And, on the
   basis of the...

 11/3,K/5   (Item 5 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

00924839
Method and apparatus for communicating with a network peripheral
Verfahren und Gerat zur Kommunikation mit einer Netzwerkperipherie
Procede et dispositif pour communiquer avec une unite peripherique de
     reseau
PATENT ASSIGNEE:
   Canon Information Systems, Inc., (1553870), 3188 Pullman Street, Costa
     Mesa, CA 92626, (US), (applicant designated states:
     AT;BE;CH;DE;DK;ES;FI;FR;GB;GR;IE;IT;LI;LU;MC;NL;PT;SE)
INVENTOR:
   Danknick, Dan, c/o 3188 Pullman Street, Costa Mesa, California 92626,
     (US)
   Kim, Joohae, c/o 3188 Pullman Street, Costa Mesa, California 92626, (US)
   Kodimer, Marianne L., c/o 3188 Pullman Street, Costa Mesa, California
     92626, (US)
   Mahajan, Rakesh, c/o 3188 Pullman Street, Costa Mesa, California 92626,
     (US)
LEGAL REPRESENTATIVE:
   Beresford, Keith Denis Lewis et al (28273), BERESFORD & Co. 2-5 Warwick
     Court High Holborn, London WC1R 5DJ, (GB)
PATENT (CC, No, Kind, Date): EP 843268 A2 980520 (Basic)
                              EP 843268 A3 990519
APPLICATION (CC, No, Date):   EP 97307546 970925;
PRIORITY (CC, No, Date): US 749636 961115
DESIGNATED STATES: DE; FR; GB; IT
INTERNATIONAL PATENT CLASS: **G06F-017/30** ; H04L-012/24
ABSTRACT WORD COUNT: 145

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:
```
Available Text  Language    Update    Word Count
      CLAIMS A  (English)   9821        1998
      SPEC A    (English)   9821        7404
Total word count - document A           9402
Total word count - document B              0
Total word count - documents A + B      9402
```

INTERNATIONAL PATENT CLASS: **G06F-017/30 ...**

...CLAIMS reference to a platform-independent segment of executable code;
    a processing step to process the **file** so as to request the **code**
        segment from the HTTP **server ;**
    a **first transferring** step to **transfer** the code segment from the
        HTTP server to the web browser;
    a first executing step...

11/3,K/6   (Item 6 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

00835303
File transfer method, file requesting client device, and file server device
Dateientransferverfahren,   Dateien   anforderndes   Benutzergerat   und
    Dateienanbietergerat
Procede de transfert de fichiers, dispositif client demandant des fichiers
    et dispositif serveur de fichiers
PATENT ASSIGNEE:
  KABUSHIKI KAISHA TOSHIBA, (213130), 72, Horikawa-cho, Saiwai-ku,
    Kawasaki-shi, Kanagawa-ken 210, (JP), (applicant designated states:
    DE;FR;GB)
INVENTOR:
  Imai, Toru, 4-32-A201, Komaoka, Tsurumi-ku, Yokohama-shi, Kanagawa-ken,
    (JP)
  Fujii, Hiroko, 202, Hirugureisu-Kugahara, 5-49-6, Kugahara, Ohota-ku,
    Tokyo, (JP)
  Yoshida, Hideki, 10-2-212, Ichibakami-cho, Tsurumi-ku, Yokohama-shi,
    Kanagawa-ken, (JP)
  Shimokawa, Toshihiko, 256-6-8, Sanmai-cho, Kanagawa-ku, Yokohama-shi,
    Kanagawa-ken, (JP)
LEGAL REPRESENTATIVE:
  Zangs, Rainer E., Dipl.-Ing. et al (72561), Hoffmann, Eitle & Partner
    Arabellastrasse 4/VIII, 81925 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 773503 A2 970514 (Basic)
                            EP 773503 A3 990414
APPLICATION (CC, No, Date):   EP 96117972 961108;
PRIORITY (CC, No, Date): JP 95292910 951110; JP 9622658 960208
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: **G06F-017/30**
ABSTRACT WORD COUNT: 153

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
```
Available Text  Language    Update    Word Count
      CLAIMS A  (English)   EPAB97      2347
      SPEC A    (English)   EPAB97     20291
Total word count - document A          22638
Total word count - document B              0
Total word count - documents A + B     22638
```

INTERNATIONAL PATENT CLASS: **G06F-017/30**

...SPECIFICATION list of files related to the desired file indicated by the
   file request when the **first** **computer** readable program **code** means
   receives the **file** request, and the files requested by the **transfer**
   request when the **first** **computer** readable program code means **receives**
   the transfer request.
      According to another aspect of the present invention there is provided
   an...

...the desired file indicated by the file request, to the file server, when
   the information **received** by the **second** **computer** readable program
   code means is the **file** list.
      According to another aspect of the present invention there is provided
   a method for...by concatenating files related to the desired file
   indicated by the request, when the information **received** by the **second**
   computer readable program **code** means is the concatenated **file** .
      Other features and advantages of the present invention will become
   apparent from the following description...

...CLAIMS list of files related to the desired file indicated by the file
      request when the **first** **computer** readable program **code** means
      receives the **file** request, and the files requested by the
      transfer request when the **first** **computer** readable program code
      means **receives** the transfer request.
   20. An article of manufacture, comprising:
    a computer usable medium having computer...

...the desired file indicated by the file request, to the file server, when
      the information **received** by the **second** **computer** readable
      program **code** means is the **file** list.
   21. A method for transferring files from a file server to a file
      requesting...by concatenating files related to the desired file
      indicated by the request, when the information **received** by the
      second **computer** readable program **code** means is the concatenated
      file .

 11/3,K/7   **(Item 1 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

01057888   **Image available**
A METHOD FOR UPDATING A COMPUTER FILE
MANIPULATION DE FICHIERS INFORMATIQUES
Patent Applicant/Assignee:
  INTROIBIS AB, Onsvala Alle 6, S-245 43 Staffanstorp, SE, SE (Residence),
    SE (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
  ROLFSON Joakim, Frasarstigen 6, S-240 13 Genarp, SE, SE (Residence), SE
    (Nationality), (Designated only for: US)
Legal Representative:
  HANSSON THYRESSON PATENTBYRA AB (agent), Box 73, S-201 20 Malmo, SE,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200388082 A1 20031023 (WO 0388082)
  Application: WO 2003SE586 20030411 (PCT/WO SE0300586)
  Priority Application: SE 20021128 20020416
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP

KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NI NO NZ OM PH PL PT
RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT RO SE
SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: Swedish

Main International Patent Class: **G06F-017/30**

English Abstract
...in which commands present in the data file are transferred unaffected.
The data file is **transferred** is **transferred** from the **server** in a
second version in which HTML **code** present in the data **file** is
transferred unaffected while executing in the server commands intended
for execution in the server...

11/3,K/8   (Item 2 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

01026572   **Image available**
METHOD OF TRANSFERRING DATA BETWEEN DIFFERENT TYPES OF COMPUTER SYSTEMS
PROCEDE DE TRANSFERT DE DONNEES ENTRE DIFFERENTS TYPES DE SYSTEMES
     INFORMATIQUES
Patent Applicant/Assignee:
  FLINDERS APS, Nordre Fasanvej 108B, 2.sal, DK-2000 Frederiksberg, DK, DK
     (Residence), DK (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
  SJOBERG Hans Hakan, Kalltorpsvagen 67, S-136 70 Haninge, SE, SE
     (Residence), SE (Nationality), (Designated only for: US)
  WYON Kim Neel, Yrsavej 13, 1.sal, DK-2000 Frederiksberg, DK, DK
     (Residence), DK (Nationality), (Designated only for: US)
Legal Representative:
  OLSSON Jan (et al) (agent), Bjerkens Patentbyra KB, Box 1274, S-801 37
     Gavle, SE,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200356438 A1 20030710 (WO 0356438)
  Application: WO 2002SE2450 20021223 (PCT/WO SE0202450)
  Priority Application: SE 20014414 20011221; US 2001344101 20011228
Designated States: AE AG AL AM AT (utility model) AT AU AZ BA BB BG BR BY
  BZ CA CH CN CO CR CU CZ (utility model) CZ DE (utility model) DE DK
  (utility model) DK DM DZ EC EE (utility model) EE ES FI (utility model)
  FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU
  LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SC SD SE SG SK
  (utility model) SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SI SK
  TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 7020

International Patent Class: **G06F-017/30** ...

Bode Akintola30-Oct-03

... **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... a means by
  which the information data items can be identified and
  understood in the **second** **computer** arrangement to which the
  transfer file is ...be sent.

  For example, the definition file may be generated in the form of
  a **file** containing XML (eXtensible Markup Language) **code** for
  providing said association between said labels and said
  information data items. The code included...

11/3,K/9   (Item 3 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

01016737   **Image available**
SYSTEM AND METHOD FOR PROCESSING EXTENSIBLE MARKUP LANGUAGE (XML) DOCUMENTS
SYSTEME ET PROCEDE DE TRAITEMENT DE DOCUMENTS EN LANGAGE DE BALISAGE
    EXTENSIBLE (XML)
Patent Applicant/Assignee:
  RESEARCH IN MOTION LIMITED, 295 Phillip Street, Waterloo, Ontario N2L 3W8
    , CA, CA (Residence), CA (Nationality), (For all designated states
    except: US)
Patent Applicant/Inventor:
  OWEN Russell N, 450 Chesapeake Drive, Waterloo, Ontario N2K 4B8, CA, CA
    (Residence), CA (Nationality), (Designated only for: US)
  YUAN Bill, 559 Chancery Lane, Waterloo, Ontario N2T 2N5, CA, CA
    (Residence), CA (Nationality), (Designated only for: US)
  LIFCHITS Andrei A, 48 Geneva Ave, Toronto, Ontario M5A 2J8, CA, CA
    (Residence), RU (Nationality), (Designated only for: US)
  KNOWLES Michael, 235 Beaver Creek Road, Waterloo, Ontario N2T 2S9, CA, CA
    (Residence), CA (Nationality), (Designated only for: US)
Legal Representative:
  PATHIYAL Krishna K (et al) (agent), Research In Motion Limited, 295
    Phillip Street, Waterloo, Ontario N2L 3W8, CA,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200346757 A2 20030605 (WO 0346757)
  Application: WO 2002CA1778 20021121 (PCT/WO CA0201778)
  Priority Application: US 2001331998 20011123
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
  KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO
  RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SK TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 20533

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description
  Claims

Detailed Description
... XML documents according to a still further aspect
of the invention comprises the steps of **receiving** a processed document
from a **first** data **server** , wherein the processed document is generated
by transcoding an XML **document** using a **code** book, determining whether
the code book is stored ...second data server where the code book is not
stored in the code book cache, **receiving** the code book from the **second**
data **server** , and transcoding the processed **document** using the **code**
book to recover the XML **document** .

A method of processing documents at a wireless mobile communication
device for transmission via a...requiring any sort of communication of
code books between the data servers. For example, a **first** data **server**
(DS1) may **receive** an XML **document** , retrieve the DTD, create the **code**
book,
transcode the XML **document** into a WBXML document and send the WBXML
document to the mobile device. A **second** data **server** (DS2) could then
receive the
requestforthecodebookfromthemobiledevice. Ifthecodebookisnotalreadyinthe
cache at the server DS2, since DS1 generated and stored the code...

Claim
... device.

47 A method of processing extensible markup language (XML) documents,
comprising the steps of:
receiving a processed document from a **first** data **server** , wherein
the processed
document is generated by transcoding an XML **document** using a **code**
book;
determining whether the code book is stored ...second data server where
the code book is not
stored in the code book cache;
receiving the code book from the **second** data **server** ; and
transcoding the processed **document** using the **code** book to recover the
XML **document** .

48 The method of claim 47, further comprising the steps of:
at the **first** data **server** ,
69
receiving the XML document from an information source;
determining whether a code book for tra'nscoding...

11/3,K/10 (Item 4 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00963611 **Image available**
**EXTENDED WEB ENABLED MULTI-FEATURED BUSINESS TO BUSINESS COMPUTER SYSTEM
FOR RENTAL VEHICLE SERVICES**
**SYSTEME INFORMATIQUE INTERENTREPRISES A ELEMENTS MULTIPLES A ACCES INTERNET
POUR SERVICES DE LOCATION DE VEHICULES**
Patent Applicant/Assignee:
THE CRAWFORD GROUP INC, 600 Corporate Park Drive, St. Louis, MO 63105, US
, US (Residence), US (Nationality), (For all designated states except:
US)
Patent Applicant/Inventor:
WEINSTOCK Timothy Robert, 1845 Highcrest Drive, St. Charles, MO 63303, US

, US (Residence), US (Nationality), (Designated only for: US)
DE VALLANCE Kimberly Ann, 2037 Silent Spring Drive, Maryland Heights, MO
    63043, US, US (Residence), US (Nationality), (Designated only for: US)
HASELHORST Randall Allan, 1016 Scenic Oats Court, Imperial, MO 63052, US,
    US (Residence), US (Nationality), (Designated only for: US)
KENNEDY Craig Stephen, 9129 Meadowglen Lane, St. Louis, MO 63126, US, US
    (Residence), US (Nationality), (Designated only for: US)
SMITH David Gary, 10 Venice Place Court, Wildwood, MO 63040, US, US
    (Residence), US (Nationality), (Designated only for: US)
TINGLE William T, 17368 Hilltop Ridge Drive, Eureka, MO 63025, US, US
    (Residence), US (Nationality), (Designated only for: US)
KLOPFENSTEIN Anita K, 433 Schwarz Road, O'Fallon, IL 62269, US, US
    (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
  HAFERKAMP Richard E (et al) (agent), Howell & Haferkamp, L.C., Suite
    1400, 7733 Forsyth Blvd., St. Louis, MO 63105-1817, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200297700 A2 20021205 (WO 0297700)
  Application: WO 2001US51431 20011019 (PCT/WO US0151431)
  Priority Application: US 2000694050 20001020
Parent Application/Grant:
  Related by Continuation to: US 2000694050 20001020 (CIP)
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
  KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU
  SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 237932

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... a record with *DOWN is received.

  The input is logged and put in the appropriate **receiver** file.

  For any program exception error, the *PSSR subroutine is executed to DUMP
  the current program and if the return **code** is equal to 8196 and the
  current time is outside of the 11:00pm - 3 the
  ARMICF **file** that this program uses for input.

  The wreal-time" **receiver** job abnormally ends execution when the VAN's
  shutdowns their communication environment at 1:00am...

 11/3,K/11   (Item 5 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00960314   **Image available**
DATA MANAGEMENT AND DISTRIBUTION
GESTION ET DISTRIBUTION DE DONNEES
Patent Applicant/Inventor:
  DUNCAN Kelvin Scott, 1 Allister Avenue, Merivale, Christchurch, NZ, NZ

(Residence), NZ (Nationality)
Legal Representative:
  CALHOUN Douglas Charles A J Park (agent), 6th Floor, P.O. Box 949,
    Huddart Parker Building, One Post Office Square, Wellington, NZ,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200293578 A2-A3 20021121 (WO 0293578)
  Application: WO 2002IB2169 20020411 (PCT/WO IB0202169)
  Priority Application: AU 200135123 20010411
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
  KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO
  RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 9067

International Patent Class: **G06F-017/30** ...

... **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... matter of the respective segments, and a data file delivery means
  which makes the descriptor **code** data **file** available for receipt by-
  at least one recipient.

  Preferably the data coding apparatus includes a **source** signal **receiver**
  which receives the source signal,

 11/3,K/12   (Item 6 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00933152   **Image available**
**EXTENDED   WEB   ENABLED   MULTI-FEATURED BUSINESS TO BUSINESS COMPUTER SYSTEM
    FOR RENTAL VEHICLE SERVICES**
**SYSTEME   INFORMATIQUE   ETENDU   ENTRE   ENTREPRISES,   A   FONCTIONS MULTIPLES,
    FONCTIONNANT SUR LE WEB, POUR DES SERVICES DE LOCATION DE VEHICULES**
Patent Applicant/Assignee:
  THE CRAWFORD GROUP INC, 600 Corporate Park Drive, St. Louis, MO 63105, US
    , US (Residence), US (Nationality), (For all designated states except:
    US)
Patent Applicant/Inventor:
  WEINSTOCK Timothy Robert, 1845 Highcrest Drive, St. Charles, MO 63303, US
    , US (Residence), US (Nationality), (Designated only for: US)
  DE VALLANCE Kimberly Amm, 2037 Silent Spring Drive, Maryland Heights, MO
    63043, US, US (Residence), US (Nationality), (Designated only for: US)
  HASELHORST Randall Allan, 1016 Scenic Oats Court, Imperial, MO 63052, US,
    US (Residence), US (Nationality), (Designated only for: US)
  KENNEDY Craig Stephen, 9129 Meadowglen Lane, St. Louis, MO 63126, US, US
    (Residence), US (Nationality), (Designated only for: US)
  SMITH David Gary, 10 Venice Place Court, Wildwood, MO 63040, US, US
    (Residence), US (Nationality), (Designated only for: US)
  TINGLE William T, 17368 Hilltop Ridge Drive, Eureka, MO 63025, US, US

(Residence), US (Nationality), (Designated only for: US)
  KLOPFENSTEIN Anita K, 433 Schwarz Road, O'Fallon, IL 62269, US, US
    (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
  HAFERKAMP Richard E (et al) (agent), HOWELL & HAFERKAMP, L.C., Suite
    1400, 7733 Forsyth Blvd., St. Louis, MO 63105-1817, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200267175 A2 20020829 (WO 0267175)
  Application: WO 2001US51437 20011019 (PCT/WO US0151437)
  Priority Application: US 2000694050 20001020
Parent Application/Grant:
  Related by Continuation to: US 2000694050 20001020 (CIP)
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
  KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU
  SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 243912

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... a record with *DOWN is received.

  The input is logged and put in the appropriate **receiver   file** .

  For any program exception error, the *PSSR subroutine is executed to DUN
  current program and...

...intervention ma initiated.

  @Notes: For specific ICF operations, see the record formats in the
  1ICF **file** that this program uses for input.

  The "real-time" **receiver** job abnormally ends execution when the VAN's
  Ltdowns their communication environment at 1:00am...

  11/3,K/13   (Item 7 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00868212
**DATA MANAGEMENT APPLICATION PROGRAMMING INTERFACE FOR A PARALLEL FILE
    SYSTEM**
**INTERFACE DE PROGRAMMATION D'UNE APPLICATION DE GESTION DES DONNEES POUR UN
    SYSTEME DE FICHIER PARALLELES**
Patent Applicant/Assignee:
  INTERNATIONAL BUSINESS MACHINES CORPORATION, Orchard Road, Armonk, NY, US
    , US (Residence), US (Nationality), (For all designated states except:
    US)
Patent Applicant/Inventor:
  LOY Irit, 6 Shunamit Street, 34562 Haifa, IL, IL (Residence), IL

(Nationality), (Designated only for: US)
  MARBERG John, 31 Vitkin Street, 34754 Haifa, IL, IL (Residence), IL
    (Nationality), (Designated only for: US)
  SHMUELI Boaz, 6340 Aurelia Street, Apt. 1, Pittsburgh, PA 15206, US, US
    (Residence), IL (Nationality), (Designated only for: US)
  YEHUDAI Zvi, 6A Hanasi Avenue, 34645 Haifa, IL, IL (Residence), IL
    (Nationality), (Designated only for: US)
  CURRAN Robert, 8 Hedgerow Court, West Hurley, NY 12491, US, US
    (Residence), US (Nationality), (Designated only for: US)
  HASKIN Roger, 13585 Struzenberg Court, Morgan Hill, CA 95037, US, US
    (Residence), US (Nationality), (Designated only for: US)
  SCHMUCK Frank, 406 Union Avenue, Campbell, CA 95008, US, US (Residence),
    DE (Nationality), (Designated only for: US)
  WYLLIE James, 18392 Chadbourne Lane, Monte Sereno, CA 95030, US, US
    (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
  COLB Sanford T (et al) (agent), Sanford T. Colb & Co., P.O. Box 2273,
    76122 Rehovot, IL,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200201410 A1 20020103 (WO 0201410)
  Application: WO 2001IL560 20010619 (PCT/WO IL0100560)
  Priority Application: US 2000214127 20000626
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
  KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD
  SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 13368

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description
  Claims

Detailed Description
... from the session PFS to the source PFS.

  In a preferred embodiment, the method includes **receiving** the event
  message at the **first   node** , obtaining a data management access **right**
  from a physical **file** system (PFS) at the first node responsive to the
  event message, and processing the event...

Claim
... the source PFS,

  8 A method according to any of claims 1-7, and comprising:
   receiving the event message at the **first   node ;**
  obtaining a data management access **right** from a physical **file** system
  (PFS) at the first
  node responsive to, the event message; and
  processing the event...25 Apparatus according to any of claims 18-24,
  wherein when the event message is **received** at the **first   node** , a
  data management access **right** is obtained from the physical **file**
  systein (PFS) at the first node responsive to the event message, and the
  event message...A product according to any of claims 35-41, wherein when

the event message is **received** at the **first node** , a data management
access **right** is obtained from the physical **file** system (PFS) at the
first node responsive to the event message, and the event message...

11/3,K/14   (Item 8 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00851075   **Image available**
USE-SENSITIVE DISTRIBUTION OF DATA FILES BETWEEN USERS
DISTRIBUTION SENSIBLE A L'UTILISATION DE FICHIERS ENTRE DES UTILISATEURS
Patent Applicant/Assignee:
  NAPSTER INC, 1475 Veterans Blvd., Redwood City, CA 94063, US, US
    (Residence), US (Nationality)
Inventor(s):
  FANNING Shawn, 33 Hayward Street, #104, San Mateo, CA 94402, US,
  FANNING John, 165 Nantasket Avenue, Hull, MA 02045, US,
  KESSLER Edward, 14505 Arnerich Hill Road, Los Gatos, CA 95032, US,
Legal Representative:
  HAVERSTOCK Thomas B (et al) (agent), Haverstock & Owens LLP, 162 North
    Wolfe Road, Sunnyvale, CA 94086, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200184799 A2-A3 20011108 (WO 0184799)
  Application: WO 2001US13271 20010424   (PCT/WO US0113271)
  Priority Application: US 2000560106 20000428
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR
  KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE
  SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 8101

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description
  Claims

Detailed Description
... its data file repository to determine if the file is available for
  downloading. If the **file** is available, (inverted exclamation **mark**)t
  transmits that **file** to the file transfer client.

  In a preferred embodiment, when a file **transfer server** 20 **first**
  starts executing, it makes an initial detennination if (inverted
  exclamation mark)t is protected by...

Claim
... data files located in the data
  file repository for download by other users;
  iii. a **file** transfer client; and
  (inverted exclamation **mark**)v. a user interface for displaying the
  actions and status of the distribution
  application to the user,
  b) the file **transfer client** of a **first** user obtaining a connection

to the file transfer server
of a second user to download...data files located in the data file
repository for download by other users;
iii. a **file** transfer client; and
(inverted exclamation **mark**)v. a user interface for displaying the
actions and status of the distribution
application to the user,
b) the file **transfer** **client** of a **first** user obtaining a connection
to the file transfer server
of a second user to download...

11/3,K/15 **(Item 9 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00818616 **Image available**
EMBEDDED LICENSE DATA FILE DISTRIBUTION AND PROCESSING SYSTEM
DISTRIBUTION DE FICHIERS DE DONNEES A LICENCE INTEGREE ET SYSTEME DE
    TRAITEMENT
Patent Applicant/Assignee:
  SWIFTVIEW INC, 7565 S.W. Mohawk, Tualatin, OR 97062, US, US (Residence),
    US (Nationality)
Inventor(s):
  PRAKKEN Randy L, 9722 S. Gribble Road, Canby, OR 97013, US,
  CORRIGAN John, 16942 Cherry Crest Drive, Lake Oswego, OR 97034, US,
  WIDENER Glenn F, 2911 S.W. Stanley Court, Portland, OR 97219, US,
Legal Representative:
  BEDELL Daniel J (agent), Smith-Hill and Bedell, P.C., Suite 104, 12670
    N.W. Barnes Road, Portland, OR 97229, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200152113 A1 20010719 (WO 0152113)
  Application: WO 2001US264 20010104 (PCT/WO US0100264)
  Priority Application: US 2000174947 20000107
Designated States: AU CA JP
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
Publication Language: English
Filing Language: English
Fulltext Word Count: 5531

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description
  Claims

Detailed Description
... end of the file, since in either case the
  program ends before it reaches the **license** **stamp** .

  [000311 Since the print **file** 38 **sent** to printer 42 by
  destination **computer** 14 and the print file 28 **sent** to printer
  22 by **source** **computer** 12 are identical, except for the
  embedded license stamp 37 that printer 42 ignores, the...

Claim
... said destination computer via said
  network link; and
  adapting said processing software executed by said
  destination **computer** so that it processes each **received** data
  file to carry out said action only when the received data

file contains the embedded **license** **stamp** .

2 The method in accordance with claim 1 wherein said
encoded license stamp comprises a...

11/3,K/16   (Item 10 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00803567   **Image available**
E-MAIL LINKING AND DISPLAY SYSTEM
SYSTEME D'AFFICHAGE ET DE LIAISON DE COURRIER ELECTRONIQUE
Patent Applicant/Assignee:
  SUPERSIG COM INC, 219 Rose Avenue, Venice, CA 90291, US, US (Residence),
    US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
  JEFFREY Mark D, 821 9th Street, #5, Santa Monica, CA 90405, US, US
    (Residence), US (Nationality), (Designated only for: US)
  BURGESS Matthew T, 30 Clubhouse Avenue, Venice, CA 90291, US, US
    (Residence), US (Nationality), (Designated only for: US)
  DIEKHOFF Martin, 111-1/2 Screenland Drive, Burbank, CA 91505, US, US
    (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
  CAVANAGH Daniel M (agent), Christie, Parker & Hale, LLP, Post Office Box
    7068, Pasadena, CA 91109-7068, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200137123 A2-A3 20010525 (WO 0137123)
  Application: WO 2000US31585 20001115 (PCT/WO US0031585)
  Priority Application: US 99440212 19991115; US 2000516687 20000301 .
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ
  DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ
  LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG
  SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 7359

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... signature file element into the signature file; and
  placement of a tracking element into the **signature** **file** .

  . A method for modifying an e-mail message comprising.

  acquisition of an account on a **source** **computer** by an e-mail **sender** ;
  the direction of an e-mail reader to the source computer;
  the source computer generating...

11/3,K/17   (Item 11 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

Bode Akintola30-Oct-03

00777021
A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR AN E-COMMERCE BASED USER FRAMEWORK DESIGN FOR MAINTAINING USER PREFERENCES, ROLES AND DETAILS
SYSTEME, PROCEDE ET ARTICLE MANUFACTURE UTILISES EN COMMERCE ELECTRONIQUE POUR LA CONCEPTION DE STRUCTURES D'UTILISATEURS DESTINEES A PRESERVER LES PREFERENCES, ROLES ET DETAILS DES UTILISATEURS
Patent Applicant/Assignee:
  ACCENTURE LLP, Parkstraat 83, NL-2514 JG 's Gravenhage, The Hague, NL, NL
    (Residence), NL (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
  UNDERWOOD Roy A, 4436 Hearthmoor Court, Long Grove, IL 60047, US, US
    (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly LLP, 1400 Page Mill
    Road, Palo Alto, CA 94304, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200109792 A2-A3 20010208 (WO 0109792)
  Application: WO 2000US20549 20000728 (PCT/WO US0020549)
  Priority Application: US 99364091 19990730
Designated States: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES
  FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD
  MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG US
  UZ VN YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 122232

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description

Detailed Description
... overheads.

  170
  Construction
  Construction tools and processes are used to program or build the
  application: **client** and **server source code** , windows, reports, and
  database. ReTA based development should use a base set of naming and...

11/3,K/18   (Item 12 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00777020
A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR RESOURCE ADMINISTRATION IN AN E-COMMERCE TECHNICAL ARCHITECTURE
SYSTEME, PROCEDE ET ARTICLE MANUFACTURE POUR L'ADMINISTRATION DE RESSOURCES DANS UNE ARCHITECTURE TECHNIQUE DE COMMERCE ELECTRONIQUE
Patent Applicant/Assignee:
  ACCENTURE LLP, Parkstraat 83, NL-2514 JG 'S Gravenhage, NL, NL
    (Residence), NL (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
  UNDERWOOD Roy A, 4436 Hearthmoor Court, Long Grove, IL 60047, US, US
    (Residence), US (Nationality), (Designated only for: US)

Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, P.O. Box
    52037, Palo Alto, CA 94303-0746, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200109791 A2-A3 20010208 (WO 0109791)
  Application: WO 2000US20547 20000728   (PCT/WO US0020547)
  Priority Application: US 99364161 19990730
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ
  DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ
  LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG
  SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 136396

...International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... first server is transmitted to the second server. In response to the
  selection criteria, the **first   server   receives** a **first** recordset
  and a second recordset from the second server in operation 155. Business
  data is included in the first recordset and result **codes** are included
  in the second recordset. The first and
  34
  second recordsets are mapped to...

 11/3,K/19   (Item 13 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00522066   **Image available**
FEATURE DIFFUSION ACROSS HYPERLINKS
DIFFUSION DE CARACTERISTIQUES SUR DES HYPERLIENS
Patent Applicant/Assignee:
  INTERNATIONAL BUSINESS MACHINES CORPORATION,
  IBM UNITED KINGDOM LIMITED,
Inventor(s):
  CHAKRABARTI Soumen,
  DOM Byron Edward,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 9953418 A1 19991021
  Application: WO 99GB752 19990312   (PCT/WO GB9900752)
  Priority Application: US 9858635 19980410
Designated States: CA CN JP KR PL AT BE CH CY DE DK ES FI FR GB GR IE IT LU
  MC NL PT SE
Publication Language: English
Fulltext Word Count: 6933

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description
  Claims

Detailed Description

... includes
  computer readable code means for identifying a reference to a second
  document in a **first**   **document** . **Computer** readable **code** means
  receive a
  lexical distance that defines a number of document terms. Also, the
  computer includes computer...

Claim
... having:
  computer readable code means for identifying a reference to a second
  document in a **first**   **document** ;
   computer readable **code** means for **receiving** a lexical distance, the
  lexical distance defining a number of **document** terms;
  computer readable **code** means for receiving a query including one or
  more query terms; and
  computer readable code...

 11/3,K/20   **(Item 14 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00494769   **Image available**
FILE TRANSFER SYSTEM
SYSTEME DE TRANSFERT DE FICHIERS
Patent Applicant/Assignee:
  HYPERSPACE COMMUNICATIONS INC,
Inventor(s):
  HAFF Maurice W,
  CLARKE Christopher D,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 9926121 A2 19990527
  Application: WO 98US24373 19981113   (PCT/WO US9824373)
  Priority Application: US 9765533 19971113; US 9885427 19980514; US
    98100962 19980917
Designated States: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES
  FI GB GD GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV
  MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG
  UZ VN YU ZW GH GM KE LS MW SD SZ UG ZW AM AZ BY KG KZ MD RU TJ TM AT BE
  CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN
  GW ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 34251
...International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description

Detailed Description
... the user to encrypt files, manually selecting the appropriate public
  key, prior to selection for **transmission** to a **destination** **PC** .
  Decryption programs may also be invoked by the user to decrypt **files**
  with a private key **code** manually selected after receipt of the files.
  Automatic encryption and decryption without public key exchange...

 11/3,K/21   **(Item 15 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00485853   **Image available**

METHOD AND APPARATUS FOR ANALYZING DATA
PROCEDE ET DISPOSITIF POUR L'ANALYSE DE DONNEES
Patent Applicant/Assignee:
  SUN MICROSYSTEMS INC,
Inventor(s):
  HERMAN Jeffrey A,
  LOONEY Kevin T,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 9917205 A2 19990408
  Application: WO 98US20253 19980925   (PCT/WO US9820253)
  Priority Application: US 97939755 19970929
Designated States: JP AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
Publication Language: English
Fulltext Word Count: 5544

International Patent Class: **G06F-017/60**
Fulltext Availability:
  Claims

Claim
... source file input interface to a user;
  computer readable program code configured to cause a **computer** to
   receive   **source** file input information from the user via said source
  file input
  interface;
  computer readable program **code** configured to cause a computer to
  display a data analysis interface to a user;
  computer...

 11/3,K/22   **(Item 16 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00397632   **Image available**
AN INTERNET SERVER AND METHOD OF CONTROLLING AN INTERNET SERVER
SERVEUR INTERNET ET PROCEDE DE COMMANDE D'UN SERVEUR INTERNET
Patent Applicant/Assignee:
  BRITISH TELECOMMUNICATIONS PUBLIC LIMITED COMPANY,
Inventor(s):
  ANTCLIFF Stuart James,
  REGNAULT John Christopher,
  BRADLEY Laurence Daniel,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 9738375 A1 19971016
  Application: WO 97GB835 19970325   (PCT/WO GB9700835)
  Priority Application: GB 967152 19960404
Designated States: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES
  FI GB GE GH HU IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN
  MW MX NO NZ PL PT RO RU SD SE SG SI SK TJ TM TR TT UA UG UZ VN YU GH KE
  LS MW SD SZ UG AM AZ BY KG KZ MD RU TJ TM AT BE CH DE DK ES FI FR GB GR
  IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 5222
Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Claims

Claim
... a digitised sound file.